

Datasheet: MCA2598GA

BATCH NUMBER 1803

Description:	MOUSE ANTI PIG CD117	
Specificity:	CD117	
Other names:	C-KIT	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	2B8/BM	
Isotype:	lgG1	
Quantity:	0.1 mg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/10 - 1/20
Immunohistology - Frozen	•			
Immunohistology - Paraffin			•	
ELISA			•	
Immunoprecipitation (1)	•			
Western Blotting (2)	•			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

- (1)Enrichment of 2B8/BM+ BMC population required by depletion of CD3+, 6D10+ and CD163+ cells. Please see <u>Pérez, C. et al.</u> (2007) for details.
- (2)Enrichment of 2B8/BM+ BMC population required by depletion of CD3+, 6D10+ and CD163+ cells. Please see <u>Pérez, C. et al.</u> (2007) for details.

Target Species	Pig
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant

Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Porcine bone marrow cells (BMC).
External Database Links	UniProt: Q2HWD6 Related reagents Entrez Gene: 396810 KIT Related reagents
Fusion Partners	Spleen cells from immunised Balb/c mouse were fused with cells of the Sp2/0 myeloma cell line.
Specificity	Mouse anti Pig CD117, clone 2B8/BM is specific for porcine CD117, also known as c-kit, a 155 kDa type I transmembrane protein with protein tyrosine kinase activity, which plays an important role in early hematopoiesis (<u>Perez et al. 2007</u>).
	Hematopoietic stem cells (HSC) of bone marrow have multilineage differentiation potential and an extensive capacity for self-renewal. The majority of adult bone marrow hematopoietic progenitor cells are CD117+ and have been used successfully in xenograft transplantation models for long term survival of grafts, without symptoms of graft-versus-host disease (GVHD).
	Mouse anti pig CD117, clone 2B8/BM recognizes CD117 on a small subset of porcine bone marrow progenitor cells and therefore provides an alternative tool from the previously used c-kit ligand stem cell factor, for the isolation and enrichment of porcine stem cells.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
Western Blotting	Clone 2B8/BM detects a band of approximately 155kDa in enriched porcine bone marrow cell lysates under non-reducing conditions.
References	 Pérez C <i>et al.</i> (2007) Characterisation of porcine bone marrow progenitor cells identified by the anti-c-kit (CD117) monoclonal antibody 2B8/BM. J Immunol Methods. 321 (1-2): 70-9. Hatzistergos, K.E. <i>et al.</i> (2010) Bone marrow mesenchymal stem cells stimulate cardiac stem cell proliferation and differentiation. Circ Res. 107: 913-22. Escalona, Z. <i>et al.</i> (2014) Molecular characterization and expression of porcine

Siglec-5. <u>Dev Comp Immunol. 44 (1): 206-16.</u>

4. Wehman, B. et al. (2016) Mesenchymal Stem Cells Preserve Neonatal Right Ventricular Function In A Porcine Model Of Pressure Overload. Am J Physiol Heart Circ Physiol. Apr 22:ajpheart.00955.2015. [Epub ahead of print]

5. Wehman, B. et al. (2016) Intracoronary Stem Cell Delivery to the Right Ventricle: A Preclinical Study. Semin Thorac Cardiovasc Surg. 28 (4): 817-24.

Further Reading

1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update.

Vet Res. 39: 54.

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend

microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA2598GA

10040

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...) **HRP**

Rabbit Anti Mouse IgG (STAR12...) **RPE**

Goat Anti Mouse IgG (STAR70...) **FITC**

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Goat Anti Mouse IgG (STAR76...) **RPE**

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) **HRP**

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) **FITC**

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

America

Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367235:200529'

Printed on 25 Mar 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint