

Datasheet: MCA2599A647

BATCH NUMBER 166383

Description:	MOUSE ANTI PIG GRANULOCYTES:Alexa Fluor®647
Specificity:	GRANULOCYTES (NEUTROPHIL LINEAGE)
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	6D10
Isotype:	IgG2a
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat - 1/2

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Pig		
Product Form	Purified IgG conjugated to Alexa Fluor 647 - liquid		
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	Alexa Fluor®647	650	665
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant		
Buffer Solution	Phosphate buffered saline		
Preservative	0.09% Sodium Azide (NaN ₃)		
Stabilisers	1% Bovine Serum Albumin		
Approx. Protein Concentrations	IgG concentration 0.05 mg/ml		

Immunogen	Porcine bone marrow haematopoietic cells (BMHC).
Fusion Partners	Spleen cells from immunized Balb/c mouse were fused with cells of the SP2/0 mouse myeloma cell line.
Specificity	<p>Mouse anti Pig Granulocytes antibody, clone 6D10 recognizes a ~60 kDa antigen on porcine granulocytes of the neutrophil lineage, acting as a reliable tool for their analysis and isolation, without contamination from other cells.</p> <p>Expression of the antigen recognized by clone 6D10 decreases from the immature promyelocytes, through myelocytes and metamyelocytes, to the mature neutrophils, thereby enabling the identification of neutrophil developmental stages. Furthermore, use of clone 6D10 in conjunction with clone 2B2 (MCA2600), allows for the discrimination and characterisation of different porcine granulocyte lineages and also their developmental stages: 6D10⁻2B2⁻ early myeloid precursors, 6D10⁺2B2⁻ immature neutrophils, 6D10⁺2B2⁺ mature neutrophils and 6D10⁻2B2⁺ mature eosinophils and basophils.</p> <p>Mouse anti Pig Granulocytes antibody, clone 6D10 has been shown as suitable for use on cytopins (Pérez et al. 2007).</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul
References	<ol style="list-style-type: none"> Pérez, C. <i>et al.</i> (2007) Phenotypic and functional characterization of porcine granulocyte developmental stages using two new markers. Dev Comp Immunol. 31 (3): 296-306. Ezquerro, A. <i>et al.</i> (2009) Porcine myelomonocytic markers and cell populations. Dev Comp Immunol. 33 (3): 284-98. Stone, J.P. <i>et al.</i> (2016) Altered Immunogenicity of Donor Lungs via Removal of Passenger Leukocytes Using <i>Ex Vivo</i> Lung Perfusion. Am J Transplant. 16 (1): 33-43. Gardner, D.S. <i>et al.</i> (2016) Remote effects of acute kidney injury in a porcine model. Am J Physiol Renal Physiol. 310 (4): F259-71. Nguyen, D.N. <i>et al.</i> (2016) Delayed development of systemic immunity in preterm pigs as a model for preterm infants. Sci Rep. 6: 36816. Andersen, A.D. <i>et al.</i> (2019) Synbiotics Combined with Glutamine Stimulate Brain Development and the Immune System in Preterm Pigs. J Nutr. 149 (1): 36-45. Forner, R. <i>et al.</i> (2021) Distribution difference of colostrum-derived B and T cells subsets in gilts and sows. PLoS One. 16 (5): e0249366. dos Santos, M.C. <i>et al.</i> (2023) Effect of yeast extracted β-glucans on the immune response and reproductive performance of gilts in the adaptation, gestation, and lactation periods Livestock Sci. 275: 105289. Haach, V. <i>et al.</i> (2023) A polyvalent virosomal influenza vaccine induces broad cellular and humoral immunity in pigs. Virol J. 20 (1): 181. Weigand, M. <i>et al.</i> (2020) Proteome profile of neutrophils from a transgenic diabetic pig model shows distinct changes. J Proteomics. 224: 103843.
Further Reading	1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. Vet Res. 39: 54.

Storage This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.

Guarantee 12 months from date of despatch

Acknowledgements This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com

Health And Safety Information Material Safety Datasheet documentation #10041 available at: <https://www.bio-rad-antibodies.com/SDS/MCA2599A647>
10041

Regulatory For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL:Alexa Fluor® 647 \(MCA929A647\)](#)

Recommended Useful Reagents

[MOUSE ANTI PIG CD172a:FITC \(MCA2312F\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M422010:230822'

Printed on 21 Mar 2024

© 2024 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)