

Datasheet: MCA2607 BATCH NUMBER 149949

Description:	MOUSE ANTI HUMAN iC3b (NEOANTIGEN)			
Specificity:	iC3b (NEOANTIGEN)			
Other names:	INACTIVATED COMPLEMENT COMPONENT 3b			
Format:	Purified			
Product Type:	Monoclonal Antibody			
Product Type: Clone:	Monoclonal Antibody 013III-1.16			
Product Type: Clone: Isotype:	Monoclonal Antibody 013III-1.16 IgG2b			

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>					
	rad-antibodies.com/proto	<u>cols</u> .				
	Flow Outomotry	Yes	No	Not Determined	Suggested Dilution	
	Flow Cylometry	-				
	Immunohistology - Frozen	-			10 ug/ml	
		-			TO ug/mi	
		-		-		
	Western Blotting	-		_		
	Functional Assays					
	Where this preduct has not been tested for use in a particular technique this does not					
	where this product has not been tested for use in a particular technique this does not					
	necessarily exclude its use in such procedures. Suggested working dilutions are given as					
	a guide only. It is recommended that the user titrates the product for use in their own					
	system using appropriate negative/positive controls.					
Target Species	Human					
Product Form	Purified IgG - liquid					
Preparation	Purified IgG prepared by	affinity cł	nromatogra	phy on Protein A		
Buffer Solution	Borate buffered saline					

Preservative	0.00% Sodium Azide (NaNa)
Stabilisers	0.09% Sodium Azide (Mang)

Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Purified human iC3b
External Database Links	UniProt: P01024 Related reagents Entrez Gene: <u>718</u> C3 Related reagents
Synonyms	CPAMD1
RRID	AB_877464
Specificity	Mouse anti Human iC3b (Neoantigen) antibody, clone 013III-1.16 recognizes the ~42 kDa human inactive complement component 3b (iC3b) neoantigen present in blood serum. Cleavage of C3b into iC3b by the protease factor I, in the presence of cofactors, changes the structure and resulting binding properties, preventing binding by complement factor B and properdin. This prevents further progression of the complement pathway, providing another mechanism by which the complement pathway may be regulated.
	iC3b is thought to play a role in inducing tolerance, binding complement receptor type 3 on antigen presenting cells and stimulating them to produce transforming growth factor beta2 and interleukin-10. It is thought to stimulate B-cells via the CD21 receptor providing a link between the innate and adaptive immune responses. Additionally iC3b acts as an opsonin which is recognised by complement receptor 3 expressed on leukocytes or complement receptor of the immunoglobulin superfamily (CRIg) on Kupffer cells, stimulating phagocytosis of the tagged cells. iC3b levels are often elevated in diseases such as Systemic Lupus Erythematosis and Rheumatoid arthritis.
Histology Positive Control Tissue	Kidney from post streptoccal glomerulonephritis patients
Further Reading	 Janssena, B. <i>et al.</i> (2007) Structural insights into the central complement component C3. <u>Molecular Immunology. 44: 3-10.</u> Bergmann-Leitner, E.S. <i>et al.</i> (2006) Complement 3d: from molecular adjuvant to target of immune escape mechanisms. <u>Clin Immunol. 121 (2): 177-85.</u> Sohn, J.H. <i>et al.</i> (2003) Tolerance is dependent on complement C3 fragment iC3b binding to antigen-presenting cells. <u>Nat Med. 9 (2): 206-12.</u>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch		
Health And Safety Information	Material Safety Datasheet documentation #10077 available at: <u>https://www.bio-rad-antibodies.com/SDS/MCA2607</u> 10077		
Regulatory	For research purposes only		
Related Produc	cts		
Recommended Se	condary Antibodi	ies	
Rabbit Anti Mouse Ig	gG (STAR12)	RPE	
Goat Anti Mouse IgG	G IgA IgM (STAR87) <u>HRP</u>	
Goat Anti Mouse Igo	G (STAR76)	RPE	
Rabbit Anti Mouse Ig	gG (STAR13)	HRP	
Goat Anti Mouse IgG	G (STAR70)	<u>FITC</u>	
Goat Anti Mouse Igo	G (H/L) (STAR117)	<u>Alk. Phos.</u> , <u>DyLight®488</u> , <u>DyLight®550</u> ,	

FITC, HRPRabbit Anti Mouse IgG (STAR9...)FITCGoat Anti Mouse IgG (STAR77...)HRPGoat Anti Mouse IgG (Fc) (STAR120...)FITC, HRP

Recommended Negative Controls

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad	l.com	Email: antibody_sales_uk@bio-rad	.com	Email: antibody_sales_de@bio-rad.com

DyLight®650, DyLight®680, DyLight®800,

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367245:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint