

Datasheet: MCA2609 BATCH NUMBER 150315

4BP
·=·
OMPLEMENT COMPONENT 4BP
urified
onoclonal Antibody
51-198.6.3 (10-07)
G2b
1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using the appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Borate buffered saline
Preservative Stabilisers	0.1% Sodium Azide (NaN ₃)
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml
Immunogen	Native human C4 binding protein.

External Database Links	UniProt: P04003 Related reagents Entrez Gene: 722 C4BPA Related reagents
Synonyms	C4BP
RRID	AB_2066894
Specificity	Mouse anti human C4bp monoclonal antibody, clone 051-198.6.3 (10-07), recognizes complement component 4 binding protein (C4bp). There are three variants of C4bp, composed of alpha and beta chains. The predominant form is a 570 kDa complex of 7 alpha chains and 1 beta chain. The other complexes formed are a 530 kDa homoheptamer of alpha chains or a 500 kDa complex of 6 alpha chains and 1 beta chain. C4bp regulates the activation of the classical complement pathway. It is a cofactor to the C3b/C4b inactivator, crucial to the proteolytic cleavage of C4b and important in cleavage of C3b. C4bp also regulates the C4bC2a complex (C3 convertase), accelerating its degradation by dissociating the complement fragment C2a. Both the C4bp alpha and beta chains interact with anticoagulant protein S and C4bp alpha binds protein S. C4bp is expressed in the blood serum.
References	1. Huang, S. <i>et al.</i> (2016) Reciprocal relationship between contact and complement system activation on artificial polymers exposed to whole human blood <u>Biomaterials. 77:</u> 111-9.
Further Reading	1. Blom, A.M. <i>et al.</i> (2004) Functions of human complement inhibitor C4b-binding protein in relation to its structure. <u>Arch Immunol Ther Exp (Warsz). 52 (2): 83-95.</u>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	Guaranteed until date of expiry. Please see product label.
Health And Safety Information	Material Safety Datasheet documentation #10334 available at: https://www.bio-rad-antibodies.com/SDS/MCA2609
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...) HRP Goat Anti Mouse IgG (STAR70...) **FITC** Rabbit Anti Mouse IgG (STAR13...) **HRP** Rabbit Anti Mouse IgG (STAR9...) **FITC** Goat Anti Mouse IgG (STAR77...) **HRP** Goat Anti Mouse IgG (STAR76...) **RPE** Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550, DyLight®650, DyLight®680, DyLight®800, FITC, HRP Rabbit Anti Mouse IgG (STAR12...) **RPE**

Product inquiries: www.bio-rad-antibodies.com/technical-support

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M350402:190307'

Printed on 20 Oct 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint