

Datasheet: MCA2615

BATCH NUMBER 160532

Description:	MOUSE ANTI HUMAN COMPLEMENT FACTOR I
Specificity:	COMPLEMENT FACTOR I
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	052.11.3 (3R/8)
Isotype:	IgG1
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA	▪			1/500 - 1/4000
Immunoprecipitation			▪	
Western Blotting	▪			
Functional Assays	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Borate buffered saline
Preservative Stabilisers	0.1% Sodium Azide (NaN ₃)
Approx. Protein	Current, batch-specific concentration 1.20 mg/ml

Concentrations

Immunogen Native human factor I from serum.

External Database Links

UniProt:

[P05156](#) [Related reagents](#)

Entrez Gene:

[3426](#) CFI [Related reagents](#)

Synonyms IF

RRID AB_844540

Specificity

Mouse anti Human Complement Factor I antibody, clone 052.11.3 (3R/8) recognizes complement factor I, a member of the peptidase S1 family present in the blood plasma. Factor I is an 88 kDa protein consisting of one polypeptide chain of 35.4 kDa and one of 27.6 kDa. Factor I is a serine protease which inactivates complement components C3b and C4b. C3b cleavage requires the presence of cofactors complement component (3b/4b) receptor 1 (CR1), membrane cofactor protein or factor H, while C4b cleavage requires complement component 4 binding protein or CR1. Factor I has no natural inhibitors.

Dysfunctional factor I can lead to uncontrolled activation of the alternative complement pathway causing in systemic depletion of C3 and lower levels of factors B and H, resulting in recurrent pyogenic infections. Defects in CFI are also associated with haemolytic uraemic syndrome.

Mouse anti Human Complement Factor I antibody, clone 3R/8 blocks function of complement factor I.

Removal of Sodium Azide is recommended prior to use in functional assays.

Histology Positive Control Tissue

Kidney from post streptococcal glomerulonephritis patients

References

1. Dragon-Durey, M.A. & Frémeaux-Bacchi, V. (2005) Atypical haemolytic uraemic syndrome and mutations in complement regulator genes. [Springer Semin Immunopathol. 27 \(3\): 359-74.](#)
 2. Nilsson, S.C. *et al.* (2007) A mutation in factor I that is associated with atypical hemolytic uremic syndrome does not affect the function of factor I in complement regulation. [Mol Immunol. 44 \(8\): 1835-44.](#)
-

Storage

This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.

Avoid repeated freezing and thawing as this may denature the antibody. Storage in

frost-free freezers is not recommended.

Guarantee	Guaranteed until date of expiry. Please see product label.
------------------	--

Health And Safety Information	Material Safety Datasheet documentation #10334 available at: https://www.bio-rad-antibodies.com/SDS/MCA2615 10334
--------------------------------------	--

Regulatory	For research purposes only
-------------------	----------------------------

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)	RPE
Goat Anti Mouse IgG IgA IgM (STAR87...)	HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (STAR77...)	HRP
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA928\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M394016:220201'

Printed on 18 Jan 2024