

# Datasheet: MCA2618 BATCH NUMBER 153544

Description:	MOUSE ANTI HUMAN FACTOR P
Specificity:	COMPLEMENT FACTOR P
Other names:	PROPERDIN
Format:	Purified
<b>Product Type:</b>	Monoclonal Antibody
Clone:	062-260 (10-24)
Isotype:	IgG1
Quantity:	0.1 mg

# **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen	•			
Immunohistology - Paraffin			•	
ELISA	•			
Immunoprecipitation			•	
Western Blotting	•			
Functional Assays		•		

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Borate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )

Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Immunogen	Purified Human factor P from human serum.		
External Database Links	UniProt: P27918 Related reagents  Entrez Gene: 5199 CFP Related reagents		
Synonyms	PFC		
RRID	AB_844543		
Specificity	Mouse anti Human complement factor P antibody, clone 062-260 (10-24) recognises human complement factor P, a 53 kDa glycosylated protein present in serum. Factor P binds to microbial surfaces and binds and stabilizes the complement component 3- and complement component 5-convertase enzyme complexes. C3b then acts as an opsonin or initiates the complement pathway again creating a positive feedback loop which acts only on the bacterial cell, leaving the host cells unharmed. Deficiency of factor P makes the host more susceptible to bacterial infections, particularly to Neisseria species and meningococcal infections.		
	Mouse anti Human complement factor P antibody, clone 10-24 does not inhibit function of complement factor P.		
Histology Positive Control Tissue	Kidney from post streptoccal glomerulonephritis patients		
Further Reading	<ol> <li>Hourcade, D.E. (2006) The role of properdin in the assembly of the alternative pathway C3 convertases of complement. <u>J Biol Chem. 281 (4): 2128-32.</u></li> <li>Jelezarova, E. <i>et al.</i> (2000) Interaction of C3b(2)lgG complexes with complement proteins properdin, factor B and factor H: implications for amplification. <u>Biochem J. 349 (Pt 1): 217-23.</u></li> </ol>		
Storage	Store at +4°C or at -20°C if preferred.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.		
Guarantee	Guaranteed until date of expiry. Please see product label.		
Health And Safety Information	Material Safety Datasheet documentation #10077 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2618">https://www.bio-rad-antibodies.com/SDS/MCA2618</a> 10077		

## Related Products

### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...)

HRP

Goat Anti Mouse IgG (STAR76...)

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) <u>FITC</u>
Goat Anti Mouse IgG (STAR77...) <u>HRP</u>

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M350409:190307'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint