

## Datasheet: MCA2633PE

<b>Description:</b>	MOUSE ANTI HUMAN CD276:RPE
<b>Specificity:</b>	CD276
<b>Other names:</b>	B7-H3
<b>Format:</b>	RPE
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	MIH42
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	100 TESTS

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	■			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

<b>Target Species</b>	Human		
<b>Product Form</b>	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized		
<b>Reconstitution</b>	Reconstitute with 1.0ml distilled water		
<b>Max Ex/Em</b>	<b>Fluorophore</b>	<b>Excitation Max (nm)</b>	<b>Emission Max (nm)</b>
	RPE 488nm laser	496	578
<b>Preparation</b>	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant.		
<b>Buffer Solution</b>	Phosphate buffered saline		
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> )		
	1%	Bovine Serum Albumin	
	5%	Sucrose	

External Database Links	UniProt: <a href="#">Q5ZPR3</a> <a href="#">Related reagents</a>
	Entrez Gene: <a href="#">80381</a> CD276 <a href="#">Related reagents</a>
Synonyms	B7H3
RRID	AB_2275603
Specificity	<p><b>Mouse anti Human CD276 antibody, clone MIH42</b> detects CD276, a member of the B7 family of co-stimulatory molecules also known as B7-H3. CD276 is a type I transmembrane protein that induces the proliferation of CD4<sup>+</sup> and CD8<sup>+</sup> T cells, enhances the generation of cytotoxic T cells and selectively stimulates the production of interferon gamma.</p> <p>Expression of CD276 can be induced on dendritic cells and monocytes by inflammatory cytokines, and is also widely expressed in peripheral tissues including the heart, kidney, testis and colon. In humans, CD276 exists as two isoforms which result from gene duplication and differential splicing.</p> <p>CD276 is reported to have therapeutic potential for the regulation of cell-mediated immune responses to cancer, particularly in conjunction with anti-angiogenic therapy.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.
References	<ol style="list-style-type: none"> <li>1. Chapoval, A.I. <i>et al.</i> (2001) B7-H3: a costimulatory molecule for T cell activation and IFN-gamma production. <a href="#">Nat Immunol. 2 (3): 269-74.</a></li> <li>2. Sun, X. <i>et al.</i> (2003) Mouse B7-H3 induces antitumor immunity. <a href="#">Gene Ther. 10 (20): 1728-34.</a></li> <li>3. Ma, L. <i>et al.</i> (2007) Complete eradication of hepatocellular carcinomas by combined vasostatin gene therapy and B7H3-mediated immunotherapy. <a href="#">J Hepatol. 46 (1): 98-106.</a></li> <li>4. Tjomsland, V. <i>et al.</i> (2010) Semi mature blood dendritic cells exist in patients with ductal pancreatic adenocarcinoma owing to inflammatory factors released from the tumor. <a href="#">PLoS One. 5: e13441.</a></li> <li>5. Schulte, B.M. <i>et al.</i> (2015) Enterovirus-infected <math>\beta</math>-cells induce distinct response patterns in BDCA1<sup>+</sup> and BDCA3<sup>+</sup> human dendritic cells. <a href="#">PLoS One. 10 (3): e0121670.</a></li> </ol>
Storage	<p>Store at +4°C. DO NOT FREEZE.</p> <p>This product should be stored undiluted. This product is photosensitive and should be protected from light.</p> <p>Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	18 months from date of reconstitution
Health And Safety Information	Material Safety Datasheet documentation #10075 available at: 10075: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10075.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10075.pdf</a>

## Related Products

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:RPE \(MCA928PE\)](#)

### Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

**North & South**

Tel: +1 800 265 7376

**America**

Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

From March 15, 2021, we will no longer supply printed datasheets with our products.

Look out for updates on how to access your digital version at [bio-rad-antibodies.com](https://bio-rad-antibodies.com)

'M349489:190306'

**Printed on 09 Feb 2021**