

Datasheet: MCA2642

Description:	MOUSE ANTI HUMAN BRAIN NATRIURETIC PEPTIDE
Specificity:	BRAIN NATRIURETIC PEPTIDE
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	50E1
Isotype:	lgG1
Quantity:	0.2 mg

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/protocols.						
		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry			•			
	Immunohistology - Frozen			•			
	Immunohistology - Paraffin						
	ELISA	-					
	Immunoprecipitation			•			
	Western Blotting	-					
	Immunoassay	-					
	necessarily exclude its us a guide only. It is recomn system using appropriate	nended th	at the use	er titrates the product for	с с		
Target Species	Human						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared by affinity chromatography on Protein A from ascites						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)						
Approx. Protein Concentrations	IgG concentration 1.0mg	/ml					

Immunogen	Human synthetic Brain natriuretic hormone.
External Database Links	UniProt: <u>P16860</u> <u>Related reagents</u> Entrez Gene: <u>4879</u> NPPB <u>Related reagents</u>
RRID	AB_2155429
Fusion Partners	Spleen cells from immunized Balb/c mice were fused with cells of the Sp2/0 myeloma cell line.
Specificity	Mouse anti Human Brain Natriuretic Peptide antibody, clone 50E1 detects an epitope located at the C-terminal (amino acids 26-32) of the human brain natriuretic peptide (BNP), a secreted protein which is a member of the natriuretic peptide family. BNP is a cardiac hormone, which is synthesised as a pro-hormone (proBNP), and is proteolytically cleaved to release a biologically active fragment (BNP), and an inactive fragment (NT-proBNP) into the circulation.
	BNP is predominantly secreted from the cardiac ventricles in response to volume and pressure overload, and results in a number of biological activities including natriuresis, diuresis, vasorelaxation, and inhibition of the sympathetic nervous system. A high concentration of BNP in the bloodstream is indicative of heart failure.
	Mouse anti Human Brain Natriuretic Peptide antibody, clone 50E1 also detects proBNP.
Western Blotting	MCA2642 detects a band of approximately 4kDa when using synthetic BNP and a band of 15kDa when using recombinant proBNP.
References	 Seferian, K.R. <i>et al.</i> (2007) The brain natriuretic peptide (BNP) precursor is the major immunoreactive form of BNP in patients with heart failure. <u>Clin Chem. 53 (5): 866-73.</u> Tamm, N.N. <i>et al.</i> (2008) Novel immunoassay for quantification of brain natriuretic peptide and its precursor in human blood. <u>Clin Chem. 54 (9): 1511-8.</u>
Further Reading	 Clerico, A. <i>et al.</i> (2006) Clinical relevance of biological variation: the lesson of brain natriuretic peptide (BNP) and NT-proBNP assay. <u>Clin Chem Lab Med. 44 (4): 366-78.</u> Pfister, R. & Schneider, C.A. (2004) Natriuretic peptides BNP and NT-pro-BNP: established laboratory markers in clinical practice or just perspectives? <u>Clin Chim Acta.</u> <u>349 (1-2): 25-38.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2642 10040
Regulatory	For research purposes only
Related Produc	cts

Recommended Secondary Antibodies

Rabbit Aı	nti Mouse IgG (STAR12)	RPI	E			
Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos., HRP</u>						
Goat Anti Mouse IgG (STAR76)			RPE			
Rabbit Anti Mouse IgG (STAR13) <u>HRP</u>						
Goat Ant	Goat Anti Mouse IgG (STAR70) <u>FITC</u>					
Goat Ant	Goat Anti Mouse IgG (H/L) (STAR117) <u>Alk. Phos., DyLight®488</u> , <u>DyLight®550</u> ,					
	DyLight®650, DyLight®680, DyLight®800,					
		FIT	<u>C, HRP</u>			
Rabbit Anti Mouse IgG (STAR9) <u>FITC</u>						
Goat Anti Mouse IgG (Fc) (STAR120) <u>FITC</u> , <u>HRP</u>						
Goat Ant	Goat Anti Mouse IgG (STAR77) <u>HRP</u>					
Recommended Negative Controls						
MOUSE IgG1 NEGATIVE CONTROL (MCA928)						
North & South America	Tel: +1 800 265 7376 Worldw Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	ide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-	Europe -rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com	
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M405874:220916'						

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint