

Datasheet: MCA2659F

#### **BATCH NUMBER 0411**

Description:	MOUSE ANTI HUMAN CD55:FITC		
Specificity:	CD55		
Other names:	DAF		
Format:	FITC		
<b>Product Type:</b>	Monoclonal Antibody		
Clone:	Bu14		
Isotype:	lgG1		
Quantity:	0.1 mg		

# **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat - 1/20

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human				
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer				
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nn		
	FITC	490	525		
Preparation  Buffer Solution	Purified IgG prepared by affinity chromatography on Protein A supernatant  Phosphate buffered saline				
reservative abilisers	0.09% Sodium Azide 1% Bovine Serum	. 0,			
Approx. Protein	IgG concentration 0.1	mg/ml			

## Concentrations

External Database Links	UniProt: P08174 Related reagents  Entrez Gene: 1604 CD55 Related reagents				
Synonyms	CR, DAF				
RRID	AB_2275855				
Specificity	Mouse anti Human CD55 antibody, clone Bu14 recognizes human CD55, also known as Decay Accelerating Factor (DAF). CD55 is a glycosylphosphatylinositol (GPI) anchored type I surface protein which prevents complement mediated lysis of autologous cells. CD55 functions to limit the formation and accelerate the decay of C3/C5-convertases from the classic and alternative pathway.				
	The molecular weight of CD55 varies between ~50 and 100 kDa dependent on cell type. Alternative transcripts can lead to soluble DAF, which is detectable in plasma, tears, saliva, urine and cerebrospinal fluid (Medof et al. 1987).				
	CD55 acts as a ligand for CD97 ( <u>Hamaan et al. 1998</u> ) and is an entry receptor for Echovirus ( <u>Bergelson et al. 1994</u> ) and Coxsackie B virus ( <u>Hafenstein et al. 2007</u> ). CD55 has been linked to many diseases including multiple sclerosis, rheumatoid arthritis and cancer development ( <u>Visser et al. 2002</u> ).				
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 <sup>6</sup> cells in 100ul.				
References	1. Loveland, B.E. and Szokolai, K. (1998) CD55 Workshop Report NL11 In: Leukocyte Typing VI, Eds Kishmoto, T. <i>et al.</i> Garland publishing . 519-520.				
Further Reading	<ol> <li>Ruiz-Argüelles, A. &amp; Llorente, L. (2007) The role of complement regulatory proteins (CD55 and CD59) in the pathogenesis of autoimmune hemocytopenias. <u>Autoimmun Rev. 6 (3): 155-61.</u></li> <li>Mikesch, J.H. <i>et al.</i> (2006) Decay-accelerating factor (CD55): a versatile acting molecule in human malignancies. <u>Biochim Biophys Acta. 1766 (1): 42-52.</u></li> </ol>				
Storage	Store at +4°C or at -20°C if preferred.  Storage in frost-free freezers is not recommended.  This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.				
Guarantee	12 months from date of despatch				
Health And Safety Information	Material Safety Datasheet documentation #10041 available at:				

https://www.bio-rad-antibodies.com/SDS/MCA2659F

10041

**Regulatory** For research purposes only

## Related Products

# **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL:FITC (MCA928F)

Email: antibody\_sales\_us@bio-rad.com

## **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Fax: +44 (0)1865 852 739

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M372960:200727'

#### Printed on 29 Aug 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint