

# Datasheet: MCA2671PE

Description:	MOUSE ANTI HUMAN CD243:RPE
Specificity:	CD243
Other names:	MULTIDRUG RESISTANCE PROTEIN 1
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	UIC2
Isotype:	lgG2a
Quantity:	100 TESTS

### **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	-			neat			
	Where this product has not been tested for use in a particular technique this does not							
	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.							
Target Species	Human							
Species Cross	Reacts with: Primate							
Reactivity	Does not react with:Mouse, Rat <b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for							
	further information.							
Product Form	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized							
Reconstitution	Reconstitute with 1.0ml distilled water							
Max Ex/Em	Fluorophore	Excitation Max	x (nm) E	Emission Max (nm)				
	RPE 488nm laser	496		578				
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture							

	supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<ul> <li>0.09% Sodium Azide (NaN<sub>3</sub>)</li> <li>1% Bovine Serum Albumin</li> <li>5% Sucrose</li> </ul>
Immunogen	Mouse Balb/c 3T3 fibroblasts transfected with human CD243 cDNA.
External Database Links	UniProt: <u>P08183</u> <u>Related reagents</u> Entrez Gene: <u>5243</u> ABCB1 <u>Related reagents</u>
Synonyms	MDR1, PGY1
RRID	AB_2220546
Specificity	<ul> <li>Mouse anti Human CD243, clone UIC2 recognizes an extracellular conformational epitope of CD243, also known as MDR1 (multi-drug resistance protein 1) and Pgp (P-glycoprotein), a multi pass transmembrane protein and member of the ABC transporter (ATP-binding cassette) family, containing two ABC transporter type 1 domains and two ABC transporter domains. CD243 acts as an active efflux pump for a diverse range of lipophillic compounds.</li> <li>CD243 is expressed at low levels in the cell membrane of peripheral blood leucocytes, and constitutively expressed on the apical plasma membrane of excretory epithelial cells of the kidney, liver, brain and small intestine. CD243 mediates resistance to many chemotherapeutic agents used for tumour suppression and is therefore of special interest to oncologists. Clone UIC2 is a strong inhibitor of CD243-mediated efflux and of the resistance of MDR cells to CD243 transported cytotoxic drugs.</li> <li>Clone UIC2 can be used in a shift assay to selectively demonstrate the expression and</li> </ul>
	functional activity of CD243 in a target cell ( <u>Park <i>et al.</i> 2003</u> ). Clone UIC2 does not cross-react with mitochondrial pyruvate carboxylase. Exposure of monocytes, which do not constitutively express CD243 leads to an increase in surface expression and a significant enhancement of its substrate efflux activity. This increase in cell surface expression and efflux activity has implications for the drug resistance actions of CD243, not allowing concentrations of therapeutic agents such as cyclosporine (ritonavir) to reach beneficial levels in cells ( <u>Tempestilli <i>et al.</i> 2014</u> ).
Flow Cytometry	Use 10ul of the suggested working dilution to label $1 \times 10^6$ cells in 100ul.
References	1. Mechetner, E.B. & Roninson, I.B. (1992) Efficient inhibition of P-glycoprotein-mediated multidrug resistance with a monoclonal antibody. <u>Proc Natl Acad Sci U S A. 89 (13):</u>

	<ul> <li>5824-8.</li> <li>2. Park, S.W. <i>et al.</i> (2003) Analysis of P-glycoprotein-mediated membrane transport in human peripheral blood lymphocytes using the UIC2 shift assay. <u>Cytometry Part A. 53A: 67-78.</u></li> <li>3. Koziolek MJ <i>et al.</i> (2001) Expression of multidrug resistance P-glycoprotein in kidney allografts from cyclosporine A-treated patients. <u>Kidney Int. 60 (1): 156-66.</u></li> <li>4. Beck WT <i>et al.</i> (1996) Methods to detect P-glycoprotein-associated multidrug resistance in patients' tumors: consensus recommendations. <u>Cancer Res. 56 (13): 3010-20.</u></li> <li>5. Meister, S. <i>et al.</i> (2010) Calcium Channel Blocker Verapamil Enhances Endoplasmic Reticulum Stress and Cell Death Induced by Proteasome Inhibition in Myeloma Cells <u>Neoplasia. 12: 550-61.</u></li> <li>6. Tempestilli, M. <i>et al.</i> (2014) Low-density lipoprotein and ritonavir: an interaction between antiretrovirals and lipids mediated by P-glycoprotein. <u>J Antimicrob Chemother. 69 (7): 1760-6.</u></li> </ul>
Storage	Prior to reconstitution store at +4°C. After reconstitution store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of reconstitution.
Health And Safety Information	Material Safety Datasheet documentation #10075 available at: 10075: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10075.pdf</u>
Regulatory	For research purposes only

## **Related Products**

#### **Recommended Negative Controls**

MOUSE IgG2a NEGATIVE CONTROL:RPE (MCA929PE)

### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	ad.com	Email: antibody_sales_uk@bio-ra	ad.com	Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M353660:190516'

#### Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint