

Datasheet: MCA2684GA

BATCH NUMBER 0414

Description:	RAT ANTI MOUSE CD98	
Specificity:	CD98	
Other names:	4F2	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	H202-529.4.1.4	
Isotype:	lgG1	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry				1/20 - 1/200
Immunohistology - Frozen				
Immunohistology - Paraffin				
ELISA				
Immunoprecipitation				
Western Blotting			•	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Product Form Purified IgG - lice	uid
Preparation Purified IgG pre	pared by affinity chromatography on Protein G
Buffer Solution Phosphate buffe	ered saline
Preservative Stabilisers 0.09% Sodium A	Azide (NaN ₃)

Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Thymic epithelial cells from mouse.
External Database Links	UniProt: P10852 Related reagents Entrez Gene: 17254 Slc3a2 Related reagents
Synonyms	Mdu1
RRID	
	AB_1220552
Specificity	Rat anti Mouse CD98 antibody, clone H202-529.4.1.4 recognizes murine CD98, also known as 4F2 and SLC3A2. CD98 is a type II transmembrane glycoprotein which associates with members of the L-type amino transporter family to form a heterodimeric complex.
	CD98 constitutes the heavy chain of the complex and is required for the surface expression and basolateral localization of the amino acid transporter complex in polarized epithelial cells. The CD98 heavy chain also interacts with beta 1 integrins and regulates their activation through the cytoplasmic domains and transmembrane regions. Studies suggest that overexpression of CD98 may contribute to cell growth and survival by regulating integrin signalling, and therefore may play an important role in tumorigenesis.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
References	1. Kang, Y.S. <i>et al.</i> (2009) Clathrin-independent internalization of normal cellular prion protein in neuroblastoma cells is associated with the Arf6 pathway. <u>J Cell Sci. 122:</u> 4062-9.
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2684GA 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>

Rabbit Anti Rat IgG (STAR17...)

Goat Anti Rat IgG (STAR72...)

HRP

Goat Anti Rat IgG (STAR69...)

Goat Anti Rat IgG (STAR73...)

RPE

Rabbit Anti Rat IgG (STAR21...)

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

 $\textbf{Email: antibody_sales_us@bio-rad.com} \\ \textbf{Email: antibody_sales_uk@bio-rad.com} \\ \textbf{Email: antibody_sales_uk@b$

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367302:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint