

Datasheet: MCA2691A647

Description:	RAT ANTI MOUSE CD4:Alexa Fluor® 647
Specificity:	CD4
Other names:	L3T4 ANTIGEN, LY-4
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	RM4-5
Isotype:	lgG2a
Quantity:	100 TESTS/1ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes No	Not Determined	Suggested Dilution				
	Flow Cytometry	-		Neat - 1/10				
	Where this product has not been tested for use in a particular technique this does not							
		mmended that the	e user titrates the produc	king dilutions are given as ct for use in their own				
Target Species	Mouse							
Product Form	Purified IgG conjugated to Alexa Fluor 647 - liquid							
Max Ex/Em	Fluorophore	Excitation Max ()				
	Alexa Fluor®647	650	665	_				
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin							
Approx. Protein Concentrations	IgG concentration 0.0							

Immunogen	BALB/c mouse thymocytes
External Database Links	UniProt: <u>P06332</u> <u>Related reagents</u> Entrez Gene: <u>12504</u> Cd4 <u>Related reagents</u>
Specificity	Rat anti Mouse CD4 antibody, clone RM4-5 detects mouse CD4, a 55 kDa protein also known as Ly-4 and L3T4. CD4 is a single chain transmembraneous glycoprotein which belongs to the immunoglobulin superfamily, and is primarily expressed on peripheral blood monocytes and tissue macrophages. CD4 is also expressed on a subpopulation of regulatory T cells (CD4 ⁺ CD25 ⁺), which play a key role in the maintenance of self tolerance. Rat anti Mouse CD4 antibody, clone RM4-5 can be used for <i>in vitro</i> blocking of ligand
	binding, as well as <i>in vitro</i> CD4+ T cell depletions.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.
	The Fc region of monoclonal antibodies may bind non-specifically to cells expressing low affinity Fc receptors. This may be reduced by using SeroBlock FcR (<u>BUF041A/B</u>).
References	 von Kutzleben, S. <i>et al.</i> (2017) Depletion of CD52-positive cells inhibits the development of central nervous system autoimmune disease, but deletes an immune- tolerance promoting CD8 T-cell population. Implications for secondary autoimmunity of alemtuzumab in multiple sclerosis. <u>Immunology. 150 (4): 444-55.</u> Zamudio, F. <i>et al.</i> (2020) TDP-43 mediated blood-brain barrier permeability and leukocyte infiltration promote neurodegeneration in a low-grade systemic inflammation mouse model. <u>J Neuroinflammation. 17 (1): 283.</u>
Further Reading	1. Fehérvari, Z. & Sakaguchi, S. (2004) CD4+ Tregs and immune control. <u>J Clin Invest.</u> <u>114 (9): 1209-17.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.
Guarantee	12 months from date of despatch
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchased product solely in research, excluding contract research or any fee for service research,

	diagnos service or quali researc as desc	stic, therapeutions, or informations, or informations, or informations, or informations, or informations, for informatio	ct or its components for (a) , analysis or screening -test basis; (c) manufacturing er or not resold for use in oduct for purposes other than , 5791 Van Allen Way, Carlsbad					
Health An Informatic	•	l Safety Datasl www.bio-rad-ar	at:					
Regulator	y For res	earch purpose						
Recomm	d Products ended Negative C		347 (MCA6005A647)					
RAT IgG2a NEGATIVE CONTROL:Alexa Fluor® 647 (MCA6005A647) Recommended Useful Reagents								
	EROBLOCK FcR (BUF EROBLOCK FcR (BUF							
America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@b	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio	Europe -rad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com			
To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M385563:210513'								

Printed on 03 Oct 2023

© 2023 Bio-Rad Laboratories Inc | Legal | Imprint