

# Datasheet: MCA2691SBB675 BATCH NUMBER 100006863

Description:	RAT ANTI MOUSE CD4:StarBright Blue 675
Specificity:	CD4
Other names:	L3T4 ANTIGEN, LY-4
Format:	StarBright Blue 675
Product Type:	Monoclonal Antibody
Clone:	RM4-5
Isotype:	lgG2a
Quantity:	100 TESTS/0.5ml

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes No	Not Determined	Suggested Dilution			
	Flow Cytometry	•		Neat			
	necessarily exclude its	use in such proced mmended that the u	r use in a particular tech ures. Suggested workin ser titrates the product f controls.	g dilutions are given as			
Target Species	Mouse						
Product Form	Purified IgG conjugated to StarBright Blue 675 - liquid						
Max Ex/Em	Fluorophore	Excitation Max (nm	Emission Max (nm)				
	StarBright Blue 675	476	675				
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350						

	0.05% Tween 20
Immunogen	BALB/c mouse thymocytes
External Database Links	UniProt: <u>P06332</u> <u>Related reagents</u> Entrez Gene:
	<u>12504</u> Cd4 <u>Related reagents</u>
Specificity	<b>Rat anti Mouse CD4 antibody, clone RM4-5</b> detects mouse CD4, a 55 kDa protein also known as Ly-4 and L3T4. CD4 is a single chain transmembraneous glycoprotein which belongs to the immunoglobulin superfamily, and is primarily expressed on peripheral blood monocytes and tissue macrophages. CD4 is also expressed on a subpopulation of regulatory T cells (CD4 <sup>+</sup> CD25 <sup>+</sup> ), which play a key role in the maintenance of self tolerance.
	Rat anti Mouse CD4 antibody, clone RM4-5 can be used for <i>in vitro</i> blocking of ligand binding, as well as <i>in vitro</i> CD4+ T cell depletions.
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
References	<ol> <li>von Kutzleben, S. <i>et al.</i> (2017) Depletion of CD52-positive cells inhibits the development of central nervous system autoimmune disease, but deletes an immune- tolerance promoting CD8 T-cell population. Implications for secondary autoimmunity of alemtuzumab in multiple sclerosis. <u>Immunology. 150 (4): 444-55.</u></li> <li>Zamudio, F. <i>et al.</i> (2020) TDP-43 mediated blood-brain barrier permeability and leukocyte infiltration promote neurodegeneration in a low-grade systemic inflammation mouse model. <u>J Neuroinflammation. 17 (1): 283.</u></li> <li>Aloui, A. <i>et al.</i> (2023) AFM(1) Exposure in Male Balb/c Mice and Intervention Strategies Against Its Immuno-physiological toxicity using Clay Mineral and Lactic Acid Bacteria Alone or in Combination. <u>Immunopharmacol Immunotoxicol. : 1-32.</u></li> </ol>
Further Reading	1. Fehérvari, Z. & Sakaguchi, S. (2004) CD4+ Tregs and immune control. <u>J Clin Invest.</u> <u>114 (9): 1209-17.</u>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Health And Safety Information	Material Safety Datasheet documentation #20471 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2691SBB675">https://www.bio-rad-antibodies.com/SDS/MCA2691SBB675</a>

Regulatory

For research purposes only

### **Related Products**

### **Recommended Useful Reagents**

### MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	id.com	Email: antibody_sales_uk@bio-r	ad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M405179:220916'

#### Printed on 08 Mar 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint