

Datasheet: MCA2691SBB700

| Description:  | RAT ANTI MOUSE CD4:StarBright Blue 700 |  |  |
|---------------|--|--|--|
| Specificity:  | CD4                                    |  |  |
| Other names:  | L3T4 ANTIGEN, LY-4                     |  |  |
| Format:       | StarBright Blue 700                    |  |  |
| Product Type: | Monoclonal Antibody                    |  |  |
| Clone:        | RM4-5                                  |  |  |
| Isotype:      | IgG2a                                  |  |  |
| Quantity:     | 100 TESTS/0.5ml                        |  |  |
|               |  |  |  |

### **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

|                | Yes | No | <b>Not Determined</b> | <b>Suggested Dilution</b> |
|----------------|-----|----|-----------------------|---------------------------|
| Flow Cytometry |     |    |                       | Neat                      |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species               | Mouse   |                              |                    |
|------------------------------|---|------------------------------|--------------------|
| Product Form                 | Purified IgG conjugate                                      | ed to StarBright Blue 7      | 700 - liquid       |
| Max Ex/Em                    | Fluorophore   | Excitation Max (nm)          | Emission Max (nm   |
|                              | StarBright Blue 700   | 473                          | 703                |
| Dranavation                  |   |                              |                    |
| Preparation                  | Purified IgG prepared supernatant                           | I by affinity chromatog      | raphy on Protein G |
| Buffer Solution              | •   |                              | raphy on Protein G |
| •                            | supernatant   | aline                        | raphy on Protein G |
| Buffer Solution              | supernatant  Phosphate buffered s                           | aline<br>(NaN <sub>3</sub> ) | raphy on Protein G |
| Buffer Solution Preservative | Phosphate buffered s 0.09% Sodium Azide                     | aline<br>(NaN <sub>3</sub> ) | raphy on Protein G |
| Buffer Solution Preservative | Phosphate buffered s 0.09% Sodium Azide 1% Bovine Serum Alk | aline<br>(NaN <sub>3</sub> ) | raphy on Protein G |

| Approx. Protein<br>Concentrations | For information on the concentration of our StarBright Dye conjugated reagents please visit our <u>FAQ</u> page.  |
|-----------------------------------|---|
| Immunogen                         | BALB/c mouse thymocytes   |
| External Database<br>Links        | UniProt: P06332 Related reagents  Entrez Gene: 12504 Cd4 Related reagents   |
| Specificity                       | Rat anti Mouse CD4 antibody, clone RM4-5 detects mouse CD4, a 55 kDa protein also known as Ly-4 and L3T4. CD4 is a single chain transmembraneous glycoprotein which belongs to the immunoglobulin superfamily, and is primarily expressed on peripheral blood monocytes and tissue macrophages. CD4 is also expressed on a subpopulation of regulatory T cells (CD4+CD25+), which play a key role in the maintenance of self tolerance.   |
|                                   | Rat anti Mouse CD4 antibody, clone RM4-5 can be used for <i>in vitro</i> blocking of ligand binding, as well as <i>in vitro</i> CD4+ T cell depletions.   |
| Flow Cytometry                    | Use 5µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.   |
| References                        | 1. von Kutzleben, S. <i>et al.</i> (2017) Depletion of CD52-positive cells inhibits the development of central nervous system autoimmune disease, but deletes an immune-tolerance promoting CD8 T-cell population. Implications for secondary autoimmunity of alemtuzumab in multiple sclerosis. Immunology. 150 (4): 444-55.  2. Zamudio, F. <i>et al.</i> (2020) TDP-43 mediated blood-brain barrier permeability and leukocyte infiltration promote neurodegeneration in a low-grade systemic inflammation mouse model. J Neuroinflammation. 17 (1): 283.  3. Aloui, A. <i>et al.</i> (2023) AFM(1) Exposure in Male Balb/c Mice and Intervention Strategies Against Its Immuno-physiological toxicity using Clay Mineral and Lactic Acid Bacteria Alone or in Combination. Immunopharmacol Immunotoxicol.: 1-32.  4. Camponeschi, C. <i>et al.</i> (2021) S100B Protein as a Therapeutic Target in Multiple Sclerosis: The S100B Inhibitor Arundic Acid Protects from Chronic Experimental Autoimmune Encephalomyelitis. Int J Mol Sci. 22 (24): 13558. |
| Further Reading                   | 1. Fehérvari, Z. & Sakaguchi, S. (2004) CD4+ Tregs and immune control. <u>J Clin Invest.</u> 114 (9): 1209-17.  |
| Storage                           | This product is shipped at ambient temperature.  Store at +4°C. DO NOT FREEZE.  This product should be stored undiluted.  |
| Guarantee                         | 12 months from date of despatch   |

| Acknowledgements                 | This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts  |
|----------------------------------|--|
| Health And Safety<br>Information | Material Safety Datasheet documentation #20471 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2691SBB700">https://www.bio-rad-antibodies.com/SDS/MCA2691SBB700</a> |
| Regulatory                       | For research purposes only   |

# **Related Products**

# **Recommended Useful Reagents**

MOUSE SEROBLOCK FcR (BUF041A)
MOUSE SEROBLOCK FcR (BUF041B)

Product inquiries: <u>www.bio-rad-antibodies.com/technical-support</u>

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M440695:250523'

#### Printed on 24 Nov 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint