

## Datasheet: MCA2691SBR715

|                      |                                       |
|----------------------|---------------------------------------|
| <b>Description:</b>  | RAT ANTI MOUSE CD4:StarBright Red 715 |
| <b>Specificity:</b>  | CD4                                   |
| <b>Other names:</b>  | L3T4 ANTIGEN, LY-4                    |
| <b>Format:</b>       | StarBright Red 715                    |
| <b>Product Type:</b> | Monoclonal Antibody                   |
| <b>Clone:</b>        | RM4-5                                 |
| <b>Isotype:</b>      | IgG2a                                 |
| <b>Quantity:</b>     | 100 TESTS/0.5ml                       |

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

|                | Yes | No | Not Determined | Suggested Dilution |
|----------------|-----|----|----------------|--------------------|
| Flow Cytometry | ■   |    |                | Neat               |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

|                                 |   |                            |                          |
|---------------------------------|---|----------------------------|--------------------------|
| <b>Target Species</b>           | Mouse   |                            |                          |
| <b>Product Form</b>             | Purified IgG conjugated to StarBright Red 715 - liquid  |                            |                          |
| <b>Max Ex/Em</b>                | <b>Fluorophore</b>  | <b>Excitation Max (nm)</b> | <b>Emission Max (nm)</b> |
|                                 | StarBright Red 715  | 638                        | 712                      |
| <b>Preparation</b>              | Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant                             |                            |                          |
| <b>Buffer Solution</b>          | Phosphate buffered saline   |                            |                          |
| <b>Preservative Stabilisers</b> | 0.09% Sodium Azide (NaN <sub>3</sub> )<br>1% Bovine Serum Albumin<br>0.1% Pluronic F68<br>0.1% PEG 3350<br>0.05% Tween 20 |                            |                          |

|                                       |  |
|---------------------------------------|--|
| <b>Approx. Protein Concentrations</b> | For information on the concentration of our StarBright Dye conjugated reagents please visit our <a href="#">FAQ</a> page.  |
| <b>Immunogen</b>                      | BALB/c mouse thymocytes  |
| <b>External Database Links</b>        | <p><b>UniProt:</b><br/> <a href="#">P06332</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b><br/> <a href="#">12504</a>    Cd4    <a href="#">Related reagents</a></p>  |
| <b>Specificity</b>                    | <p><b>Rat anti Mouse CD4 antibody, clone RM4-5</b> detects mouse CD4, a 55 kDa protein also known as Ly-4 and L3T4. CD4 is a single chain transmembraneous glycoprotein which belongs to the immunoglobulin superfamily, and is primarily expressed on peripheral blood monocytes and tissue macrophages. CD4 is also expressed on a subpopulation of regulatory T cells (CD4<sup>+</sup>CD25<sup>+</sup>), which play a key role in the maintenance of self tolerance.</p> <p>Rat anti Mouse CD4 antibody, clone RM4-5 can be used for <i>in vitro</i> blocking of ligand binding, as well as <i>in vitro</i> CD4<sup>+</sup> T cell depletions.</p>  |
| <b>Flow Cytometry</b>                 | Use 5µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.  |
| <b>References</b>                     | <ol style="list-style-type: none"> <li>1. von Kutzleben, S. <i>et al.</i> (2017) Depletion of CD52-positive cells inhibits the development of central nervous system autoimmune disease, but deletes an immune-tolerance promoting CD8 T-cell population. Implications for secondary autoimmunity of alemtuzumab in multiple sclerosis. <a href="#">Immunology. 150 (4): 444-55.</a></li> <li>2. Zamudio, F. <i>et al.</i> (2020) TDP-43 mediated blood-brain barrier permeability and leukocyte infiltration promote neurodegeneration in a low-grade systemic inflammation mouse model. <a href="#">J Neuroinflammation. 17 (1): 283.</a></li> <li>3. Aloui, A. <i>et al.</i> (2023) AFM(1) Exposure in Male Balb/c Mice and Intervention Strategies Against Its Immuno-physiological toxicity using Clay Mineral and Lactic Acid Bacteria Alone or in Combination. <a href="#">Immunopharmacol Immunotoxicol. : 1-32.</a></li> <li>4. Camponeschi, C. <i>et al.</i> (2021) S100B Protein as a Therapeutic Target in Multiple Sclerosis: The S100B Inhibitor Arundic Acid Protects from Chronic Experimental Autoimmune Encephalomyelitis. <a href="#">Int J Mol Sci. 22 (24): 13558.</a></li> </ol> |
| <b>Further Reading</b>                | 1. Fehérvári, Z. & Sakaguchi, S. (2004) CD4 <sup>+</sup> Tregs and immune control. <a href="#">J Clin Invest. 114 (9): 1209-17.</a>  |
| <b>Storage</b>                        | Store at +4°C. DO NOT FREEZE.<br>This product should be stored undiluted.  |
| <b>Guarantee</b>                      | 12 months from date of despatch  |
| <b>Acknowledgements</b>               | This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign   |

counterparts

---

|                                      |  |
|--------------------------------------|--|
| <b>Health And Safety Information</b> | Material Safety Datasheet documentation #20471 available at:<br><a href="https://www.bio-rad-antibodies.com/SDS/MCA2691SBR715">https://www.bio-rad-antibodies.com/SDS/MCA2691SBR715</a><br>20471 |
|--------------------------------------|--|

---

|                   |                            |
|-------------------|----------------------------|
| <b>Regulatory</b> | For research purposes only |
|-------------------|----------------------------|

---

## Related Products

### Recommended Useful Reagents

[MOUSE SEROBLOCK FcR \(BUF041A\)](#)

[MOUSE SEROBLOCK FcR \(BUF041B\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)

'M435651:250224'

**Printed on 09 Apr 2025**

---

© 2025 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)