

Datasheet: MCA2691SBUV510 BATCH NUMBER 100006293

Description:	RAT ANTI MOUSE CD4:StarBright UltraViolet 510
Specificity:	CD4
Other names:	L3T4 ANTIGEN, LY-4
Format:	StarBright UltraViolet 510
Product Type:	Monoclonal Antibody
Clone:	RM4-5
Isotype:	lgG2a
Quantity:	100 TESTS/0.5ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes N	ο	Not Determined	Suggested Dilution		
	Flow Cytometry	•			Neat		
	Where this product ha necessarily exclude it a guide only. It is reco system using appropr	s use in such pro ommended that th	cedure ne user	es. Suggested workin titrates the product t	ig dilutions are given as		
Target Species	Mouse						
Product Form	Purified IgG conjugated to StarBright UltraViolet 510 - liquid						
Max Ex/Em	Fluorophore	Excitation Max	(nm)	Emission Max (nm)			
	StarBright UltraViolet 510	340		513			
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 0.1% Pluronic F68						

0.1% PEG 3350 0.05% Tween 20

Immunogen	BALB/c mouse thymocytes				
External Database Links	UniProt: P06332 Related reagents Entrez Gene: 12504 Cd4 Related reagents				
Specificity	Rat anti Mouse CD4 antibody, clone RM4-5 detects mouse CD4, a 55 kDa protein also known as Ly-4 and L3T4. CD4 is a single chain transmembraneous glycoprotein which belongs to the immunoglobulin superfamily, and is primarily expressed on peripheral blood monocytes and tissue macrophages. CD4 is also expressed on a subpopulation of regulatory T cells (CD4 ⁺ CD25 ⁺), which play a key role in the maintenance of self tolerance. Rat anti Mouse CD4 antibody, clone RM4-5 can be used for <i>in vitro</i> blocking of ligand binding, as well as <i>in vitro</i> CD4+ T cell depletions.				
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 ⁶ cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.				
References	 von Kutzleben, S. <i>et al.</i> (2017) Depletion of CD52-positive cells inhibits the development of central nervous system autoimmune disease, but deletes an immune- tolerance promoting CD8 T-cell population. Implications for secondary autoimmunity of alemtuzumab in multiple sclerosis. <u>Immunology. 150 (4): 444-55.</u> Zamudio, F. <i>et al.</i> (2020) TDP-43 mediated blood-brain barrier permeability and leukocyte infiltration promote neurodegeneration in a low-grade systemic inflammation mouse model. <u>J Neuroinflammation. 17 (1): 283.</u> Aloui, A. <i>et al.</i> (2023) AFM(1) Exposure in Male Balb/c Mice and Intervention Strategies Against Its Immuno-physiological toxicity using Clay Mineral and Lactic Acid Bacteria Alone or in Combination. <u>Immunopharmacol Immunotoxicol. : 1-32.</u> 				
Further Reading	1. Fehérvari, Z. & Sakaguchi, S. (2004) CD4+ Tregs and immune control. <u>J Clin Invest.</u> <u>114 (9): 1209-17.</u>				
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.				
Guarantee	12 months from date of despatch				
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts				
Health And Safety Information	Material Safety Datasheet documentation #20471 available at:				

	<u>https://w</u> 20471	<u>10</u>						
Regulato	ry For resea	arch purpose						
Relate	d Products							
Recomm	Recommended Useful Reagents							
	EROBLOCK FcR (BUF04 EROBLOCK FcR (BUF04							
	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21			
America	Fax: +1 919 878 3751 Email: antibody_sales_us@bio	-rad.com	Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio	o-rad.com	Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com			
To find a b	atch/lot specific datashee	et for this produ	uct, please use our online 'M394763:220217'	search tool at	: bio-rad-antibodies.com/datasheets			
Printed on 08 Mar 2024								
© 2024 Bio-I	Rad Laboratories Inc Le	egal Imprint						