

Datasheet: MCA2691SBUV575 BATCH NUMBER 100006716

RAT ANTI MOUSE CD4:StarBright UltraViolet 575			
CD4			
L3T4 ANTIGEN, LY-4			
StarBright UltraViolet 575			
Monoclonal Antibody			
RM4-5			
lgG2a			
100 TESTS/0.5ml			

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u> rad-antibodies.com/protocols.							
		Yes	No	Not Determined	Suggested Dilution			
	Flow Cytometry	-			Neat			
	Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.							
Target Species	Mouse							
Product Form	Purified IgG conjugated to StarBright UltraViolet 575 - liquid							
Max Ex/Em	Fluorophore	Excitation Max	(nm)	Emission Max (nm)				
	StarBright UltraViolet 575	340		569				
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 0.1% Pluronic F68							

0.1% PEG 3350 0.05% Tween 20

Immunogen	BALB/c mouse thymocytes
External Database Links	UniProt: P06332 Related reagents Entrez Gene: 12504 Cd4 Related reagents
Specificity	Rat anti Mouse CD4 antibody, clone RM4-5 detects mouse CD4, a 55 kDa protein also known as Ly-4 and L3T4. CD4 is a single chain transmembraneous glycoprotein which belongs to the immunoglobulin superfamily, and is primarily expressed on peripheral blood monocytes and tissue macrophages. CD4 is also expressed on a subpopulation of regulatory T cells (CD4 ⁺ CD25 ⁺), which play a key role in the maintenance of self tolerance. Rat anti Mouse CD4 antibody, clone RM4-5 can be used for <i>in vitro</i> blocking of ligand binding, as well as <i>in vitro</i> CD4+ T cell depletions.
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 ⁶ cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
References	 von Kutzleben, S. <i>et al.</i> (2017) Depletion of CD52-positive cells inhibits the development of central nervous system autoimmune disease, but deletes an immune- tolerance promoting CD8 T-cell population. Implications for secondary autoimmunity of alemtuzumab in multiple sclerosis. <u>Immunology. 150 (4): 444-55.</u> Zamudio, F. <i>et al.</i> (2020) TDP-43 mediated blood-brain barrier permeability and leukocyte infiltration promote neurodegeneration in a low-grade systemic inflammation mouse model. <u>J Neuroinflammation. 17 (1): 283.</u> Aloui, A. <i>et al.</i> (2023) AFM(1) Exposure in Male Balb/c Mice and Intervention Strategies Against Its Immuno-physiological toxicity using Clay Mineral and Lactic Acid Bacteria Alone or in Combination. <u>Immunopharmacol Immunotoxicol. : 1-32.</u>
Further Reading	1. Fehérvari, Z. & Sakaguchi, S. (2004) CD4+ Tregs and immune control. <u>J Clin Invest.</u> <u>114 (9): 1209-17.</u>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Health And Safety Information	Material Safety Datasheet documentation #20471 available at:

	<u>https://w</u> 20471	ww.bio-rad-ar	ntibodies.com/SDS/MCA	2691SBUV5	<u>575</u>			
Regulato	ry For resea	arch purpose						
Relate	d Products							
Recomm	Recommended Useful Reagents							
	EROBLOCK FcR (BUF04							
MOUSE S	EROBLOCK FcR (BUF04	<u>41B)</u>						
North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50			
Allonou	Email: antibody_sales_us@bio	-rad.com	Email: antibody_sales_uk@bio	o-rad.com	Email: antibody_sales_de@bio-rad.com			
To find a b	atch/lot specific datashee	et for this produ	uct, please use our online 'M403710:220728'	search tool at	: bio-rad-antibodies.com/datasheets			
			Printed on 15 May 2024					

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint