

Datasheet: MCA2691SBV760

| Description: | RAT ANTI MOUSE CD4:StarBright Violet 760 |
|---------------|--|
| Specificity: | CD4 |
| Other names: | L3T4 ANTIGEN, LY-4 |
| Format: | StarBright Violet 760 |
| Product Type: | Monoclonal Antibody |
| Clone: | RM4-5 |
| Isotype: | lgG2a |
| Quantity: | 100 TESTS/0.5ml |
| | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------|-----|----|----------------|--------------------|
| Flow Cytometry | • | | | Neat |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species | Mouse | | | | |
|------------------------------|---|-------------------------------|--------------------|--|--|
| Product Form | Purified IgG conjugated to StarBright Violet 760 - liquid | | | | |
| Max Ex/Em | Fluorophore | Excitation Max (nm) | Emission Max (nm | | |
| | StarBright Violet 760 | 403 | 754 | | |
| Preparation | Purified IgG prepared by affinity chromatography on Protein G f supernatant | | | | |
| . roparation | . | d by affinity chromatog | rapny on Protein G | | |
| Buffer Solution | . | | rapny on Protein G | | |
| • | supernatant | saline | rapny on Protein G | | |
| Buffer Solution | supernatant Phosphate buffered s | saline (NaN ₃) | rapny on Protein G | | |
| Buffer Solution Preservative | Phosphate buffered s | saline (NaN ₃) | rapny on Protein G | | |
| Buffer Solution Preservative | supernatant Phosphate buffered s 0.09% Sodium Azide 1% Bovine Serum All | saline (NaN ₃) | rapny on Protein G | | |

| Approx. Protein Concentrations | For information on the concentration of our StarBright Dye conjugated reagents please visit our <u>FAQ</u> page. |
|-----------------------------------|---|
| Immunogen | BALB/c mouse thymocytes |
| External Database Links | UniProt: P06332 Related reagents Entrez Gene: 12504 Cd4 Related reagents |
| Specificity | Rat anti Mouse CD4 antibody, clone RM4-5 detects mouse CD4, a 55 kDa protein also known as Ly-4 and L3T4. CD4 is a single chain transmembraneous glycoprotein which belongs to the immunoglobulin superfamily, and is primarily expressed on peripheral blood monocytes and tissue macrophages. CD4 is also expressed on a subpopulation of regulatory T cells (CD4+CD25+), which play a key role in the maintenance of self tolerance. Rat anti Mouse CD4 antibody, clone RM4-5 can be used for <i>in vitro</i> blocking of ligand binding, as well as <i>in vitro</i> CD4+ T cell depletions. |
| Flow Cytometry | Use 5ul of the suggested working dilution to label 10 ⁶ cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application. |
| References | 1. von Kutzleben, S. <i>et al.</i> (2017) Depletion of CD52-positive cells inhibits the development of central nervous system autoimmune disease, but deletes an immune-tolerance promoting CD8 T-cell population. Implications for secondary autoimmunity of alemtuzumab in multiple sclerosis. Immunology. 150 (4): 444-55. 2. Zamudio, F. <i>et al.</i> (2020) TDP-43 mediated blood-brain barrier permeability and leukocyte infiltration promote neurodegeneration in a low-grade systemic inflammation mouse model. J Neuroinflammation. 17 (1): 283. 3. Aloui, A. <i>et al.</i> (2023) AFM(1) Exposure in Male Balb/c Mice and Intervention Strategies Against Its Immuno-physiological toxicity using Clay Mineral and Lactic Acid Bacteria Alone or in Combination. Immunopharmacol Immunotoxicol.: 1-32. 4. Camponeschi, C. <i>et al.</i> (2021) S100B Protein as a Therapeutic Target in Multiple Sclerosis: The S100B Inhibitor Arundic Acid Protects from Chronic Experimental Autoimmune Encephalomyelitis. Int J Mol Sci. 22 (24): 13558. |
| Further Reading | 1. Fehérvari, Z. & Sakaguchi, S. (2004) CD4+ Tregs and immune control. <u>J Clin Invest.</u> 114 (9): 1209-17. |
| Storage | Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. |
| Guarantee | 12 months from date of despatch |
| Acknowledgements | This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign |

counterparts

Health And Safety Material Safety Datasheet documentation #20471 available at: Information

https://www.bio-rad-antibodies.com/SDS/MCA2691SBV760

20471

Regulatory For research purposes only

Related Products

Recommended Useful Reagents

MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)

North & South Tel: +1 800 265 7376 Tel: +44 (0)1865 852 700 Tel: +49 (0) 89 8090 95 21 Worldwide Europe America Fax: +1 919 878 3751 Fax: +44 (0)1865 852 739 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com Email: antibody_sales_us@bio-rad.com Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M435673:250224'

Printed on 09 Apr 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint