

Datasheet: MCA2702GA

#### **BATCH NUMBER 161236**

Description:	MOUSE ANTI HUMAN TLR7	
Specificity:	TLR7	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	4F4	
Isotype:	lgG1	
Quantity:	0.1 mg	

## **Product Details**

#### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA	•			
Immunoprecipitation			•	
Western Blotting	•			1/1000 - 1/2000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.02% Sodium Azide (NaN <sub>3</sub> ) 10% Glycerol
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml

Immunogen	Recombinant human TLR7 (amino acids 451-500) purified from Escherichia coli.
External Database Links	UniProt:
	Q9NYK1 Related reagents
	Entrez Gene:
	51284 TLR7 Related reagents
RRID	AB_2256006
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the mouse SP2/0 myeloma cell line.
Specificity	<b>Mouse anti Human TLR7 antibody, clone 4F4</b> recognizes human TLR7 (toll-like receptor 7), a 121 kDa type I transmembrane protein belonging to the toll-like receptor (TLR) family. TLR7is predominantly expressed in the spleen, lung and placenta ( <u>Chuang et al. 2000</u> ).
	TLRs are highly conserved proteins which play a key role in activation of innate immunity, through the recognition of distinct molecular patterns expressed by infectious agents. TLR7 recognizes and interacts with single-stranded RNA (ssRNA) derived from viruses such as influenza, HIV-1 (human immunodeficiency virus type I) and Sendai, and some siRNAs, resulting in the activation of the MyD88/interleukin-1 receptor-associated kinase (IRAK) signaling pathway, and the production of proinflammatory signaling molecules (Diebold et al. 2004).
Western Blotting	MCA2702GA detects a band of approximately 121 kDa in Ramos cell lysates.
Further Reading	1. Kawai, T. & Akira, S. (2006) TLR signaling. Cell Death Differ. 13 (5): 816-25.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
	Material Outstand Dutant and American Material Materials and
Health And Safety Information	Material Safety Datasheet documentation #10049 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA2702GA">https://www.bio-rad-antibodies.com/SDS/MCA2702GA</a> 10049

# **Related Products**

### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...)

HRP

Goat Anti Mouse IgG (STAR76...)

RPE

Rabbit Anti Mouse IgG (STAR13...)

HRP

Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Rabbit Anti Mouse IgG (STAR9...) <u>FITC</u>
Goat Anti Mouse IgG (STAR77...) <u>HRP</u>

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M383959:210513'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint