

Datasheet: MCA2723

Description:	MOUSE ANTI CAT MHC CLASS II
Specificity:	MHC CLASS II
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	PF6J-6D
Isotype:	lgG2b
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			
Immunohistology - Frozen			•	
Immunohistology - Paraffin	•			
ELISA	•			
Immunoprecipitation			•	
Western Blotting				

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

sue culture

RRID	AB_915359
Specificity	Mouse anti Cat MHC Class II antibody, clone PF6J-6D recognizes an epitope within the ~29-31 kDa beta chain region of cat MHC class II molecules which are expressed by antigen presenting cells, B cells, monocytes and activated T lymphocytes.
	The major histocompatibility complex (MHC) is a cluster of genes that are important in the immune response to infections. In cats, this is referred to as the feline leukocyte antigen (FLA) region.
	The complex retrovirus FIV (feline immunodeficiency virus), is responsible for a progressive and debilitating immune deficiency syndrome in domestic cats, similar to that caused by the human Immunodeficiency virus (HIV), the intensity of MHC Class II expression on cat lymphocyte membranes has been found to vary in association with feline retrovirus infections.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
Western Blotting	MCA2723 detects band/s of approximately 29-31kDa on fractionated cat lymphocyte cell lysates under non-reducing conditions.
References	1. Hunt, P. <i>et al.</i> (1995) Variable expression of major histocompatibility complex class II in the domestic cat. Res Vet Sci. 59 (3): 195-200.
	2. Lerner, D.L. <i>et al.</i> (1998) FIV infection of IL-2-dependent and -independent feline lymphocyte lines: host cells range distinctions and specific cytokine upregulation. <u>Vet Immunol Immunopathol</u> . 65 (2-4): 277-97.
	3. Bradbury AM <i>et al.</i> (2017) AAV-mediated gene delivery attenuates neuroinflammation in feline Sandhoff disease. Neuroscience. 340: 117-25.
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2723 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) RPE

Rabbit Anti Mouse IgG (STAR13...) HRP
Goat Anti Mouse IgG (H/L) (STAR117...) FITC
Rabbit Anti Mouse IgG (STAR9...) FITC

Recommended Negative Controls

MOUSE IgG2b NEGATIVE CONTROL (MCA691)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M389472:210806'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint