

Datasheet: MCA2730

Description:	MOUSE ANTI DEHYDROEPIANDROSTERONE
Specificity:	DEHYDROEPIANDROSTERONE
Other names:	DHEA
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	DHEA(-3):1-19.1 (BGN/117/1191)
Isotype:	lgG1
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
ELISA	•			1/1000 - 1/10000

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

culture

Target Species	Broad	
Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein A supernatant.	from tissue
Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)	
Carrier Free	Yes	
Approx. Protein Concentrations	IgG concentration 1.0mg/ml	

Immunogen	DHEA-3-HS-BSA conjugate.
RRID	AB_1125311
Specificity	Mouse anti Dehydroepiandrosterone antibody, clone DHEA(-3):1-19.1 detects dehydroepiandrosterone (DHEA) a steroid prohormone which is the precursor of all sex steroids. DHEA is produced primarily by the adrenal glands, and together with its ester DHEA-sulphate (DHEAS), has been implicated in a wide range of physiological roles including aging, immunology, memory and obesity. In particular, DHEA and DHEAS differentially regulate growth-factor induced proliferation of chromaffin cells, and are thought to affect neurogenesis, neuronal survival, and neuronal stem cell proliferation.
	Blood measurements of DHEAS/DHEA are useful to detect excess adrenal activity due to adrenal cancer or hyperplasia, including certain forms of congenital adrenal hyperplasia.
References	1. Sicard, F. <i>et al.</i> (2007) Age-dependent regulation of chromaffin cell proliferation by growth factors, dehydroepiandrosterone (DHEA), and DHEA sulfate. <u>Proc Natl Acad Sci U S A. 104 (6): 2007-12.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2730 10040
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...) <u>RPE</u> Goat Anti Mouse IgG IgA IgM (STAR87...) HRP Goat Anti Mouse IgG (STAR76...) <u>RPE</u> Goat Anti Mouse IgG (STAR70...) **FITC** Rabbit Anti Mouse IgG (STAR13...) <u>HRP</u> Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP Rabbit Anti Mouse IgG (STAR9...) **FITC** Goat Anti Mouse IgG (STAR77...) **HRP** Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M383966:210513'

Printed on 29 Apr 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint