

Datasheet: MCA2741

Description:	MOUSE ANTI HUMAN PLECTIN		
Specificity:	PLECTIN		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	10F6		
Isotype:	lgG1		
Quantity:	50 μg		

## **Product Details**

### **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="https://www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen	•			5.0 - 10.0ug/ml
Immunohistology - Paraffin			•	
ELISA			•	
Immunoprecipitation			•	
Western Blotting	-			2.0ug/ml

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Mouse, Rat  N.B. Antibody reactivity and working conditions may vary between species.
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> )
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Human Plectin.

Links

**UniProt:** 

Q15149 Related reagents

**Entrez Gene:** 

5339 PLEC Related reagents

**Synonyms** 

PLEC1

**Specificity** 

Mouse anti Human Plectin antibody, clone 10F6 recognizes human plectin, a ~500 kDa ubiquitously expressed intermediate filament binding protein and member of the plakin family, which acts as a link between intermediate filaments (IF), microtubules and actin microfilaments within the cytoskeleton, and between the cytoskeleton and plasma membranes connecting different cells, thereby maintaining tissue integrity.

**Further Reading** 

1. Wiche, G. (1998) Role of plectin in cytoskeleton organization and dynamics. <u>J Cell Sci. 111 ( Pt</u>

17): 2477-86.

**Storage** 

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before

use.

**Shelf Life** 

18 months from date of despatch.

Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf

Regulatory

For research purposes only

## Related Products

# **Recommended Secondary Antibodies**

Goat Anti Mouse IgG (STAR76...) RPE

Goat Anti Mouse IgG IgA IgM (STAR87...) Alk. Phos., HRP

Rabbit Anti Mouse IgG (STAR9...) FITC

Goat Anti Mouse IgG (STAR77...) HRP

Rabbit Anti Mouse IgG (STAR12...) RPE

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP
Rabbit Anti Mouse IgG (STAR8...) DyLight®800

Goat Anti Mouse IgG (STAR70...) FITC
Rabbit Anti Mouse IgG (STAR13...) HRP
Human Anti Mouse IgG1 (HCA036...) HRP

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®549,

DyLight®649, DyLight®680, DyLight®800,

FITC, HRP

### **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

# **Recommended Useful Reagents**

## HISTAR DETECTION SYSTEM (STAR3000B)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

America Fax: +1 919 878 3751
Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

'M326484:180730'

#### Printed on 30 Jul 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint