Datasheet: MCA274R BATCH NUMBER 156970

Description:	MOUSE ANTI RAT CD172a
Specificity:	CD172a
Other names:	SIRP ALPHA
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	OX-41
Isotype:	lgG2a
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u>.

	<u>rad-antibodies.com/proto</u>	cols.				
		Yes	No	Not Determined	Suggested Dilution	
	Flow Cytometry				1/10 - 1/50	
	Immunohistology - Frozen					
	Immunohistology - Paraffin	_				
	(1)					
	ELISA			•		
	Immunoprecipitation			•		
	Western Blotting					
	Where this antibody has	not been tested for use in a particular technique this does not				
	necessarily exclude its us	ig dilutions are given as				
	a guide only. It is recomn		•			
	system using appropriate			•		
		•	•			
(1)This product requires protein digestion pre-treatment of pa				arattin sections e.g.		
	trypsin or pronase.					
Target Species	Rat					
Product Form	Purified IgG - liquid					

Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline

Preservative Stabilisers	0.09% Sodium Azide		
Carrier Free	Yes		
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml		
Immunogen	Rat peritoneal macrophages.		
External Database Links	UniProt: P97710 Related reagents Entrez Gene: 25528 Sirpa Related reagents		
Synonyms	Bit, Mfr, Ptpns1, Shps1, Sirp		
RRID	AB_2270320		
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with the NS0/U mouse myeloma cell line.		
Specificity	Mouse anti Rat CD172a antibody, clone OX-41 recognizes rat CD172a, also known as Signal regulatory protein (SIRP). CD172a is expressed selectively by myeloid cells and by neurons. MRC OX-41 binds to a different epitope on SIRP than ED9. It does not block the		
	interaction of CD172a - CD47.		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.		
References	 Robinson, A.P. <i>et al.</i> (1986) Macrophage heterogeneity in the rat as delineated by two monoclonal antibodies MRC OX-41 and MRC OX-42, the latter recognizing complement receptor type 3. <u>Immunology. 57 (2): 239-47.</u> Barclay, A.N. (1981) The localization of populations of lymphocytes defined by monoclonal antibodies in rat lymphoid tissues. <u>Immunology. 42 (4): 593-600.</u> Adams, S. <i>et al.</i> (1998) Signal-regulatory protein is selectively expressed by myeloid and neuronal cells. <u>J Immunol. 161 (4): 1853-9.</u> Santos, L.L. <i>et al.</i> (1997) Anti-neutrophil monoclonal antibody therapy inhibits the development of adjuvant arthritis. <u>Clin Exp Immunol. 107: 248-53.</u> Milling, S.W. <i>et al.</i> (2006) Collection of lymph-borne dendritic cells in the rat. <u>Nat Protoc. 1: 2263-70.</u> Moghaddami, M. <i>et al.</i> (2007) Recruitment of dendritic cells and macrophages during T cell-mediated synovial inflammation. <u>Arthritis Res Ther. 9: R120.</u> Zhou, Y.J. <i>et al.</i> (2010) The role of the lactadherin in promoting intestinal DCs development <i>in vivo</i> and <i>invitro</i>. <u>Clin Dev Immunol. 2010: 357541.</u> Varalakshmi, Ch, <i>et al.</i> (2008) Immunomodulatory effects of curcumin: <i>in-vivo</i>. <u>Int</u> 		

	Immunopharmacol. 8 (5): 688-700.	
Storage	Store at +4°C or at -20°C if preferred.	
	This product should be stored undiluted.	
	Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.	
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA274R 10040	
Regulatory	For research purposes only	

Related Products

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12)	RPE		
Goat Anti Mouse IgG IgA IgM (STAR87) <u>HRP</u>			
Goat Anti Mouse IgG (STAR76)	RPE		
Rabbit Anti Mouse IgG (STAR13)	HRP		
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>		
Goat Anti Mouse IgG (H/L) (STAR117)	<u>Alk. Phos.</u> , <u>DyLight®488</u> , <u>DyLight®550</u> ,		
	DyLight®650, DyLight®680, DyLight®800,		
	FITC, HRP		
Rabbit Anti Mouse IgG (STAR9)	FITC		
Goat Anti Mouse IgG (STAR77)	HRP		
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP		

MOUSE IgG2a NEGATIVE CONTROL (MCA1210)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@	bio-rad.com	Email: antibody_sales_uk@bio	-rad.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367415:200529'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint