

Datasheet: MCA278 BATCH NUMBER 147619

Description:	MOUSE ANTI RAT IgG2a HEAVY CHAIN		
Specificity:	IgG2a HEAVY CHAIN		
Format:	Purified		
Product Type:	Monoclonal Antibody		
Clone:	MARG2a-1		
Isotype:	lgG1		
Quantity:	0.25 mg		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA	-			1.25ug/ml as coating antibody
Immunoprecipitation			•	
Western Blotting			•	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Rat
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.1% Sodium Azide
Approx. Protein	IgG concentration 1 mg/ml

Concentrations **Immunogen** purified rat IgG2a. **External Database UniProt:** Links P20760 Related reagents **Entrez Gene:** 679045 LOC679045 Related reagents **RRID** AB_322914 **Fusion Partners** Spleen cells from immunised BALB/c mice were fused with cells of the PAI-0 mouse myeloma cell line. **Specificity** Mouse anti Rat IgG2a heavy chain antibody, clone MARG2a-1 recognizes the rat gamma 2a immunoglobulin heavy chain, and does not cross-react with other immunoglobulin classes or subclasses. Avidity of Mouse anti Rat IgG2a heavy chain antibody, clone MARG2a-1 for rat IgG2a = $2.1 \times 10^9 \,\mathrm{M}^{-1}$. **ELISA** This product may be used in an indirect ELISA or as a capture antibody in a sandwich ELISA together with MCA1296P as detection reagent. Purified rat IgA (PRP04) may be used as a standard. References 1. Bazin, H. et al. (1974) Three classes and four (sub)classes of rat immunoglobulins: IgM, IgA, IgE and IgG1, IgG2a, IgG2b, IgG2c. Eur J Immunol. 4 (1): 44-8. 2. Shulman, M. et al. (1978) A better cell line for making hybridomas secreting specific antibodies. Nature. 276 (5685): 269-70. 3. Bazin, H. et al. (1973) Brief communication: Transplantable immunoglobulin-secreting tumors in rats. V. Monoclonal immunoglobulins secreted by 250 ileocecal immunocytomas in LOU-Wsl rats. J Natl Cancer Inst. 51 (4): 1359-61. 4. Sandin, L.C. et al. (2014) Locally delivered CD40 agonist antibody accumulates in secondary lymphoid organs and eradicates experimental disseminated bladder cancer. Cancer Immunol Res. 2 (1): 80-90. 5. Bézie S et al. (2015) Compensatory Regulatory Networks between CD8 T, B, and

Further Reading

1. Köhler, G. & Milstein, C. (1975) Continuous cultures of fused cells secreting antibody of predefined specificity. <u>Nature</u>. <u>256</u> (5517): 495-7.

6. Bézie, S. et al. (2015) Fibrinogen-like protein 2/fibroleukin induces long-term allograft

Myeloid Cells in Organ Transplantation Tolerance. J Immunol. 195 (12): 5805-15.

survival in a rat model through regulatory B cells. PLoS One. 10 (3): e0119686.

2. Bazin, H. *et al.* (1978) Transplantable IgD immunoglobulin-secreting tumors in rat. <u>J. Immunol. 121: 2077-2082.</u>

Storage Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA278 10040

Related Products

Regulatory

Recommended Secondary Antibodies

Rabbit Anti Mouse IgG (STAR12...)

Goat Anti Mouse IgG IgA IgM (STAR87...)

RPE
Goat Anti Mouse IgG (STAR76...)

RPE
Goat Anti Mouse IgG (STAR70...)

FITC

Goat Anti Mouse IgG (H/L) (STAR117...) Alk. Phos., DyLight®488, DyLight®550,

For research purposes only

DyLight®650, DyLight®680, DyLight®800,

FITC, HRP

Goat Anti Mouse IgG (STAR77...) HRP

Goat Anti Mouse IgG (Fc) (STAR120...) FITC, HRP

Rabbit Anti Mouse IgG (STAR13...) HRP
Rabbit Anti Mouse IgG (STAR9...) FITC

North & South Tel: +1 800 265 7376 America Fax: +1 919 878 3751 Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

erica Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Fax: +44 (0)1865 852 739
Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367451:200529'

Printed on 18 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint