

# Datasheet: MCA2782

Description:	RAT ANTI MOUSE Ly-6A/E
Specificity:	Ly-6A/E
Other names:	Sca-1
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	D7
lsotype:	lgG2a
Quantity:	0.25 mg

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>					
	rad-antibodies.com/proto					
		Voc	No	Not Determined	Suggested Dilution	

		Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	•					
	Immunohistology - Frozen	•					
	Immunohistology - Paraffin			•			
	ELISA			•			
	Immunoprecipitation	-					
	Western Blotting	•					
	Where this antibody has not been tested for use in a particular technique this does no						
	necessarily exclude its us	exclude its use in such procedures. Suggested working dilutions are given					
	a guide only. It is recomn	. It is recommended that the user titrates the antibody for use in their own					
	system using appropriate negative/positive controls.						
Target Species	Mouse						
Product Form	Purified IgG - liquid						
Preparation	Purified IgG prepared from ascites or tissue culture supernatant						
Buffer Solution	Borate buffered saline						
Preservative Stabilisers	<0.1% Sodium Azide (NaN <sub>3</sub> )						
Approx. Protein Concentrations	IgG concentration 0.5mg	/ml					

Immunogen	IL-2-dependent mouse T cell line CTL-L.
External Database Links	UniProt:
LIIKS	P05533 Related reagents
	Entrez Gene:
	<u>110454</u> Ly6a <u>Related reagents</u>
Synonyms	Ly6
RRID	AB_1102736
Specificity	Rat anti Mouse Ly-6A/E antibody, clone D7 recognizes members of the lymphocyte activation protein-6 (Ly-6) multi-gene family. Specifically, it recognizes Ly-6A.2 and Ly-6E.1. Ly-6A/E is also known as stem cell antigen-1 (Sca-1). It is an 18kDa mouse glycosyl phosphatidylinositol-anchored cell surface protein of the Ly-6 gene family. It is expressed on multipotent hematopoietic stem cells in bone marrow of mice with both the Ly-6.1 and Ly-6.2 allotypes. As such, it is the most common marker used for enriching adult hematopoietic stem cells. It has varied functions, it plays a role in bone formation, myoblast proliferation and differentiation and the activation and immunosuppressive function of T cells.
<b>-</b>	Removal of sodium azide is recommended prior to use in functional assays.
References	<ol> <li>Ortega, G. <i>et al.</i> (1986) Role of Ly-6 in lymphocyte activation. I. Characterization of a monoclonal antibody to a nonpolymorphic Ly-6 specificity. <u>J Immunol. 137 (10): 3240-6.</u></li> <li>Malek, T.R. <i>et al.</i> (1986) Role of Ly-6 in lymphocyte activation. II. Induction of T cell activation by monoclonal anti-Ly-6 antibodies. <u>J Exp Med. 164 (3): 709-22.</u></li> <li>Codias, E.K. <i>et al.</i> (1990) Down-regulation of IL-2 production by activation of T cells through Ly-6A/E. <u>J Immunol. 145 (5): 1407-14.</u></li> <li>Snapper, C.M. <i>et al.</i> (1991) Cross-linkage of Ly-6A/E induces Ca2+ translocation in the absence of phosphatidylinositol turnover and mediates proliferation of normal murine B lymphocytes. <u>J Immunol. 147 (4): 1171-9.</u></li> </ol>
Further Reading	1. Holmes, C. & Stanford, W.L. (2007) Concise review: stem cell antigen-1: expression, function, and enigma. <u>Stem Cells. 25 (6): 1339-47.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch

Health And Safety	Material Safety Datasheet documentation #10077 available at:				
Information	https://www.bio-rad-antibodies.com/SDS/MCA2782 10077				

Regulatory

For research purposes only

### **Related Products**

#### **Recommended Secondary Antibodies**

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71) <u>DyLight®550</u> , <u>DyLight®650</u> , <u>DyLight®800</u>							
Rabbit A	nti Rat IgG (STAR21)		HRP				
Rabbit A	nti Rat IgG (STAR16)		DyLight®800				
Goat Ant	Goat Anti Rat IgG (STAR131) <u>Alk. Phos.</u> , <u>Biotin</u>						
Rabbit Anti Rat IgG (STAR17) <u>FITC</u>							
Goat Ant	ti Rat IgG (STAR72)		HRP				
Goat Ant	ti Rat IgG (STAR69)		<u>FITC</u>				
Goat Ant	Goat Anti Rat IgG (STAR73) RPE						
Recommended Negative Controls							
RAT IgG2	a NEGATIVE CONTROL (N	<u>ICA1212)</u>					
North & South		Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21		
					Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com		

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M392048:211020'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint