

Datasheet: MCA2786Z

Description:	MOUSE ANTI HUMAN CD11c:Preservative Free
Specificity:	CD11c
Other names:	INTEGRIN ALPHA X CHAIN
Format:	Preservative Free
Product Type:	Monoclonal Antibody
Clone:	CBR-p150/4G1
Isotype:	IgG2a
Quantity:	0.1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			
Immunohistology - Frozen	▪			5 - 10ug/ml
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	
Functional Assays	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present
Approx. Protein	IgG concentration 1.0mg/ml

Concentrations

Immunogen Recombinant human CD11c.

External Database Links

UniProt:

[P20702](#) [Related reagents](#)

Entrez Gene:

[3687](#) ITGAX [Related reagents](#)

Synonyms CD11C

RRID AB_1100627

Specificity

Mouse anti Human CD11c antibody, clone CBR-p150/4G1 specifically recognizes human CD11c, otherwise known as integrin alpha X chain and leukocyte adhesion receptor p150,95, a ~150 kDa type I transmembrane protein and member of the integrin alpha chain family, expressed by monocytes, macrophages, granulocytes and NK cells, and is a marker for hairy cell leukaemia cells.

CD11c combines with the CD18 beta chain (ITGB2) to form the leukocyte specific integrin CR4, acts as a mediator of leukocyte adherence to endothelium, and binds to the ligands CD54 (ICAM1), iC3b and fibrinogen.

Mouse anti Human CD11c antibody, clone CBR-p150/4G1 inhibits the binding of CD11c to endothelial cells. Mouse anti Human CD11c antibody, clone CBR-p150/4G1 does not recognize CD11a, CD11b or CD18.

Flow Cytometry Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.

References 1. Schack, L. *et al.* (2009) Osteopontin enhances phagocytosis through a novel osteopontin receptor, the alphaXbeta2 integrin. [J Immunol. 182: 6943-50.](#)

Further Reading 1. Corbi, A.L. *et al.* (1990) Genomic structure of an integrin alpha subunit, the leukocyte p150,95 molecule. [J Biol Chem. 265 \(5\): 2782-8.](#)

Storage Store at -20°C only.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10162 available at: 10162: <https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Rabbit Anti Mouse IgG (STAR8...)	DyLight@800
Goat Anti Mouse IgG (STAR76...)	RPE
Human Anti Mouse IgG2a (HCA037...)	HRP
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR70...)	FITC
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight@488 , DyLight@550 , DyLight@650 , DyLight@680 , DyLight@800 , FITC , HRP

Recommended Negative Controls

[MOUSE IgG2a NEGATIVE CONTROL \(MCA929\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M367458:200529'

Printed on 07 Jan 2022