

# Datasheet: MCA2806SBY720 BATCH NUMBER 64648636

Description:	MOUSE ANTI HUMAN CD69:StarBright Yellow 720		
Specificity:	CD69		
Other names:	AIM		
Format:	StarBright Yellow 720		
Product Type:	Monoclonal Antibody		
Clone:	FN50		
Isotype:	lgG1		
Quantity:	100 TESTS/0.5ml		

## **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .					
	Yes No Not Determined Suggested Dilution					
	Flow Cytometry			Neat		
	Where this product has not been tested for use in a particular technique this does not					
	necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.					
Target Species	Human					
Species Cross	Reacts with: Baboon, Chimpanzee, Cynomolgus monkey, Rhesus Monkey, Macaque					
Reactivity	<b>N.B.</b> Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.					
Product Form	Purified IgG conjugated to StarBright Yellow 720 - liquid					
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)			
	StarBright Yellow 720	549	719			
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant					

Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20	
Immunogen	Activated human B-cells.	
External Database Links	UniProt:	
Synonyms	CLEC2C	
Specificity	<ul> <li>Mouse anti Human CD69 antibody, clone FN50 recognizes the humar antigen CD69, also known as activation inducer molecule (AIM), Early T antigen p60, EA1 or MLR-3. CD69 is a 199 amino acid single pass type glycoprotein of ~30 kDa containing a single <u>C-type lectin domain</u> and a singlycosylation site. CD69 is expressed as a disulphide bond linked how kDa (López-Cabrera <i>et al.</i> 1993).</li> <li>CD69 is a marker of early activation expressed by B and T lymphocytes cells(Werfel 1997), neutrophils, thymocytes and platelets (Gaviol <i>et al.</i> 1 of CD69 is rapidly induced on activation by infection or chronic inflamatic 2005). Multiple dimeric glycoforms of CD69 can be formed through differ glycosylation of the monomeric subunits (Vance <i>et al.</i> 1997).</li> <li>Mouse anti Human CD69, clone FN50 is useful for the detection of CD69 cytometry and immunohistochemistry on frozen tissue sections.</li> </ul>	-cell activation II transmembrane single potential nodimer of ~60 , natural killer <u>992</u> ). Expression on ( <u>Sancho <i>et al.</i></u> rential
Flow Cytometry	Use 5µl of the suggested working dilution to label 10 <sup>6</sup> cells in 100µl. Bes suggest a 5 minutes centrifugation at 6,000g prior to sample application.	•
References	<ol> <li>Holte, H. <i>et al.</i> (1989) Ki67 and 4F2 antigen expression as well as DN predict survival at relapse/tumour progression in low-grade B-cell lymphot 44 (6): 975-80.</li> <li>Herberth, M. <i>et al.</i> (2010) Differential effects on T-cell function following serum from schizophrenia smokers. Mol Psychiatry. 15 (4): 364-71.</li> <li>Schaeuble, K. <i>et al.</i> (2011) Cross-talk between TCR and CCR7 signal temporal threshold for enhanced T lymphocyte migration. J Immunol. 18 4. Sela, M. <i>et al.</i> (2011) Sequential phosphorylation of SLP-76 at tyrosing for activation of T and mast cells. EMBO J. 30 (15): 3160-72.</li> <li>Garbe, Y. <i>et al.</i> (2011) Semiallogenic fusions of MSI(+) tumor cells and the second second</li></ol>	oma. <u>Int J Cancer.</u> ng exposure to ling sets a <u>37 (11): 5645-52.</u> le 173 is required

	<ul> <li>induce MSI-specific T cell responses. <u>BMC Cancer. 11: 410.</u></li> <li>6. Schwitalle, Y. <i>et al.</i> (2004) Immunogenic peptides generated by frameshift mutations in DNA mismatch repair-deficient cancer cells. <u>Cancer Immun. 4: 14.</u></li> <li>7. Sutavani, R.V. <i>et al.</i> (2013) CD55 Costimulation Induces Differentiation of a Discrete T Regulatory Type 1 Cell Population with a Stable Phenotype. <u>J Immunol. 191: 5895-903.</u></li> <li>8. Walter, G.J. <i>et al.</i> (2013) Interaction with activated monocytes enhances cytokine expression and suppressive activity of human CD4+CD45ro+CD25+CD127(low) regulatory T cells. <u>Arthritis Rheum. 65: 627-38.</u></li> <li>9. Kuric, E. <i>et al.</i> (2017) Demonstration of Tissue Resident Memory CD8 T Cells in Insulitic Lesions in Adult Patients with Recent-Onset Type 1 Diabetes. <u>Am J Pathol. 187</u> (<u>3): 581-8.</u></li> <li>10. Karnell, F.G. <i>et al.</i> (2017) Reconstitution of immune cell populations in multiple sclerosis patients after autologous stem cell transplantation. <u>Clin Exp Immunol. 189 (3): 268-278.</u></li> <li>11. Rossatti, P. <i>et al.</i> (2022) Rapid increase in transferrin receptor recycling promotes adhesion during T cell activation. <u>BMC Biol. 20 (1): 189.</u></li> </ul>
Storage	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
Guarantee	12 months from date of despatch
Acknowledgements	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Health And Safety Information	Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA2806SBY720 20471
Regulatory	For research purposes only

### **Related Products**

### **Recommended Useful Reagents**

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21		
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50		
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad.com		Email: antibody_sales_de@bio-rad.com		
To find a batch/lat apositis datasheat for this product, places use our opling search tool at his red antibadies com/datasheats							

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M418442:230420'

#### Printed on 11 Mar 2025

© 2025 Bio-Rad Laboratories Inc | Legal | Imprint