Datasheet: MCA2814PE BATCH NUMBER 167338

Deceminations			
Description:	MOUSE ANTI HUMAN CD2:RPE		
Specificity:	CD2		
Other names:	LFA-2		
Format:	RPE		
Product Type:	Monoclonal Antibody		
Clone:	RPA-2.10		
lsotype:	lgG1		
Quantity:	100 TESTS/0.5ml		

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes No	Not Determined	Suggested Dilution			
	Flow Cytometry	•		Neat			
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.						
Target Species	Human						
Species Cross Reactivity	Reacts with: Macaque, Cynomolgus monkey, Rhesus Monkey, Pig, Baboon, Chimpanzee N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.						
Product Form	Purified IgG conjugated to RPE - liquid						
Max Ex/Em	Fluorophore RPE 488nm laser	Excitation Max (nr 496	n) Emission Max (nm) 578				
Preparation	Purified IgG prepared by affinity chromatography						
Buffer Solution	Phosphate buffered saline						

Preservative Stabilisers	0.09% Sodium Azide 0.2% Bovine Serum Albumin					
External Database Links	UniProt: <u>P06729</u> <u>Related reagents</u>					
	Entrez Gene: 914 CD2 Related reagents					
Synonyms	SRBC					
RRID	AB_2228891					
Specificity	Mouse anti Human CD2 antibody, clone RPA-2.10 recognizes the human CD2 cell surface antigen. CD2 is expressed by T lymphocytes and by NK cells.					
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 ⁶ cells or 100ul whole blood.					
References	1. Aversa GG <i>et al.</i> (1987) RPA-2.10: an anti-CD2 monoclonal antibody that inhibits alloimmune responses and monitors T cell activation. <u>Transplant Proc. 19 (1 Pt 1): 277-8.</u>					
Further Reading	1. Piriou-Guzylack, L. (2008) Membrane markers of the immune cells in swine: an update. <u>Vet Res. 39: 54.</u>					
Storage	Store at +4°C.					
	DO NOT FREEZE.					
	This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.					
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.					
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA2814PE 10041					
Regulatory	For research purposes only					

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:RPE (MCA928PE)

Recommended Useful Reagents

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad	l.com	Email: antibody_sales_uk@bio-rae	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M390168:210825'

Printed on 29 Feb 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint