

Datasheet: MCA2815F BATCH NUMBER 167195

Description:	MOUSE ANTI HUMAN TCR ALPHA/BETA:FITC
Specificity:	TCR ALPHA/BETA
Format:	FITC
Product Type:	Monoclonal Antibody
Clone:	IP26
Isotype:	lgG1
Quantity:	100 TESTS/0.5ml

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-</u>						
	rad-antibodies.com/pro	Yes	No	Not Determined	Suggested Dilution		
	Flow Cytometry	•	NO	Not Determined	Neat		
	Where this product has not been tested for use in a particular technique this does not						
	necessarily exclude its a guide only. It is reco system using appropri	mmended that	the use	r titrates the product	ng dilutions are given as for use in their own		
Target Species	Human						
Species Cross Reactivity	Does not react with:Ra						
Product Form	Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid						
Max Ex/Em	Fluorophore	Excitation Ma	x (nm)	Emission Max (nm)			
	FITC	490		525			
Preparation	Purified IgG prepared by affinity chromatography						
Buffer Solution	Phosphate buffered saline.						
Preservative Stabilisers	0.09% Sodium Azide 0.2% Bovine Serum /						

External Database Links	UniProt:					
	P01850 Related reagents					
	P01848 Related reagents					
	Entrez Gene:					
	28639 TRBC1 Related reagents					
	28755 TRAC Related reagents					
Synonyms	TCRA					
RRID	AB_1102879					
Specificity	Mouse anti Human TCR alpha/ beta antibody, clone IP26 recognizes a constant region determinant found on the surface of all alpha/beta TCR bearing T lymphocytes. Approximately 92% of all CD3 + peripheral blood lymphocytes are reactive.					
Flow Cytometry	Use 5ul of the suggested working dilution to label 5 x 10^5 cells in 100ul.					
References	 Nataj Arab, H.H. <i>et al.</i> (2015) Phenotypical characterization of the peripheral blood T cells in patients with celiac disease: does it differentiate suspicious celiac disease cases? <u>Gastroenterol Hepatol Bed Bench. 8 (2): 132-9.</u> Liao, Z. <i>et al.</i> (2017) A Local Inflammatory Renin-Angiotensin System Drives Sensory Axon Sprouting in Provoked Vestibulodynia. <u>J Pain. 18 (5): 511-25.</u> 					
Storage	Store at +4°C.					
	DO NOT FREEZE.					
	This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.					
Guarantee	Guaranteed for 12 months from the date of despatch or until the date of expiry, whichever comes first. Please see label for expiry date.					
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA2815F 10041					
Regulatory	For research purposes only					

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL: FITC (MCA928F)

Recommended Useful Reagents

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rac	l.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M390169:210825'

Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint