

# Datasheet: MCA2822 BATCH NUMBER 165807

Description:	MOUSE ANTI NEWCASTLE DISEASE VIRUS			
Specificity:	NEWCASTLE DISEASE VIRUS			
Other names:	NDV			
Format:	Purified			
Product Type:	Monoclonal Antibody			
Product Type: Clone:	Monoclonal Antibody 8H2			

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is			
	derived from testing within our laboratories, peer-reviewed publications or personal			
	communications from the originators. Please refer to references indicated for further			
	information. For general protocol recommendations, please visit <u>www.bio-</u>			
	rad-antibodies.com/protocols.			
	Yes No Not Determined Suggested Dilution			

	Yes	NO	Not Determined	Suggested Dilution
Flow Cytometry			•	
Immunohistology - Frozen			•	
Immunohistology - Paraffin			•	
ELISA				
Immunoprecipitation			•	
Western Blotting			•	
Immunoassay				
Where this product has p	at been t	ootod for	use in a particular teak	nique this deep not

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Viral	
Product Form	Purified IgG- liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant	
Buffer Solution	Phosphate buffered saline	
Preservative	<0.1% Sodium Azide (NaN <sub>3</sub> )	

Stabilisers	
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Glycoprotein haemagglutinin-neuraminidase of Newcastle Disease Virus (La-Sota strain).
RRID	AB_1102796
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the Sp2/0 myeloma cell line.
Specificity	<b>Mouse anti Newcastle Disease Virus antibody, clone 8H2</b> recognizes the hemagglutinin-neuraminidase (HN) protein of Newcastle disease virus (NDV). Newcastle disease is a highly contagious disease affecting wild and domestic birds.
	Symptoms of the disease vary greatly, depending on the strain of virus and the species, age and health of the bird. Virulence of the disease can also vary greatly, with some strains causing very high mortality rates. In humans, NDV can cause mild influenza-like symptoms.
	The HN protein of the virus is a type II membrane glycoprotein on virion and infected cell surfaces. It binds to sialic acid-containing cellular receptors and promotes activity of the viral fusion protein, thereby allowing the virus to penetrate the cell. It also removes sialic acids from progeny virus particles to prevent viral self-agglutination.
	Newcastle disease virus is tumor selective and oncolytic. It has shown promise for selective growth in and killing of a variety of tumor cells.
References	<ol> <li>Lorence, R.M. <i>et al.</i> (2007) Phase 1 clinical experience using intravenous administration of PV701, an oncolytic Newcastle disease virus. <u>Curr Cancer Drug Targets.</u> <u>7 (2): 157-67.</u></li> <li>Huang, Z. <i>et al.</i> (2003) Recombinant Newcastle disease virus as a vaccine vector. <u>Poult</u></li> </ol>
	<u>Sci. 82 (6): 899-906.</u>
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: https://www.bio-rad-antibodies.com/SDS/MCA2822 10040
Regulatory	For research purposes only

# **Related Products**

### **Recommended Secondary Antibodies**

	i Mouse IgG (STAR70)	FIT	—			
	i Mouse IgG IgA IgM (STAR8] i Mouse IgG (STAR76)	) <u>Aik.</u> <u>RP</u> I				
Goat Ant	i Mouse IgG (H/L) (STAR117	,	. <u>Phos.</u> , <u>DyLight®488</u> , <u>l</u> _ight®650, <u>DyLight®68</u>			
			<u>c, HRP</u>		<u></u> ,	
Rabbit Ar	nti Mouse IgG (STAR13)	HR	<u>P</u>			
Goat Ant	i Mouse IgG (Fc) (STAR120	) <u>FIT</u>	<u>C, HRP</u>			
Rabbit Aı	nti Mouse IgG (STAR9)	<u>FIT</u>	<u>C</u>			
North & South America	Tel: +1 800 265 7376 World Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	dwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bic	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com	

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M418722:230427'

#### Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint