

Datasheet: MCA2822

Description:	MOUSE ANTI NEWCASTLE DISEASE VIRUS
Specificity:	NEWCASTLE DISEASE VIRUS
Other names:	NDV
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	8H2
Isotype:	IgG2a
Quantity:	0.2 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin			▪	
ELISA	▪			
Immunoprecipitation			▪	
Western Blotting			▪	
Immunoassay			▪	

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Viral
Product Form	Purified IgG- liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	<0.1% Sodium Azide (NaN ₃)

Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Glycoprotein haemagglutinin-neuraminidase of Newcastle Disease Virus (La-Sota strain).
RRID	AB_1102796
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the Sp2/0 myeloma cell line.
Specificity	<p>Mouse anti Newcastle Disease Virus antibody, clone 8H2 recognizes the hemagglutinin-neuraminidase (HN) protein of Newcastle disease virus (NDV). Newcastle disease is a highly contagious disease affecting wild and domestic birds.</p> <p>Symptoms of the disease vary greatly, depending on the strain of virus and the species, age and health of the bird. Virulence of the disease can also vary greatly, with some strains causing very high mortality rates. In humans, NDV can cause mild influenza-like symptoms.</p> <p>The HN protein of the virus is a type II membrane glycoprotein on virion and infected cell surfaces. It binds to sialic acid-containing cellular receptors and promotes activity of the viral fusion protein, thereby allowing the virus to penetrate the cell. It also removes sialic acids from progeny virus particles to prevent viral self-agglutination.</p> <p>Newcastle disease virus is tumor selective and oncolytic. It has shown promise for selective growth in and killing of a variety of tumor cells.</p>
References	<ol style="list-style-type: none"> 1. Lorence, R.M. <i>et al.</i> (2007) Phase 1 clinical experience using intravenous administration of PV701, an oncolytic Newcastle disease virus. Curr Cancer Drug Targets. 7 (2): 157-67. 2. Huang, Z. <i>et al.</i> (2003) Recombinant Newcastle disease virus as a vaccine vector. Poult Sci. 82 (6): 899-906.
Storage	<p>This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.</p> <p>Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Rabbit Anti Mouse IgG (STAR8...)	DyLight®800
Goat Anti Mouse IgG (STAR76...)	RPE
Human Anti Mouse IgG2a (HCA037...)	HRP
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR70...)	FITC
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®550 , DyLight®650 , DyLight®680 , DyLight®800 , FITC , HRP

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M389500:210806'

Printed on 08 Feb 2023

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)