

Datasheet: MCA2859

| | |
|----------------------|--------------------------|
| Description: | MOUSE ANTI RAT C-PEPTIDE |
| Specificity: | C-PEPTIDE |
| Format: | Purified |
| Product Type: | Monoclonal Antibody |
| Clone: | CC34 |
| Isotype: | IgG1 |
| Quantity: | 0.2 mg |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------------------|-----|----|----------------|--------------------|
| Flow Cytometry | | | ▪ | |
| Immunohistology - Frozen | | | ▪ | |
| Immunohistology - Paraffin | | | ▪ | |
| ELISA | ▪ | | | |
| Immunoprecipitation | | | ▪ | |
| Western Blotting | | | ▪ | |
| Functional Assays | | | ▪ | |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| | |
|---------------------------------------|--|
| Target Species | Rat |
| Species Cross Reactivity | Reacts with: Mouse N.B. Antibody reactivity and working conditions may vary between species. |
| Product Form | Purified IgG - liquid |
| Preparation | Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant |
| Buffer Solution | Phosphate buffered saline |
| Preservative Stabilisers | 0.09% Sodium Azide (NaN ₃) |
| Approx. Protein Concentrations | IgG concentration 1.0mg/ml |
| Immunogen | Fragments of rat C-peptide conjugated to a carrier protein. |

**External Database
Links**

UniProt:

[P01322](#) [Related reagents](#)
[P01323](#) [Related reagents](#)

Entrez Gene:

[24505](#) Ins1 [Related reagents](#)
[24506](#) Ins2 [Related reagents](#)

Synonyms

Ins-1, Ins-2

RRID

AB_1125308

Fusion Partners

Spleen cells from immunised Balb/c mice were fused with cells of the Sp2/0 myeloma cell line.

Specificity

Mouse anti Rat C-Peptide antibody, clone CC34 recognizes rat C-peptide. C-peptide is a 31 amino acid peptide released when proinsulin is split into insulin and C-peptide. In rats, two isoforms of proinsulin exists, the difference is two amino acid residues in the C-peptide, termed C-peptide I and C-peptide II. Proinsulin is split when it is released from the pancreas into the blood in response to a rise in serum glucose levels. C-peptide function is not fully understood, it binds to cell membranes which leads to increased intracellular Ca²⁺ concentration and subsequent stimulation of N⁺, K⁺-ATPase and endothelial nitric oxide synthase activities. C-peptide also functions in repair of the muscular layer of arteries.

Mouse anti Rat C-Peptide antibody, clone CC34 recognizes rat and mouse C-peptide I and rat C-peptide II with equal affinity. It reacts weakly with mouse C-peptide II. It does not recognize rat proinsulin.

Storage

Store at +4°C or at -20°C if preferred.
Storage in frost-free freezers is not recommended.
This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

**Health And Safety
Information**

Material Safety Datasheet documentation #10040 available at:
10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)
Goat Anti Mouse IgG (STAR77...) [HRP](#)
Rabbit Anti Mouse IgG (STAR12...) [RPE](#)
Rabbit Anti Mouse IgG (STAR8...) [DyLight®800](#)
Rabbit Anti Mouse IgG (STAR13...) [HRP](#)
Goat Anti Mouse IgG (STAR76...) [RPE](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)

Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@680](#),
[DyLight@800](#), [FITC](#), [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA1209\)](#)

| | | | | | |
|----------------------------------|---|------------------|---|---------------|---|
| North & South America | Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com | Worldwide | Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com | Europe | Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com |
|----------------------------------|---|------------------|---|---------------|---|

'M367502:200529'

Printed on 11 Aug 2020

© 2020 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)