

Datasheet: MCA2873A647T

Description:	MOUSE ANTI RAT CD80:Alexa Fluor® 647		
Specificity:	CD80		
Other names:	B7-1		
Format:	ALEXA FLUOR® 647		
Product Type:	Monoclonal Antibody		
Clone:	3H5		
Isotype:	IgG1		
Quantity:	25 TESTS		

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

•	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Rat				
Product Form	Purified IgG conjugate	Purified IgG conjugated to Alexa Fluor® 647 - liquid			
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm		
	Alexa Fluor®647	650	665		
	Purified IgG prepared supernatant Phosphate buffered s	I by affinity chromatogo	raphy on Protein G		
Buffer Solution	supernatant	aline	raphy on Protein G		
Buffer Solution Preservative Stabilisers	supernatant Phosphate buffered s	aline (NaN ₃)	raphy on Protein G		

Immunogen	HTLV-1 transformed Lewis-S1 cells.
External Database Links	UniProt: O55202 Related reagents
RRID	AB_2076128
Fusion Partners	Spleen cells from immunised Balb/c mice were fused with cells of the P3U1 mouse myeloma cell line.
Specificity	Mouse anti Rat CD80, clone 3H5 specifically recognizes rat CD80, otherwise known as B7-1, a type I transmembrane glycoprotein and member of the Ig superfamily, which acts as a ligand for both CD28 and CD152 (CTLA-4), and is primarily expressed on antigen presenting cells (APCs) including dendritic cells.
	CD80 is a B cell activation antigen, which functions in the CD28-CD80/CD86 co-stimulatory pathway vital for T cell activation and proliferation. In contrast, the interaction of CD80 with CD152 has an inhibitory effect on T cell responses.
	Clone 3H5 has been shown to block the co-stimulatory activity of rat CD80.
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.
References	 Maeda, K. <i>et al.</i> (1997) Characterization of rat CD80 and CD86 by molecular cloning and mAb. <u>Int. Immunol. 9: 993-1000.</u> Damoiseaux, J.G. <i>et al.</i> (1998) Costimulatory molecules CD80 and CD86 in the rat; tissue distribution and expression by antigen-presenting cells. <u>J Leukoc Biol. 64 (6):</u>
	 803-9. Kano, M. <i>et al.</i> (1998) A crucial role of host CD80 and CD86 in rat cardiac xenograft rejection in mice. Transplantation. 65: 837-43. Hanabuchi, S. <i>et al.</i> (2000) Development of human T-cell leukemia virus type 1-transformed tumors in rats following suppression of T-cell immunity by CD80 and CD86 blockade. J Virol. 74: 428-35. Tamatani, T. <i>et al.</i> (2000) AlLIM/ICOS: a novel lymphocyte adhesion molecule. Int Immunol. 12: 51-5. Dilek, N. <i>et al.</i> (2012) Control of transplant tolerance and intragraft regulatory T cell localization by myeloid-derived suppressor cells and CCL5. J Immunol. 188: 4209-16. Ghiringhelli, F. <i>et al.</i> (2005) Tumor cells convert immature myeloid dendritic cells into TGF-beta-secreting cells inducing CD4+CD25+ regulatory T cell proliferation. J Exp Med.
	202: 919-29.8. Sacedón, R. <i>et al.</i> (1999) Glucocorticoid-mediated regulation of thymic dendritic cell

- 8. Sacedón, R. *et al.* (1999) Glucocorticoid-mediated regulation of thymic dendritic cell function. <u>Int Immunol</u>. 11: 1217-24.
- 9. Kawai, T. *et al.*r (2000) T(h)1 transmigration anergy: a new concept of endothelial cell-T cell regulatory interaction. <u>Int Immunol. 12: 937-48.</u>
- 10. Macphee, I.A. *et al.* (2002) The Th2-response in mercuric chloride-induced autoimmunity requires continuing costimulation via CD28. <u>Clin Exp Immunol. 129: 405-10.</u>
- 11. MacPhee, I.A. et al. (2006) Blockade of OX40-ligand after initial triggering of the T

helper 2 response inhibits mercuric chloride-induced autoimmunity. Immunology. 117:

12. Yrlid, U. et al. (2006) A distinct subset of intestinal dendritic cells responds selectively to oral TLR7/8 stimulation. Eur J Immunol. 36: 2639-48.

13. Fan, C.B. et al. (2015) Alloantigen-specific T-cell hyporesponsiveness induced by dnlKK2 gene-transfected recipient immature dendritic cells. Cell Immunol. 297 (2): 100-7.

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch.

Acknowledgements

The Alexa Fluor® dye antibody conjugates in this product are sold under license from Molecular Probes, Inc. for research use only, except for use in combination with microarrays, and are covered by pending and issued patents.

Health And Safety Information

Material Safety Datasheet documentation #10041 available at:

10041: https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL: Alexa Fluor® 647 (MCA1209A647)

North & South Tel: +1 800 265 7376

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +1 919 878 3751

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

America

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

From March 15, 2021, we will no longer supply printed datasheets with our products. Look out for updates on how to access your digital version at bio-rad-antibodies.com 'M371448:200610'

Printed on 09 Feb 2021

© 2021 Bio-Rad Laboratories Inc | Legal | Imprint