

## Datasheet: MCA336P

<b>Description:</b>	RAT ANTI MOUSE IgG1 HEAVY CHAIN:HRP
<b>Specificity:</b>	IgG1 HEAVY CHAIN
<b>Format:</b>	HRP
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	LO-MG1-2
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.5 mg

## Product Details

**RRID** AB\_321957

**Applications** This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Immunohistology - Frozen			■	
Immunohistology - Paraffin			■	
ELISA	■			500ng/ml
Western Blotting			■	

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

**Target Species** Mouse

**Product Form** Purified IgG conjugated to Horseradish Peroxidase (HRP) - liquid

**Preparation** Purified IgG prepared by affinity chromatography from tissue culture supernatant

**Buffer Solution** Phosphate buffered saline

**Preservative** 0.01% Thiomersal

**Stabilisers** 50% Glycerol

**Approx. Protein Concentrations** IgG concentration 1 mg/ml

**Immunogen** Purified mouse IgG1 from BALB/c mice

**External Database Links**

**UniProt:**

[P01869](#)

[Related reagents](#)

**Entrez Gene:**

[16017](#) Ighg1 [Related reagents](#)

[16017](#) Ighg1 [Related reagents](#)

---

<b>Synonyms</b>	Igh-4
-----------------	-------

---

<b>Fusion Partners</b>	Spleen cells from immunised LOU/c rats were fused with cells of the rat IR983F myeloma cell line.
------------------------	---

---

<b>Specificity</b>	<b>Rat anti Mouse IgG1 Heavy Chain antibody, clone LO-MG1-2</b> recognizes murine IgG1, and does not bind other mouse immunoglobulin classes or subclasses.
--------------------	---

---

<b>ELISA</b>	This product may be used in a direct ELISA or as a detection reagent in a sandwich ELISA together with <a href="#">MCA1289</a> as the capture reagent.
--------------	--

---

<b>References</b>	<ol style="list-style-type: none"><li>1. Song, J. <i>et al.</i> (2000) Heterogeneous distribution of isoactins in cultured vascular smooth muscle cells does not reflect segregation of contractile and cytoskeletal domains. <a href="#">J Histochem Cytochem. 48 (11): 1441-52.</a></li><li>2. Denis, O. <i>et al.</i> (1993) Resting B cells can act as antigen presenting cells in vivo and induce antibody responses. <a href="#">Int Immunol. 5 (1): 71-8.</a></li><li>3. Nakanishi, S. <i>et al.</i> (2010) Sequence analysis of a bacteriocinogenic plasmid of <i>Clostridium butyricum</i> and expression of the bacteriocin gene in <i>Escherichia coli</i>. <a href="#">Anaerobe. 16: 253-7.</a></li><li>4. Echeverria, P.C. <i>et al.</i> (2006) Potent antigen-specific immunity to <i>Toxoplasma gondii</i> in adjuvant-free vaccination system using Rop2-Leishmania infantum Hsp83 fusion protein. <a href="#">Vaccine. 24: 4102-10.</a></li><li>5. Huang, C.H. <i>et al.</i> (2011) Airway inflammation and IgE production induced by dust mite allergen-specific memory/effector Th2 cell line can be effectively attenuated by IL-35. <a href="#">J Immunol. 187: 462-71.</a></li><li>6. Agallou, M. <i>et al.</i> (2014) Experimental Validation of Multi-Epitope Peptides Including Promising MHC Class I- and II-Restricted Epitopes of Four Known <i>Leishmania infantum</i> Proteins. <a href="#">Front Immunol. 5: 268.</a></li><li>7. Doerfler, P.A. <i>et al.</i> (2015) BAFF Blockade Prevents Anti-Drug Antibody Formation in a Mouse Model of Pompe Disease. <a href="#">Clin Immunol. pii: S1521-6616(15)00125-4.</a></li><li>8. Ramos, J.D.A. <i>et al.</i> (2009) Characterization of Blo t 11 Monoclonal Antibodies with Constant Region Mutations <a href="#">Phil Sci Lett. 2(1): 38-48.</a></li><li>9. Blackwell, N.M. &amp; Else, K.J. (2002) A comparison of local and peripheral parasite-specific antibody production in different strains of mice infected with <i>Trichuris muris</i>. <a href="#">Parasite Immunol. 24 (4): 203-11.</a></li><li>10. Hall, G. <i>et al.</i> (2003) Suppression of allergen reactive Th2 mediated responses and pulmonary eosinophilia by intranasal administration of an immunodominant peptide is linked to IL-10 production. <a href="#">Vaccine. 21 (5-6): 549-61.</a></li><li>11. Hjerpe, C. <i>et al.</i> (2010) Dendritic cells pulsed with malondialdehyde modified low density lipoprotein aggravate atherosclerosis in Apoe(-/-) mice. <a href="#">Atherosclerosis. 209 (2): 436-41.</a></li><li>12. Kretschmer, B. <i>et al.</i> (2015) Anti-CD83 promotes IgG1 isotype switch in marginal zone B cells in response to TI-2 antigen. <a href="#">Immunobiology. 220 (8): 964-75.</a></li><li>13. Doerfler, P.A. <i>et al.</i> (2016) Copackaged AAV9 Vectors Promote Simultaneous Immune Tolerance and Phenotypic Correction of Pompe Disease. <a href="#">Hum Gene Ther. 27 (1): 43-59.</a></li><li>14. Kato, G. <i>et al.</i> (2014) <math>\beta</math>2 adrenergic agonist attenuates house dust mite-induced allergic airway inflammation through dendritic cells. <a href="#">BMC Immunol. 15: 39.</a></li><li>15. Margaroni, M. <i>et al.</i> (2017) Vaccination with poly(D,L-lactide-co-glycolide) nanoparticles loaded</li></ol>
-------------------	--

with soluble *Leishmania* antigens and modified with a TNF $\alpha$ -mimicking peptide or monophosphoryl lipid A confers protection against experimental visceral leishmaniasis. [Int J Nanomedicine. 12: 6169-84.](#)

16. DeGiovanni, C. *et al.* (2019) Cancer Vaccines Co-Targeting HER2/Neu and IGF1R. [Cancers \(Basel\). 11 \(4\) Apr 11 \[Epub ahead of print\].](#)

---

**Storage**

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

---

**Guarantee**

18 months from date of despatch.

---

**Health And Safety Information**

Material Safety Datasheet documentation #10097 available at: 10097: <https://www.bio-rad-antibodies.com/uploads/MSDS/10097.pdf>

---

**Regulatory**

For research purposes only

---

## Related Products

### Recommended Useful Reagents

[AbGUARD® HRP STABILIZER PLUS \(BUF052A\)](#)

[AbGUARD® HRP STABILIZER PLUS \(BUF052B\)](#)

[AbGUARD® HRP STABILIZER PLUS \(BUF052C\)](#)

[TMB CORE \(BUF056A\)](#)

[TMB CORE+ \(BUF062A\)](#)

[TMB SIGNAL+ \(BUF054A\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

'M339528:181219'

**Printed on 16 Apr 2019**

---

© 2019 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)