

Datasheet: MCA341B

Description:	MOUSE ANTI RAT CD68:Biotin
Specificity:	CD68
Other names:	ED1
Format:	Biotin
Product Type:	Monoclonal Antibody
Clone:	ED1
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen	▪			1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive control antibodies.

Target Species

Rat

Species Cross Reactivity

Reacts with: Bovine

Does not react with: Horse

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG conjugated to Biotin - liquid

Preparation

Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant

Buffer Solution

Phosphate buffered saline

Preservative

0.09% Sodium Azide

Stabilisers	1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml
Immunogen	Rat spleen cells
External Database Links	UniProt: Q4FZY1 Related reagents
RRID	AB_2074860
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the SP2/0-Ag14 mouse myeloma cell line.
Specificity	<p>Mouse anti rat CD68, clone ED1 recognizes the rat ED1 antigen, a heavily glycosylated protein of ~90 -110 KDa, also known as rat CD68 (Dijkstra et al. 1985).</p> <p>The ED1 antigen is expressed on most macrophages populations, as well as on monocytes and is considered as a pan-macrophage marker in the rat (Damoiseaux et al. 1994). ED1 is expressed predominantly on the lysosomal membrane and lightly on the cell surface (Dijkstra et al. 1985).</p> <p>The expression of ED1 antigen being predominantly cytoplasmic (Dijkstra et al. 1985), flow cytometry results are improved by the use of a membrane permeabilization procedure, such as Leucoperm, prior to staining.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.
References	<ol style="list-style-type: none"> 1. Damoiseaux, J.G. <i>et al.</i> (1994) Rat macrophage lysosomal membrane antigen recognized by monoclonal antibody ED1. Immunology. 83 (1): 140-7. 2. Bauer, J. <i>et al.</i> (1994) Phagocytic activity of macrophages and microglial cells during the course of acute and chronic relapsing experimental autoimmune encephalomyelitis. J Neurosci Res. 38 (4): 365-75. 3. Wu, L. <i>et al.</i> (2004) Dietary approach to attenuate oxidative stress, hypertension, and inflammation in the cardiovascular system. Proc Natl Acad Sci U S A. 101 (18): 7094-9. 4. Bao, F. <i>et al.</i> (2004) Early anti-inflammatory treatment reduces lipid peroxidation and protein nitration after spinal cord injury in rats. J Neurochem. 88 (6): 1335-44. 5. Zilka, N. <i>et al.</i> (2009) Human misfolded truncated tau protein promotes activation of microglia and leukocyte infiltration in the transgenic rat model of tauopathy. J Neuroimmunol. 209: 16-25. 6. Fujita, E. <i>et al.</i> (2010) Statin attenuates experimental anti-glomerular basement membrane glomerulonephritis together with the augmentation of alternatively activated macrophages. Am J Pathol. 177 (3): 1143-54. 7. Salegio, E.A. <i>et al.</i> (2011) Macrophage presence is essential for the regeneration of ascending afferent fibres following a conditioning sciatic nerve lesion in adult rats. BMC Neurosci. 12: 11.

8. Wei, X. *et al.* (2014) Dural fibroblasts play a potential role in headache pathophysiology. [Pain. 155: 1238-44.](#)
9. Naito, Y. *et al.* (2011) Dietary iron restriction prevents hypertensive cardiovascular remodeling in Dahl salt-sensitive rats. [Hypertension. 57: 497-504.](#)
10. Baker, S.C. *et al.* (2011) Cellular integration and vascularisation promoted by a resorbable, particulate-leached, cross-linked poly(ϵ -caprolactone) scaffold. [Macromol Biosci. 11 \(5\): 618-27.](#)
11. Bedi, A. *et al.* (2010) Effect of early and delayed mechanical loading on tendon-to-bone healing after anterior cruciate ligament reconstruction. [J Bone Joint Surg Am. 92: 2387-401.](#)
12. Liew, H.K. *et al.* (2012) Systemic administration of urocortin after intracerebral hemorrhage reduces neurological deficits and neuroinflammation in rats. [J Neuroinflammation. 9: 13.](#)
13. Chiu, T.L. *et al.* (2012) The treatment of glioblastoma multiforme through activation of microglia and TRAIL induced by rAAV2-mediated IL-12 in a syngeneic rat model. [J Biomed Sci. 19: 45.](#)
14. Glorie, L.L. *et al.* (2012) DPP4 inhibition improves functional outcome after renal ischemia-reperfusion injury. [Am J Physiol Renal Physiol. 303: F681-8.](#)
15. Quan, L.D. *et al.* (2010) Development of a macromolecular prodrug for the treatment of inflammatory arthritis: mechanisms involved in arthrotropism and sustained therapeutic efficacy. [Arthritis Res Ther. 12: R170.](#)
16. Peng, J.H. *et al.* (2012) Effects of Puerariae Radix Extract on Endotoxin Receptors and TNF- α Expression Induced by Gut-Derived Endotoxin in Chronic Alcoholic Liver Injury. [Evid Based Complement Alternat Med. 2012: 234987.](#)
17. Matsuda, K. *et al.* (2010) Hemophagocytic histiocytic sarcoma in a Japanese black cow. [Vet Pathol. 47: 339-42.](#)
18. Tian, Y.F. *et al.* (2013) Lipoic acid suppresses portal endotoxemia-induced steatohepatitis and pancreatic inflammation in rats. [World J Gastroenterol. 19 \(18\): 2761-71.](#)
19. Xiang, Y. *et al.* (2013) L-carnitine protects against cyclosporine-induced pancreatic and renal injury in rats. [Transplant Proc. 45 \(8\): 3127-34.](#)
20. Wang-Rosenke, Y. *et al.* (2013) Tyrosine kinases inhibition by Imatinib slows progression in chronic anti-thy1 glomerulosclerosis of the rat. [BMC Nephrol. 14: 223.](#)
21. Dort, J. *et al.* (2013) Beneficial Effects of Cod Protein on Inflammatory Cell Accumulation in Rat Skeletal Muscle after Injury Are Driven by Its High Levels of Arginine, Glycine, Taurine and Lysine. [PLoS One. 8: e77274.](#)
22. Chang, C.Y. *et al.* (2013) Docosahexaenoic acid reduces cellular inflammatory response following permanent focal cerebral ischemia in rats. [J Nutr Biochem. 24 \(12\): 2127-37.](#)
23. Machelska, H. *et al.* (2004) Selectins and integrins but not platelet-endothelial cell adhesion molecule-1 regulate opioid inhibition of inflammatory pain. [Br J Pharmacol. 142 \(4\): 772-80.](#)
24. Sakuraya, K. *et al.* (2014) The synergistic effect of mizoribine and a direct renin inhibitor, aliskiren, on unilateral ureteral obstruction induced renal fibrosis in rats. [J Urol. 191 \(4\): 1139-46.](#)
25. Xu, X. *et al.* (2014) Aging aggravates long-term renal ischemia-reperfusion injury in a rat model. [J Surg Res. 187 \(1\): 289-96.](#)

26. Kim, Y.H. *et al.* (2014) Enhancement of bone regeneration by dual release of a macrophage recruitment agent and platelet-rich plasma from gelatin hydrogels. [Biomaterials. 35 \(1\): 214-24.](#)
27. Lin, Y.C. *et al.* (2015) Time-course effect of electrical stimulation on nerve regeneration of diabetic rats. [PLoS One. 10: e0116711.](#)
28. Matsuda, K. *et al.* (2009) Two cases of bovine sarcoma in clinically long-standing lesions. [J Vet Med Sci. 71 \(2\): 221-4.](#)
29. Thieme, K. & Oliveira-Souza, M. (2015) Renal Hemodynamic and Morphological Changes after 7 and 28 Days of Leptin Treatment: The Participation of Angiotensin II via the AT1 Receptor. [PLoS One. 10 \(3\): e0122265.](#)
30. Ayoub, M.A. *et al.* (2015) Functional Interaction between Angiotensin II Receptor Type 1 and Chemokine (C-C Motif) Receptor 2 with Implications for Chronic Kidney Disease. [PLoS One. 10 \(3\): e0119803.](#)
31. Bijarnia, R.K. *et al.* (2015) Sodium thiosulfate ameliorates oxidative stress and preserves renal function in hyperoxaluric rats. [PLoS One. 10 \(4\): e0124881.](#)
32. Oboshi, M. *et al.* (2015) Temporary dietary iron restriction affects the process of thrombus resolution in a rat model of deep vein thrombosis. [PLoS One. 10 \(5\): e0126611.](#)
33. Nagai, H. *et al.* (2015) Pulmonary Macrophages Attenuate Hypoxic Pulmonary Vasoconstriction via β 3AR/iNOS Pathway in Rats Exposed to Chronic Intermittent Hypoxia. [PLoS One. 10 \(7\): e0131923.](#)
34. Adamo, H.H. *et al.* (2015) Adaptive (TINT) Changes in the Tumor Bearing Organ Are Related to Prostate Tumor Size and Aggressiveness. [PLoS One. 10 \(11\): e0141601.](#)
35. Paulsen, I.M.S. *et al.* (2015) A single simple procedure for dewaxing, hydration and heat-induced epitope retrieval (HIER) for immunohistochemistry in formalin fixed paraffin-embedded tissue. [European Journal of Histochemistry. 59 \(4\): 2532-9.](#)
36. Ibarra, V. *et al.* (2016) This paper is a winner in the Undergraduate category for the SFB awards: Evaluation of the tissue response to alginate encapsulated islets in an omentum pouch model. [J Biomed Mater Res A. 104 \(7\): 1581-90.](#)
37. Zeka, B. *et al.* (2016) Aquaporin 4-specific T cells and NMO-IgG cause primary retinal damage in experimental NMO/SD. [Acta Neuropathol Commun. 4 \(1\): 82.](#)
38. Xu K *et al.* (2016) Expression of aryl hydrocarbon receptor in rat brain lesions following traumatic brain injury. [Diagn Pathol. 11 \(1\): 72.](#)
39. Gällentoft, L. *et al.* (2016) Impact of degradable nanowires on long-term brain tissue responses. [J Nanobiotechnology. 14 \(1\): 64.](#)
40. Córdor JM *et al.* (2016) Treatment With Human Wharton's Jelly-Derived Mesenchymal Stem Cells Attenuates Sepsis-Induced Kidney Injury, Liver Injury, and Endothelial Dysfunction. [Stem Cells Transl Med. 5 \(8\): 1048-57.](#)
41. Herold, S. *et al.* (2016) CatWalk gait analysis in a rat model of multiple sclerosis. [BMC Neurosci. 17 \(1\): 78.](#)
42. Szmydynger-Chodobska, J. *et al.* (2016) The Involvement of Pial Microvessels in Leukocyte Invasion after Mild Traumatic Brain Injury. [PLoS One. 11 \(12\): e0167677.](#)
43. Hashmat, S. *et al.* (2016) Interleukin-6 inhibition attenuates hypertension and associated renal damage in Dahl salt-sensitive rats. [Am J Physiol Renal Physiol. 311 \(3\): F555-61.](#)
44. Cha, S.J. *et al.* (2016) Identification of GAPDH on the surface of *Plasmodium* sporozoites as a new candidate for targeting malaria liver invasion. [J Exp Med. 213 \(10\): 2099-112.](#)

45. Murata, M. *et al.* (2016) Surfactant protein D is a useful biomarker for monitoring acute lung injury in rats. [Exp Lung Res. 42 \(6\): 314-21.](#)
46. Faleiros, C.M. *et al.* (2017) Effects of previous physical training on adriamycin nephropathy and its relationship with endothelial lesions and angiogenesis in the renal cortex. [Life Sci. 169: 43-51.](#)
47. Haba, D. *et al.* (2017) Morphological study on the pressure ulcer-like dermal lesions formed in the rat heel skin after transection of the sciatic nerves. [Acta Histochem. 119 \(1\): 39-47.](#)
48. Landeck, N. *et al.* (2017) Toxic effects of human and rodent variants of alpha-synuclein *in vivo*. [Eur J Neurosci. 45 \(4\): 536-47.](#)
49. Carrillo-de Sauvage, M.A. *et al.* (2015) The neuroprotective agent CNTF decreases neuronal metabolites in the rat striatum: an *in vivo* multimodal magnetic resonance imaging study. [J Cereb Blood Flow Metab. 35 \(6\): 917-21.](#)
50. Chang, C.Y. *et al.* (2015) Tetramethylpyrazine inhibits neutrophil activation following permanent cerebral ischemia in rats. [Biochem Biophys Res Commun. 463 \(3\): 421-7.](#)
51. Londono, R. *et al.* (2017) The effect of cell debris within biologic scaffolds upon the macrophage response. [J Biomed Mater Res A. 105 \(8\): 2109-18.](#)
52. Xue, Y. *et al.* (2017) Hydroxyapatite nanoparticle-induced mitochondrial energy metabolism impairment in liver cells: *in vitro* and *in vivo* studies. [J Appl Toxicol. 37 \(8\): 1004-1016.](#)
53. Wang, M. *et al.* (2017) Characterization of the Micro-Environment of the Testis that Shapes the Phenotype and Function of Testicular Macrophages. [J Immunol. 198 \(11\): 4327-40.](#)
54. Menzies, R.I. *et al.* (2015) Inhibition of the purinergic P2X7 receptor improves renal perfusion in angiotensin-II-infused rats. [Kidney Int. 88 \(5\): 1079-87.](#)
55. Aarts, S.A.B.M. *et al.* (2017) Inhibition of CD40-TRAF6 interactions by the small molecule inhibitor 6877002 reduces neuroinflammation. [J Neuroinflammation. 14 \(1\): 105.](#)
56. Han, T.T. *et al.* (2015) Adipose-derived stromal cells mediate *in vivo* adipogenesis, angiogenesis and inflammation in decellularized adipose tissue bioscaffolds. [Biomaterials. 72: 125-37.](#)
57. Kanamori, H. *et al.* (2017) Influence of nicotine on choline-deficient, L-amino acid-defined diet-induced non-alcoholic steatohepatitis in rats. [PLoS One. 12 \(6\): e0180475.](#)
58. Kühne, L. *et al.* (2017) Renal allograft rejection, lymphocyte infiltration, and *de novo* donor-specific antibodies in a novel model of non-adherence to immunosuppressive therapy. [BMC Immunol. 18 \(1\): 52.](#)
59. Jaworska, J. *et al.* (2019) Effect of the HDAC Inhibitor, Sodium Butyrate, on Neurogenesis in a Rat Model of Neonatal Hypoxia-Ischemia: Potential Mechanism of Action. [Mol Neurobiol. 56 \(9\): 6341-70.](#)
60. Fontana, J. *et al.* (2017) Impact of Steroids on the Inflammatory Response after Ischemic Acute Kidney Injury in Rats. [Indian J Nephrol. 27 \(5\): 365-71.](#)
61. Tourki, B. *et al.* (2019) Lebetin 2, a Snake Venom-Derived B-Type Natriuretic Peptide, Provides Immediate and Prolonged Protection against Myocardial Ischemia-Reperfusion Injury via Modulation of Post-Ischemic Inflammatory Response. [Toxins \(Basel\). 11 \(9\)Sep 10 \[Epub ahead of print\].](#)
62. Silva, F.M.O. *et al.* (2019) Tamoxifen and bone morphogenetic protein-7 modulate fibrosis and inflammation in the peritoneal fibrosis model developed in uremic rats. [Mol](#)

[Med. 25 \(1\): 41.](#)

63. Nozomu, A. *et al.* (2019) Delayed Rectifier K⁺-Channel Is a Novel Therapeutic Target for Interstitial Renal Fibrosis in Rats with Unilateral Ureteral Obstruction [BioMed Res Intl. 2019: 1-11.](#)

64. Muri, L. *et al.* (2020) Repetitive transcranial magnetic stimulation activates glial cells and inhibits neurogenesis after pneumococcal meningitis. [PLoS ONE 15\(9\): e0232863.](#)

65. Jahandideh, A. *et al.* (2020) Folate Receptor β Targeted PET Imaging of Macrophages in Autoimmune Myocarditis. [J Nucl Med. Apr 13 \[Epub ahead of print\].](#)

66. Zhang, Z. *et al.* (2020) Mesenchymal Stem Cells Promote the Resolution of Cardiac Inflammation After Ischemia Reperfusion Via Enhancing Efferocytosis of Neutrophils. [J Am Heart Assoc. 9 \(5\): e014397.](#)

67. Zhang, L.Y. *et al.* (2020) Microglia exacerbate white matter injury via complement C3/C3aR pathway after hypoperfusion. [Theranostics. 10 \(1\): 74-90.](#)

Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee

12 months from date of despatch

Health And Safety Information

Material Safety Datasheet documentation #10041 available at: 10041: <https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf>

Regulatory

For research purposes only

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:Biotin \(MCA1209B\)](#)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

'M367605:200529'

Printed on 19 Oct 2020

© 2020 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)