

Datasheet: MCA341PE

BATCH NUMBER 154486

Description:	MOUSE ANTI RAT CD68:RPE
Specificity:	CD68
Other names:	ED1
Format:	RPE
Product Type:	Monoclonal Antibody
Clone:	ED1
Isotype:	IgG1
Quantity:	100 TESTS

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	▪			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive control.

(1) Membrane permeabilisation is required for this application. Bio-Rad recommends the use of Leucoperm™ (Product Code [BUF09](#)) for this purpose.

Target Species

Rat

Species Cross Reactivity

Reacts with: Bovine
Does not react with: Horse

N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

Product Form

Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilized

Reconstitution

Reconstitute with 1 ml distilled water

Max Ex/Em

Fluorophore

Excitation Max (nm) Emission Max (nm)

Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin
Immunogen	Rat spleen cells
External Database Links	UniProt: Q4FZY1 Related reagents
RRID	AB_324585
Fusion Partners	Spleen cells from immunised BALB/c mice were fused with cells of the SP2/0-Ag14 mouse myeloma cell line.
Specificity	<p>Mouse anti rat CD68, clone ED1 recognizes the rat ED1 antigen, a heavily glycosylated protein of ~90 -110 KDa, also known as rat CD68 (Dijkstra et al. 1985).</p> <p>The ED1 antigen is expressed on most macrophages populations, as well as on monocytes and is considered as a pan-macrophage marker in the rat (Damoiseaux et al. 1994). ED1 is expressed predominantly on the lysosomal membrane and lightly on the cell surface (Dijkstra et al. 1985).</p> <p>The expression of ED1 antigen being predominantly cytoplasmic (Dijkstra et al. 1985), flow cytometry results are improved by the use of a membrane permeabilization procedure, such as Leucoperm, prior to staining.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.
References	<ol style="list-style-type: none">1. Damoiseaux, J.G. et al. (1994) Rat macrophage lysosomal membrane antigen recognized by monoclonal antibody ED1. Immunology. 83 (1): 140-7.2. Bauer, J. et al. (1994) Phagocytic activity of macrophages and microglial cells during the course of acute and chronic relapsing experimental autoimmune encephalomyelitis. J Neurosci Res. 38 (4): 365-75.3. Wu, L. et al. (2004) Dietary approach to attenuate oxidative stress, hypertension, and inflammation in the cardiovascular system. Proc Natl Acad Sci U S A. 101 (18): 7094-9.4. Bao, F. et al. (2004) Early anti-inflammatory treatment reduces lipid peroxidation and protein nitration after spinal cord injury in rats. J Neurochem. 88 (6): 1335-44.5. Zilka, N. et al. (2009) Human misfolded truncated tau protein promotes activation of microglia and leukocyte infiltration in the transgenic rat model of tauopathy. J Neuroimmunol. 209: 16-25.6. Fujita, E. et al. (2010) Statin attenuates experimental anti-glomerular basement

- membrane glomerulonephritis together with the augmentation of alternatively activated macrophages. [Am J Pathol. 177 \(3\): 1143-54.](#)
7. Salegio, E.A. *et al.* (2011) Macrophage presence is essential for the regeneration of ascending afferent fibres following a conditioning sciatic nerve lesion in adult rats. [BMC Neurosci. 12: 11.](#)
8. Wei, X. *et al.* (2014) Dural fibroblasts play a potential role in headache pathophysiology. [Pain. 155: 1238-44.](#)
9. Naito, Y. *et al.* (2011) Dietary iron restriction prevents hypertensive cardiovascular remodeling in dahl salt-sensitive rats. [Hypertension. 57: 497-504.](#)
10. Baker, S.C. *et al.* (2011) Cellular integration and vascularisation promoted by a resorbable, particulate-leached, cross-linked poly(ϵ -caprolactone) scaffold. [Macromol Biosci. 11 \(5\): 618-27.](#)
11. Bedi, A. *et al.* (2010) Effect of early and delayed mechanical loading on tendon-to-bone healing after anterior cruciate ligament reconstruction. [J Bone Joint Surg Am. 92: 2387-401.](#)
12. Liew, H.K. *et al.* (2012) Systemic administration of urocortin after intracerebral hemorrhage reduces neurological deficits and neuroinflammation in rats. [J Neuroinflammation. 9: 13.](#)
13. Chiu, T.L. *et al.* (2012) The treatment of glioblastoma multiforme through activation of microglia and TRAIL induced by rAAV2-mediated IL-12 in a syngeneic rat model. [J Biomed Sci. 19: 45.](#)
14. Glorie, L.L. *et al.* (2012) DPP4 inhibition improves functional outcome after renal ischemia-reperfusion injury. [Am J Physiol Renal Physiol. 303: F681-8.](#)
15. Quan, L.D. *et al.* (2010) Development of a macromolecular prodrug for the treatment of inflammatory arthritis: mechanisms involved in arthrotropism and sustained therapeutic efficacy. [Arthritis Res Ther. 12: R170.](#)
16. Peng, J.H. *et al.* (2012) Effects of Puerariae Radix Extract on Endotoxin Receptors and TNF- α Expression Induced by Gut-Derived Endotoxin in Chronic Alcoholic Liver Injury. [Evid Based Complement Alternat Med. 2012: 234987.](#)
17. Matsuda, K. *et al.* (2010) Hemophagocytic histiocytic sarcoma in a Japanese black cow. [Vet Pathol. 47: 339-42.](#)
18. Tian, Y.F. *et al.* (2013) Lipoic acid suppresses portal endotoxemia-induced steatohepatitis and pancreatic inflammation in rats. [World J Gastroenterol. 19 \(18\): 2761-71.](#)
19. Xiang, Y. *et al.* (2013) L-carnitine protects against cyclosporine-induced pancreatic and renal injury in rats. [Transplant Proc. 45 \(8\): 3127-34.](#)
20. Wang-Rosenke, Y. *et al.* (2013) Tyrosine kinases inhibition by Imatinib slows progression in chronic anti-thy1 glomerulosclerosis of the rat. [BMC Nephrol. 14: 223.](#)
21. Dort, J. *et al.* (2013) Beneficial Effects of Cod Protein on Inflammatory Cell Accumulation in Rat Skeletal Muscle after Injury Are Driven by Its High Levels of Arginine, Glycine, Taurine and Lysine. [PLoS One. 8: e77274.](#)
22. Chang, C.Y. *et al.* (2013) Docosahexaenoic acid reduces cellular inflammatory response following permanent focal cerebral ischemia in rats. [J Nutr Biochem. 24 \(12\): 2127-37.](#)
23. Machelska, H. *et al.* (2004) Selectins and integrins but not platelet-endothelial cell adhesion molecule-1 regulate opioid inhibition of inflammatory pain. [Br J Pharmacol. 142 \(4\): 772-80.](#)

24. Sakuraya, K. *et al.* (2014) The synergistic effect of mizoribine and a direct renin inhibitor, aliskiren, on unilateral ureteral obstruction induced renal fibrosis in rats. *J Urol.* 191 (4): 1139-46.
25. Xu, X. *et al.* (2014) Aging aggravates long-term renal ischemia-reperfusion injury in a rat model. *J Surg Res.* 187 (1): 289-96.
26. Kim, Y.H. *et al.* (2014) Enhancement of bone regeneration by dual release of a macrophage recruitment agent and platelet-rich plasma from gelatin hydrogels. *Biomaterials.* 35 (1): 214-24.
27. Lin, Y.C. *et al.* (2015) Time-course effect of electrical stimulation on nerve regeneration of diabetic rats. *PLoS One.* 10: e0116711.
28. Matsuda, K. *et al.* (2009) Two cases of bovine sarcoma in clinically long-standing lesions. *J Vet Med Sci.* 71 (2): 221-4.
29. Thieme, K. & Oliveira-Souza, M. (2015) Renal Hemodynamic and Morphological Changes after 7 and 28 Days of Leptin Treatment: The Participation of Angiotensin II via the AT1 Receptor. *PLoS One.* 10 (3): e0122265.
30. Ayoub, M.A. *et al.* (2015) Functional Interaction between Angiotensin II Receptor Type 1 and Chemokine (C-C Motif) Receptor 2 with Implications for Chronic Kidney Disease. *PLoS One.* 10 (3): e0119803.
31. Bijarnia, R.K. *et al.* (2015) Sodium thiosulfate ameliorates oxidative stress and preserves renal function in hyperoxaluric rats. *PLoS One.* 10 (4): e0124881.
32. Oboshi, M. *et al.* (2015) Temporary dietary iron restriction affects the process of thrombus resolution in a rat model of deep vein thrombosis. *PLoS One.* 10 (5): e0126611.
33. Nagai, H. *et al.* (2015) Pulmonary Macrophages Attenuate Hypoxic Pulmonary Vasoconstriction via β3AR/iNOS Pathway in Rats Exposed to Chronic Intermittent Hypoxia. *PLoS One.* 10 (7): e0131923.
34. Adamo, H.H. *et al.* (2015) Adaptive (TINT) Changes in the Tumor Bearing Organ Are Related to Prostate Tumor Size and Aggressiveness. *PLoS One.* 10 (11): e0141601.
35. Paulsen, I.M.S. *et al.* (2015) A single simple procedure for dewaxing, hydration and heat-induced epitope retrieval (HIER) for immunohistochemistry in formalin fixed paraffin-embedded tissue. *European Journal of Histochemistry.* 59 (4): 2532-9.
36. Ibarra, V. *et al.* (2016) This paper is a winner in the Undergraduate category for the SFB awards: Evaluation of the tissue response to alginate encapsulated islets in an omentum pouch model. *J Biomed Mater Res A.* 104 (7): 1581-90.
37. Zeka, B. *et al.* (2016) Aquaporin 4-specific T cells and NMO-IgG cause primary retinal damage in experimental NMO/SD. *Acta Neuropathol Commun.* 4 (1): 82.
38. Xu K *et al.* (2016) Expression of aryl hydrocarbon receptor in rat brain lesions following traumatic brain injury. *Diagn Pathol.* 11 (1): 72.
39. Gällentoft, L. *et al.* (2016) Impact of degradable nanowires on long-term brain tissue responses. *J Nanobiotechnology.* 14 (1): 64.
40. Cónstor JM *et al.* (2016) Treatment With Human Wharton's Jelly-Derived Mesenchymal Stem Cells Attenuates Sepsis-Induced Kidney Injury, Liver Injury, and Endothelial Dysfunction. *Stem Cells Transl Med.* 5 (8): 1048-57.
41. Herold, S. *et al.* (2016) CatWalk gait analysis in a rat model of multiple sclerosis. *BMC Neurosci.* 17 (1): 78.
42. Szmydynger-Chodobska, J. *et al.* (2016) The Involvement of Pial Microvessels in Leukocyte Invasion after Mild Traumatic Brain Injury. *PLoS One.* 11 (12): e0167677.
43. Hashmat, S. *et al.* (2016) Interleukin-6 inhibition attenuates hypertension and

- associated renal damage in Dahl salt-sensitive rats. *Am J Physiol Renal Physiol.* 311 (3): F555-61.
44. Cha, S.J. *et al.* (2016) Identification of GAPDH on the surface of *Plasmodium* sporozoites as a new candidate for targeting malaria liver invasion. *J Exp Med.* 213 (10): 2099-112.
45. Murata, M. *et al.* (2016) Surfactant protein D is a useful biomarker for monitoring acute lung injury in rats. *Exp Lung Res.* 42 (6): 314-21.
46. Faleiros, C.M. *et al.* (2017) Effects of previous physical training on adriamycin nephropathy and its relationship with endothelial lesions and angiogenesis in the renal cortex. *Life Sci.* 169: 43-51.
47. Haba, D. *et al.* (2017) Morphological study on the pressure ulcer-like dermal lesions formed in the rat heel skin after transection of the sciatic nerves. *Acta Histochem.* 119 (1): 39-47.
48. Landeck, N. *et al.* (2017) Toxic effects of human and rodent variants of alpha-synuclein *in vivo*. *Eur J Neurosci.* 45 (4): 536-47.
49. Carrillo-de Sauvage, M.A. *et al.* (2015) The neuroprotective agent CNTF decreases neuronal metabolites in the rat striatum: an *in vivo* multimodal magnetic resonance imaging study. *J Cereb Blood Flow Metab.* 35 (6): 917-21.
50. Chang, C.Y. *et al.* (2015) Tetramethylpyrazine inhibits neutrophil activation following permanent cerebral ischemia in rats. *Biochem Biophys Res Commun.* 463 (3): 421-7.
51. Londono, R. *et al.* (2017) The effect of cell debris within biologic scaffolds upon the macrophage response. *J Biomed Mater Res A.* 105 (8): 2109-18.
52. Xue, Y. *et al.* (2017) Hydroxyapatite nanoparticle-induced mitochondrial energy metabolism impairment in liver cells: *in vitro* and *in vivo* studies. *J Appl Toxicol.* 37 (8): 1004-1016.
53. Wang, M. *et al.* (2017) Characterization of the Micro-Environment of the Testis that Shapes the Phenotype and Function of Testicular Macrophages. *J Immunol.* 198 (11): 4327-40.
54. Menzies, R.I. *et al.* (2015) Inhibition of the purinergic P2X7 receptor improves renal perfusion in angiotensin-II-infused rats. *Kidney Int.* 88 (5): 1079-87.
55. Aarts, S.A.B.M. *et al.* (2017) Inhibition of CD40-TRAF6 interactions by the small molecule inhibitor 6877002 reduces neuroinflammation. *J Neuroinflammation.* 14 (1): 105.
56. Han, T.T. *et al.* (2015) Adipose-derived stromal cells mediate *in vivo* adipogenesis, angiogenesis and inflammation in decellularized adipose tissue bioscaffolds. *Biomaterials.* 72: 125-37.
57. Kanamori, H. *et al.* (2017) Influence of nicotine on choline-deficient, L-amino acid-defined diet-induced non-alcoholic steatohepatitis in rats. *PLoS One.* 12 (6): e0180475.
58. Kühne, L. *et al.* (2017) Renal allograft rejection, lymphocyte infiltration, and *de novo* donor-specific antibodies in a novel model of non-adherence to immunosuppressive therapy. *BMC Immunol.* 18 (1): 52.
59. Jaworska, J. *et al.* (2019) Effect of the HDAC Inhibitor, Sodium Butyrate, on Neurogenesis in a Rat Model of Neonatal Hypoxia-Ischemia: Potential Mechanism of Action. *Mol Neurobiol.* 56 (9): 6341-70.
60. Fontana, J. *et al.* (2017) Impact of Steroids on the Inflammatory Response after Ischemic Acute Kidney Injury in Rats. *Indian J Nephrol.* 27 (5): 365-71.
61. Tourki, B. *et al.* (2019) Lebetin 2, a Snake Venom-Derived B-Type Natriuretic Peptide,

- Provides Immediate and Prolonged Protection against Myocardial Ischemia-Reperfusion Injury via Modulation of Post-Ischemic Inflammatory Response. [Toxins \(Basel\).](#) 11 (9)Sep 10 [Epub ahead of print].
62. Silva, F.M.O. et al. (2019) Tamoxifen and bone morphogenic protein-7 modulate fibrosis and inflammation in the peritoneal fibrosis model developed in uremic rats. [Mol Med.](#) 25 (1): 41.
63. Nozomu, A. et al. (2019) Delayed Rectifier K⁺-Channel Is a Novel Therapeutic Target for Interstitial Renal Fibrosis in Rats with Unilateral Ureteral Obstruction [BioMed Res Intl.](#) 2019: 1-11.
64. Muri, L. et al.. (2020) Repetitive transcranial magnetic stimulation activates glial cells and inhibits neurogenesis after pneumococcal meningitis. [PLoS ONE](#) 15(9): e0232863.
65. Jahandideh, A. et al. (2020) Folate Receptor β Targeted PET Imaging of Macrophages in Autoimmune Myocarditis. [J Nucl Med.](#) Apr 13 [Epub ahead of print].
66. Zhang, Z. et al. (2020) Mesenchymal Stem Cells Promote the Resolution of Cardiac Inflammation After Ischemia Reperfusion Via Enhancing Efferocytosis of Neutrophils. [J Am Heart Assoc.](#) 9 (5): e014397.
67. Zhang, L.Y. et al. (2020) Microglia exacerbate white matter injury via complement C3/C3aR pathway after hypoperfusion. [Theranostics.](#) 10 (1): 74-90.
68. Rodionova, K. et al. (2020) Neurogenic tachykinin mechanisms in experimental nephritis of rats. [Pflugers Arch.](#) Oct 17 [Epub ahead of print].
69. Leisengang, S. et al. (2020) Primary culture of the rat spinal dorsal horn: a tool to investigate the effects of inflammatory stimulation on the afferent somatosensory system. [Pflugers Arch.](#) Oct 24 [Epub ahead of print].
70. Jahandideh, A. et al. (2020) Folate Receptor β Targeted PET Imaging of Macrophages in Autoimmune Myocarditis. [J Nucl Med.](#) Apr 13 [Epub ahead of print].
71. Rivera, J. et al. (2019) Infusion of HIV-1 Nef-expressing astrocytes into the rat hippocampus induces enteropathy and interstitial pneumonitis and increases blood-brain-barrier permeability. [PLoS One.](#) 14 (11): e0225760.
72. Luo, K. et al. (2019) Cilastatin protects against tacrolimus-induced nephrotoxicity via anti-oxidative and anti-apoptotic properties. [BMC Nephrol.](#) 20 (1): 221.
73. Amaral, J. et al. (2013) 7-Ketocholesterol induces inflammation and angiogenesis *in vivo*: a novel rat model. [PLoS One.](#) 8 (2): e56099.
74. Sogi, Y. et al. (2020) Joint hemorrhage accelerates cartilage degeneration in a rat immobilized knee model. [BMC Musculoskelet Disord.](#) 21 (1): 761.
75. Li, L. et al. (2021) Ascorbic acid accelerates Wallerian degeneration after peripheral nerve injury [Neural Regeneration Research.](#) 16:6. 1078-85.
76. Solár, P. et al. (2020) Subarachnoid Hemorrhage Increases Level of Heme Oxygenase-1 and Biliverdin Reductase in the Choroid Plexus [Frontiers in Cellular Neuroscience.](#) 14 [Epub ahead of print].
77. Wang, Q. et al. (2020) Urinary phosphate-containing nanoparticle contributes to inflammation and kidney injury in a salt-sensitive hypertension rat model. [Commun Biol.](#) 3 (1): 575.
78. Hoff, U. et al. (2019) A synthetic epoxyeicosatrienoic acid analogue prevents the initiation of ischemic acute kidney injury. [Acta Physiol \(Oxf\).](#) 227 (2): e13297.
79. Noh, J.E. et al. (2020) Intracerebral Transplants of GMP-Grade Human Umbilical Cord-Derived Mesenchymal Stromal Cells Effectively Treat Subacute-Phase Ischemic Stroke in a Rodent Model. [Front Cell Neurosci.](#) 14: 546659.

80. Ismail, S.F. et al. (2020) Ammonia Induced Microglial Activation Modulates Connexin 43 and Aquaporin 4 Expression in Astrocyte-microglia Co-culture Model [BMC Neurosci.](#) [Preprint Sep 22 \[Epub ahead of print\]](#).
81. Zhao, H.Y. et al. (2020) L-carnitine treatment attenuates renal tubulointerstitial fibrosis induced by unilateral ureteral obstruction. [Korean J Intern Med.](#) [Sep 18 \[Epub ahead of print\]](#).
82. Bennett, M. et al. (2020) Proteoglycan 4 Reduces Neuroinflammation and Protects the Blood-Brain Barrier after Traumatic Brain Injury. [J Neurotrauma.](#) [Oct 19 \[Epub ahead of print\]](#).
83. de Araújo L.A. et al. (2020) Sodium Oxalate-Induced Acute Kidney Injury Associated With Glomerular and Tubulointerstitial Damage in Rats. [Front Physiol.](#) [11: 1076](#).
84. Kaur, G. et al. (2020) Neonatal Pig Sertoli Cells Survive Xenotransplantation by Creating an Immune Modulatory Environment Involving CD4 and CD8 Regulatory T Cells. [Cell Transplant.](#) [29: 963689720947102](#).
85. Yao, X. et al. (2020) Acellular Collagen Scaffold With Basic Fibroblast Growth Factor for Repair of Traumatic Tympanic Membrane Perforation in a Rat Model. [Otolaryngol Head Neck Surg.](#) : 194599820938345.
86. Choi, Y. et al. (2020) Immunohistochemical analysis of periostin in the hearts of Lewis rats with experimental autoimmune myocarditis. [J Vet Med Sci.](#) [82 \(10\): 1545-50](#).
87. Zhang, K. et al. (2020) Applying Complex Network and Cell-Cell Communication Network Diagram Methods to Explore the Key Cytokines and Immune Cells in Local Acupoint Involved in Acupuncture Treating Inflammatory Pain. [Evid Based Complement Alternat Med.](#) [2020: 2585960](#).
88. Lee, H. et al. (2020) TissueGene-C promotes an anti-inflammatory micro-environment in a rat monoiodoacetate model of osteoarthritis via polarization of M2 macrophages leading to pain relief and structural improvement. [Inflammopharmacology.](#) [28 \(5\): 1237-52](#).
89. Tanaka, J. et al. (2020) Generation of CSF1-Independent Ramified Microglia-Like Cells from Leptomeninges *In Vitro*. [Cells.](#) [10 \(1\)Dec 25 \[Epub ahead of print\]](#).
90. Nagatani, Y. et al. (2021) Thromboxane A2 Receptor Antagonist (ONO-8809) Attenuates the Renal Disorders Caused by Salt-Overload in Stroke-Prone Spontaneously Hypertensive Rats. [Jan 18 \[Epub ahead of print\]](#).
91. Tong, Y. et al. (2021) The effects of wheel-running using the upper limbs following immobilization after inducing arthritis in the knees of rats. [Physiol Res.](#) [70 \(1\) Jan 14 \[Epub ahead of print\]](#).

Storage	Prior to reconstitution store at +4°C. Following reconstitution store at +4°C. This product should be stored undiluted. DO NOT FREEZE. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #20487 available at: https://www.bio-rad-antibodies.com/SDS/MCA341PE 20487

Related Products

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:RPE \(MCA1209PE\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets
'M375539:210104'

Printed on 04 Apr 2024
