

# Datasheet: MCA342B BATCH NUMBER 154289

Description:	MOUSE ANTI RAT CD163:Biotin		
Specificity:	CD163		
Other names:	ED2		
Format:	Biotin		
<b>Product Type:</b>	Monoclonal Antibody		
Clone:	ED2		
Isotype:	lgG1		
Quantity:	0.1 mg		

# **Product Details**

## **Applications**

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <a href="www.bio-rad-antibodies.com/protocols">www.bio-rad-antibodies.com/protocols</a>.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat - 1/10

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Rat
Product Form	Purified IgG conjugated to Biotin - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide 1% Bovine Serum Albumin
Approx. Protein Concentrations	IgG concentration 0.1 mg/ml
Immunogen	Rat Spleen cell homogenate.

## **RRID**

AB\_2074559

#### **Fusion Partners**

Spleen cells from immunised BALB/c mice were fused with cells of the SP2/0-Ag 14 mouse myeloma cell line.

### **Specificity**

**Mouse anti Rat CD163, clone ED2** recognizes the rat ED2 cell surface glycoprotein (<u>Dijkstra et al. 1985</u>). A 175 kDa molecule also known as rat CD163, a member of the group B scavenger receptor cysteine-rich (SRCR) family and an erythroblast adhesion receptor (Fabriek et al. 2007).

Mouse anti rat CD163, clone ED2 was shown to detect approximately 50% of peritoneal macrophages, a subset of splenic macrophages, and most tissue macrophages. However, no staining was observed in monocytes or alveolar macrophages (<u>Dijkstra et al. 1985</u>, <u>Beelen et al. 1987</u>). In freshly isolated bone marrow, expression of CD163 was limited to mature macrophages only (<u>Barbe et al. 1990</u>).

Clone ED2 may be used in immunohistology using antigen retrieval, and has also been described reacting with paraffin-embedded material following PLP fixation (Periodatelysine-paraformaldehyde), see Whiteland et al.

## **Flow Cytometry**

Use 10ul of the suggested working dilution to label 10<sup>6</sup> cells in 100ul

### References

- 1. Dijkstra, C.D. *et al.* (1985) The heterogeneity of mononuclear phagocytes in lymphoid organs: distinct macrophage subpopulations in the rat recognized by monoclonal antibodies ED1, ED2 and ED3. Immunology. 54 (3): 589-99.
- 2. Beelen, R.H.J. *et al.* (1987) Monoclonal antibodies ED1, ED2 and ED3 against rat macrophages: Expression of recognized antigens in different stages of differentiation. Transplant Proc. 3: 3166-70.
- 3. Barbe, E. *et al.* (1990) Characterization and expression of the antigen present on resident rat macrophages recognized by monoclonal antibody ED2. <u>Immunobiol. 182:</u> 88-99.
- 4. Dijkstra, C.D. & Damoiseaux, J.G. (1993) Macrophage heterogeneity established by immunocytochemistry. <a href="Prog Histochem Cytochem.">Prog Histochem Cytochem. 27 (2): 1-65.</a>
- 5. Whiteland, J.L. *et al.* (1995) Immunohistochemical detection of T-cell subsets and other leukocytes in paraffin-embedded rat and mouse tissues with monoclonal antibodies. <u>J</u> Histochem Cytochem. 43 (3): 313-20.
- 6. Polfliet, M.M.J. *et al.* (2002) Identification of the rat mature macrophage antigen ED2 as CD163: Regulation by glucocorticoids and role in the production of proinflammatory mediators. PhD Thesis. Vrije University, Amsterdam.
- 7. Deng, X. *et al.* (2005) Chronic alcohol consumption accelerates fibrosis in response to cerulein-induced pancreatitis in rats. <u>Am J Pathol. 166 (1): 93-106.</u>
- 8. Piquet-Pellorce, I. *et al.* (2005) Identification of the leukemia inhibitory factor cell targets within the rat testis. Biol Reprod. 72: 602-11.
- 9. Fujita, E. *et al.* (2010) Statin attenuates experimental anti-glomerular basement membrane glomerulonephritis together with the augmentation of alternatively activated macrophages. Am J Pathol. 177 (3): 1143-54.
- 10. Schwartzkopff, J. et al. (2010) NK cell depletion delays corneal allograft rejection in

- baby rats. Mol Vis. 16: 1928-35.
- 11. Baker, S.C. *et al.* (2011) Cellular integration and vascularisation promoted by a resorbable, particulate-leached, cross-linked poly(ε-caprolactone) scaffold. <u>Macromol Biosci.</u> 11 (5): 618-27.
- 12. Bedi, A. *et al.* (2010) Effect of early and delayed mechanical loading on tendon-to-bone healing after anterior cruciate ligament reconstruction. <u>J Bone Joint Surg Am. 92: 2387-401.</u>
- 13. Banerjee, S. *et al.* (2003) Development of organised conjunctival leucocyte aggregates after corneal transplantation in rats. <u>Br J Ophthalmol. 87: 1515-22.</u>
- 14. Moghaddami, M. *et al.* (2005) MHC class II compartment, endocytosis and phagocytic activity of macrophages and putative dendritic cells isolated from normal tissues rich in synovium. <u>Int Immunol. 17: 1117-30.</u>
- 15. Wojcik, M. *et al.* (2012) Immunodetection of cyclooxygenase-2 (COX-2) is restricted to tissue macrophages in normal rat liver and to recruited mononuclear phagocytes in liver injury and cholangiocarcinoma. <u>Histochem Cell Biol. 137: 217-33.</u>
- 16. Kawakami, A.P. *et al.* (2011) Inflammatory Process Modulation by Homeopathic Arnica montana 6CH: The Role of Individual Variation. <u>Evid Based Complement Alternat Med.</u> 2011: 917541.
- 17. Kajita, M. *et al.* (2011) iNOS expression in vascular resident macrophages contributes to circulatory dysfunction of splanchnic vascular smooth muscle contractions in portal hypertensive rats. Am J Physiol Heart Circ Physiol. 300: H1021-31.
- 18. Jiao, K. *et al.* (2013) The Identification of CD163 Expressing Phagocytic Chondrocytes in Joint Cartilage and Its Novel Scavenger Role in Cartilage Degradation. <u>PLoS One.</u> 8(1):e53312.
- 19. Fujii, Y. *et al.* (2013) Effect of enzymatically modified isoquercitrin on preneoplastic liver cell lesions induced by thioacetamide promotion in a two-stage hepatocarcinogenesis model using rats. Toxicology. 305: 30-40.
- 20. Lobato-Pascual, A. *et al.* (2013) Rat macrophage C-type lectin is an activating receptor expressed by phagocytic cells. <u>PLoS One. 8: e57406.</u>
- 21. Fabriek, B.O. *et al.* (2007) The macrophage CD163 surface glycoprotein is an erythroblast adhesion receptor. <u>Blood. 109 (12): 5223-9.</u>
- 22. Park, E.S. *et al.* (2014) Establishment of a rat model for canine necrotizing meningoencephalitis (NME). <u>Vet Pathol. 51 (6): 1151-64.</u>
- 23. Keitel, V. *et al.* (2008) Expression and function of the bile acid receptor TGR5 in Kupffer cells. <u>Biochem Biophys Res Commun.</u> 372: 78-84.
- 24. Hozumi, Y. *et al.* (2015) Expression and localization of the diacylglycerol kinase family and of phosphoinositide signaling molecules in adrenal gland. <u>Cell Tissue Res. 362 (2):</u> 295-305.
- 25. Fernandez-Bustamante, A. *et al.* (2015) Brief Glutamine Pretreatment Increases Alveolar Macrophage CD163/Heme Oxygenase-1/p38-MAPK Dephosphorylation Pathway and Decreases Capillary Damage but Not Neutrophil Recruitment in IL-1/LPS-Insufflated Rats. <u>PLoS One. 10 (7): e0130764.</u>
- 26. Adamo, H.H. *et al.* (2015) Adaptive (TINT) Changes in the Tumor Bearing Organ Are Related to Prostate Tumor Size and Aggressiveness. <u>PLoS One</u>. 10 (11): e0141601.
- 27. Santos, L. *et al.* (2016) *In vitro* and *in vivo* assessment of magnetically actuated biomaterials and prospects in tendon healing. Nanomedicine (Lond). 11 (9): 1107-22.
- 28. Ibarra V et al. (2016) Evaluation of the Tissue Response to Alginate Encapsulated

- Islets in an Omentum Pouch Model. <u>J Biomed Mater Res A. May 3. [Epub ahead of print]</u> 29. Tentillier N *et al.* (2016) Anti-Inflammatory Modulation of Microglia via CD163-Targeted Glucocorticoids Protects Dopaminergic Neurons in the 6-OHDA Parkinson's Disease Model. <u>J Neurosci.</u> 36 (36): 9375-90.
- 30. Zakrzewicz, A. *et al.* (2015) Monocytic Tissue Transglutaminase in a Rat Model for Reversible Acute Rejection and Chronic Renal Allograft Injury. <u>Mediators Inflamm. 2015:</u> 429653.
- 31. Rave-Fränk M *et al.* (2013) Rat model of fractionated (2 Gy/day) 60 Gy irradiation of the liver: long-term effects. Radiat Environ Biophys. 52 (3): 321-38.
- 32. Wang, M. *et al.* (2017) Characterization of the Micro-Environment of the Testis that Shapes the Phenotype and Function of Testicular Macrophages. <u>J Immunol. May 1. pii:</u> 1700162. [Epub ahead of print]
- 33. Stavenuiter, A.W. *et al.* (2015) Protective Effects of Paricalcitol on Peritoneal Remodeling during Peritoneal Dialysis. Biomed Res Int. 2015: 468574.
- 34. Hawkins, K.E. *et al.* (2017) Targeting resolution of neuroinflammation after ischemic stroke with a lipoxin A<sub>4</sub> analog: Protective mechanisms and long-term effects on neurological recovery. <u>Brain Behav. 7 (5): e00688.</u>
- 35. Almahrog, A.J. *et al.* (2016) *In vivo.* association of immunophenotyped macrophages expressing CD163 with PDGF-β in gingival overgrowth-induced by three different categories of medications. J Oral Biol Craniofac Res. 6 (1): 10-7.
- 36. Han, T.T. *et al.* (2015) Adipose-derived stromal cells mediate in vivo adipogenesis, angiogenesis and inflammation in decellularized adipose tissue bioscaffolds. <u>Biomaterials.</u> 72: 125-37.
- 37. Pannell, M. *et al.* (2016) Adoptive transfer of M2 macrophages reduces neuropathic pain via opioid peptides. <u>J Neuroinflammation</u>. 13 (1): 262.
- 38. Chang, J.C. *et al.* (2019) Early Immune Response to Acute Gastric Fluid Aspiration in a Rat Model of Lung Transplantation. Exp Clin Transplant. 17 (1): 84-92.
- 39. Bloomer, S.A. *et al.* (2019) Aging results in accumulation of M1 and M2 hepatic macrophages and a differential response to gadolinium chloride <u>Histochem Cell Biol. 25</u> Oct [Epub ahead of print].
- 40. Azam, M. *et al.* (2019) Addition of 2-deoxy-d-ribose to clinically used alginate dressings stimulates angiogenesis and accelerates wound healing in diabetic rats. <u>J</u> Biomater Appl. 34 (4): 463-475.
- 41. Bhandari, S. *et al.* (2020) Transcriptome and proteome profiling reveal complementary scavenger and immune features of rat liver sinusoidal endothelial cells and liver macrophages. <u>BMC Mol Cell Biol. 21 (1): 85.</u>
- 42. Solár, P. *et al.* (2020) Subarachnoid Hemorrhage Increases Level of Heme Oxygenase-1 and Biliverdin Reductase in the Choroid Plexus. <u>Front Cell Neurosci. 14: 593305.</u>
- 43. Nishida, Y. *et al.* (2020) Intra-Articular Injection of Stromal Cell-Derived Factor 1α Promotes Meniscal Healing via Macrophage and Mesenchymal Stem Cell Accumulation in a Rat Meniscal Defect Model. <u>Int J Mol Sci. 21(15):5454.</u>
- 44. Bloomer, S.A. *et al.* (2020) Aging results in accumulation of M1 and M2 hepatic macrophages and a differential response to gadolinium chloride. <u>Histochem Cell Biol. 153</u> (1): 37-48.
- 45. Kuramochi, M. *et al.* (2021) Involvement of neutrophils in rat livers by low-dose thioacetamide administration. <u>J Vet Med Sci. Jan 20 [Epub ahead of print].</u>

46. Broekaart, D.W.M. *et al.* (2020) Increased matrix metalloproteinases expression in tuberous sclerosis complex: modulation by microRNA 146a and 147b *in vitro*.. Neuropathol Appl Neurobiol. 46 (2): 142-159.

47. Duchesne, E. *et al.* (2013) Mast cells can regulate skeletal muscle cell proliferation by multiple mechanisms. <u>Muscle Nerve. 48 (3): 403-14.</u>

48. Li, R. *et al.* (2020) Bone marrow mesenchymal stem cell-derived exosomal microRNA-124-3p attenuates neurological damage in spinal cord ischemia-reperfusion injury by downregulating Ern1 and promoting M2 macrophage polarization. <u>Arthritis Res Ther. 22</u> (1): 75.

### Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA342B">https://www.bio-rad-antibodies.com/SDS/MCA342B</a> 10041
Regulatory	For research purposes only

# Related Products

## **Recommended Negative Controls**

MOUSE IgG1 NEGATIVE CONTROL:Biotin (MCA1209B)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody\_sales\_us@bio-rad.com

Email: antibody\_sales\_uk@bio-rad.com

Email: antibody\_sales\_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M372972:200730'

# Printed on 15 Apr 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint