

## Datasheet: MCA351G

**BATCH NUMBER 156067**

<b>Description:</b>	RAT ANTI HUMAN CD8
<b>Specificity:</b>	CD8
<b>Format:</b>	Purified
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	YTC182.20
<b>Isotype:</b>	IgG2b
<b>Quantity:</b>	0.2 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/100 - 1/200
Immunohistology - Frozen	▪			
Immunohistology - Paraffin			▪	
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting			▪	
Immunofluorescence	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

### Target Species

Human

### Species Cross Reactivity

Reacts with: Cynomolgus monkey, Rhesus Monkey

**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

### Product Form

Purified IgG - liquid

### Preparation

Purified IgG prepared by affinity chromatography on Protein G from tissue culture

supernatant

---

**Buffer Solution** Phosphate buffered saline

---

**Preservative Stabilisers** 0.09% Sodium Azide

---

**Carrier Free** Yes

---

**Approx. Protein Concentrations** Ig concentration 1.0mg/ml

---

**Immunogen** Mouse L cells transfected with human CD8 gene.

---

**External Database Links**

**UniProt:**

[P01732](#) [Related reagents](#)

[P10966](#) [Related reagents](#)

**Entrez Gene:**

[925](#) CD8A [Related reagents](#)

[926](#) CD8B [Related reagents](#)

---

**Synonyms** CD8B1, MAL

---

**RRID** AB\_877504

---

**Fusion Partners** Spleen cells from an immunised DA rat were fused with cells of the rat Y3/Ag.1.2.3 myeloma line.

---

**Specificity** **Rat anti Human CD8 antibody, clone YTC182.20** recognizes the human CD8 cell surface antigen, a ~30/32 kDa glycoprotein expressed by the cytotoxic/suppressor subset of T lymphocytes, and more weakly by NK cells.

---

**Flow Cytometry** Use 10ul of the suggested working dilution to label  $10^6$  cells in 100ul.

---

**References**

1. Jonker, M. *et al.* (1989) Reactivity of mAb specific for human CD markers with Rhesus monkey leucocytes. Leucocyte Typing IV. Oxford University Press p 1058-1063.
2. Yoshino, N. *et al.* (2000) Upgrading of flow cytometric analysis for absolute counts, cytokines and other antigenic molecules of cynomolgus monkeys (*Macaca fascicularis*) by using anti-human cross-reactive antibodies. [Exp Anim. 49 \(2\): 97-110.](#)
3. Walton, L.J. *et al.* (1998) Intra-epithelial subpopulations of T lymphocytes and Langerhans cells in oral lichen planus. [J Oral Pathol Med. 27 \(3\): 116-23.](#)
4. Shacklett, B.L. *et al.* (2004) Abundant expression of granzyme A, but not perforin, in granules of CD8+ T cells in GALT: implications for immune control of HIV-1 infection. [J Immunol. 173 \(1\): 641-8.](#)
5. Wang, H. *et al.* (2016) Assessment of placental transfer and the effect on embryo-fetal development of a humanized monoclonal antibody targeting lymphotoxin-alpha in non-human primates. [Reprod Toxicol. 63: 82-95.](#)

6. Salajegheh, M. *et al.* (2007) T cell receptor profiling in muscle and blood lymphocytes in sporadic inclusion body myositis. [Neurology. 69 \(17\): 1672-9.](#)
7. Salajegheh, M. *et al.* (2007) Upregulation of thrombospondin-1(TSP-1) and its binding partners, CD36 and CD47, in sporadic inclusion body myositis. [J Neuroimmunol. 187 \(1-2\): 166-74.](#)
8. Sasikala-Appukuttan, A.K. *et al.* (2013) Location and dynamics of the immunodominant CD8 T cell response to SIV $\Delta$ nef immunization and SIVmac251 vaginal challenge. [PLoS One. 8 \(12\): e81623.](#)
9. VanNierop, G.P. *et al.* (2017) Phenotypic and functional characterization of T cells in white matter lesions of multiple sclerosis patients. [Acta Neuropathol. Jun 17 \[Epub ahead of print\].](#)
10. Cramer, M.L. *et al.* (2017) Induction of T-Cell Infiltration and Programmed Death Ligand 2 Expression by Adeno-Associated Virus in Rhesus Macaque Skeletal Muscle and Modulation by Prednisone. [Hum Gene Ther. 28 \(6\): 493-509.](#)

<b>Storage</b>	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
<b>Guarantee</b>	12 months from date of despatch
<b>Acknowledgements</b>	The isolation and characterisation of this cell line was carried out with the help of funds supplied by the Medical Research Council, United kingdom.
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA351G">https://www.bio-rad-antibodies.com/SDS/MCA351G</a> 10040
<b>Regulatory</b>	For research purposes only

## Related Products

### Recommended Secondary Antibodies

Goat Anti Rat IgG (STAR69...)	<a href="#">FITC</a>
Goat Anti Rat IgG (STAR73...)	<a href="#">RPE</a>
Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...)	<a href="#">DyLight@550</a> , <a href="#">DyLight@650</a> , <a href="#">DyLight@800</a>
Rabbit Anti Rat IgG (STAR21...)	<a href="#">HRP</a>
Rabbit Anti Rat IgG (STAR16...)	<a href="#">DyLight@800</a>
Goat Anti Rat IgG (STAR131...)	<a href="#">Alk. Phos.</a> , <a href="#">Biotin</a>
Rabbit Anti Rat IgG (STAR17...)	<a href="#">FITC</a>
Goat Anti Rat IgG (STAR72...)	<a href="#">HRP</a>

### Recommended Negative Controls

[RAT IgG2b NEGATIVE CONTROL \(MCA6006GA\)](#)

**North & South America** Tel: +1 800 265 7376  
Fax: +1 919 878 3751  
Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide** Tel: +44 (0)1865 852 700  
Fax: +44 (0)1865 852 739  
Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe** Tel: +49 (0) 89 8090 95 21  
Fax: +49 (0) 89 8090 95 50  
Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a

batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M367639:200529'

**Printed on 12 Aug 2023**

---

© 2023 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)