

Datasheet: MCA351GT BATCH NUMBER 152975

Description:	RAT ANTI HUMAN CD8	
Specificity:	CD8	
Format:	Purified	
Product Type:	Monoclonal Antibody	
Clone:	YTC182.20	
Isotype:	lgG2b	
Quantity:	25 μg	

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	•			1/100 - 1/200
Immunohistology - Frozen	•			
Immunohistology - Paraffin				
ELISA			•	
Immunoprecipitation			•	
Western Blotting			•	
Immunofluorescence				

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Human
Species Cross Reactivity	Reacts with: Cynomolgus monkey, Rhesus Monkey N.B. Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture

supernatant

Buffer Solution	Phosphate buffered saline		
Preservative Stabilisers	0.09% Sodium Azide		
Carrier Free	Yes		
Approx. Protein Concentrations	Ig concentration 1.0mg/ml		
Immunogen	Mouse L cells transfected with human CD8 gene.		
External Database Links	UniProt: P01732 Related reagents P10966 Related reagents Entrez Gene: 925 CD8A Related reagents 926 CD8B Related reagents		
Synonyms	CD8B1, MAL		
RRID	AB_1102343		
Fusion Partners	Spleen cells from an immunised DA rat were fused with cells of the rat Y3/Ag.1.2.3 myeloma line.		
Specificity	Rat anti Human CD8 antibody, clone YTC182.20 recognizes the human CD8 cell surface antigen, a ~30/32 kDa glycoprotein expressed by the cytotoxic/suppressor subset of T lymphocytes, and more weakly by NK cells.		
Flow Cytometry	Use 10ul of the suggested working dilution to label 10 ⁶ cells in 100ul.		
References	1. Jonker, M. <i>et al.</i> (1989) Reactivity of mAb specific for human CD markers with Rhesus monkey leucocytes. Leucocyte Typing IV. Oxford University Press p 1058-1063. 2. Yoshino, N. <i>et al.</i> (2000) Upgrading of flow cytometric analysis for absolute counts, cytokines and other antigenic molecules of cynomolgus monkeys (Macaca fascicularis) by using anti-human cross-reactive antibodies. Exp Anim. 49 (2): 97-110. 3. Walton, L.J. <i>et al.</i> (1998) Intra-epithelial subpopulations of T lymphocytes and Langerhans cells in oral lichen planus. J Oral Pathol Med. 27 (3): 116-23. 4. Shacklett, B.L. <i>et al.</i> (2004) Abundant expression of granzyme A, but not perforin, in granules of CD8+ T cells in GALT: implications for immune control of HIV-1 infection. J Immunol. 173 (1): 641-8. 5. Wang, H. <i>et al.</i> (2016) Assessment of placental transfer and the effect on embryo-fetal development of a humanized monoclonal antibody targeting lymphotoxin-alpha in non-human primates. Reprod Toxicol. 63: 82-95.		

- 6. Salajegheh, M. *et al.* (2007) T cell receptor profiling in muscle and blood lymphocytes in sporadic inclusion body myositis. Neurology. 69 (17): 1672-9.
- 7. Salajegheh, M. *et al.* (2007) Upregulation of thrombospondin-1(TSP-1) and its binding partners, CD36 and CD47, in sporadic inclusion body myositis. <u>J Neuroimmunol. 187</u> (1-2): 166-74.
- 8. Sasikala-Appukuttan, A.K. *et al.* (2013) Location and dynamics of the immunodominant CD8 T cell response to SIVΔnef immunization and SIVmac251 vaginal challenge. <u>PLoS</u> One. 8 (12): e81623.
- 9. VanNierop, G.P. *et al.* (2017) Phenotypic and functional characterization of T cells in white matter lesions of multiple sclerosis patients. <u>Acta Neuropathol. Jun 17 [Epub ahead of print].</u>
- 10. Cramer, M.L. *et al.* (2017) Induction of T-Cell Infiltration and Programmed Death Ligand 2 Expression by Adeno-Associated Virus in Rhesus Macaque Skeletal Muscle and Modulation by Prednisone. <u>Hum Gene Ther. 28 (6): 493-509.</u>

Storage

Store at +4°C or at -20°C if preferred.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

12 months from date of despatch

Acknowledgements

The isolation and characterisation of this cell line was carried out with the help of funds

supplied by the Medical Research Council, United kingdom.

Health And Safety Information

Material Safety Datasheet documentation #10040 available at:

https://www.bio-rad-antibodies.com/SDS/MCA351GT

10040

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Rabbit Anti Rat IgG (STAR16...) <u>DyLight®800</u>

Rabbit Anti Rat IgG (STAR17...)

Goat Anti Rat IgG (STAR72...)

Goat Anti Rat IgG (STAR69...)

Goat Anti Rat IgG (STAR73...)

RPE

Rabbit Anti Rat IgG (STAR21...)

Goat Anti Rat IgG (MOUSE ADSORBED) (STAR71...) <u>DyLight®550</u>, <u>DyLight®650</u>, <u>DyLight®800</u>

Goat Anti Rat IgG (STAR131...) Alk. Phos., Biotin

Recommended Negative Controls

RAT IgG2b NEGATIVE CONTROL (MCA6006GA)

 North & South
 Tel: +1 800 265 7376
 Worldwide
 Tel: +44 (0)1865 852 700
 Europe
 Tel: +49 (0) 89 8090 95 21
 To

 America
 Fax: +1 919 878 3751
 Fax: +44 (0)1865 852 739
 Fax: +49 (0) 89 8090 95 50
 find a

 Email: antibody_sales_us@bio-rad.com
 Email: antibody_sales_uk@bio-rad.com
 Email: antibody_sales_de@bio-rad.com

ase use our online search tool at: bio-rad-antibodies.com/datasheets 'M367640:200529'

Printed on 17 Jul 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint