

Datasheet: MCA400

Description:	MOUSE ANTI INFLUENZA A NUCLEOPROTEIN
Specificity:	INFLUENZA A NUCLEOPROTEIN
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	AA5H
Isotype:	IgG2a
Quantity:	1 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry			▪	
Immunohistology - Frozen			▪	
Immunohistology - Paraffin	▪			
ELISA			▪	
Immunoprecipitation			▪	
Western Blotting	▪			
Immunofluorescence	▪			

Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.

Target Species	Viral
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant.
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide
Approx. Protein Concentrations	IgG concentration 1.0 mg/ml

Immunogen	Influenza A / Puerto Rico / 8 / 34 (H1N1) and A/Bangkok / 1 / 79 (H3N2) viruses.
RRID	AB_2151884
Fusion Partners	Spleen cells from BALB/c mice were fused with cells of the P3 Ag8.653 mouse myeloma cell line.
Specificity	Mouse anti Influenza A Nucleoprotein antibody, clone AA5H recognizes an epitope within Influenza virus A nucleoprotein. Mouse anti Influenza A Nucleoprotein antibody, clone AA5H can be used in influenza A IFA typing in conjunction with MCA401 (clone GA2B).
References	<ol style="list-style-type: none"> Herold, S. <i>et al.</i> (2006) Alveolar epithelial cells direct monocyte transepithelial migration upon influenza virus infection: impact of chemokines and adhesion molecules. J Immunol. 177 (3): 1817-24. Ehrhardt, C. <i>et al.</i> (2007) Influenza A virus NS1 protein activates the PI3K/Akt pathway to mediate antiapoptotic signaling responses. J Virol. 81: 3058-67. Ehrhardt, C. <i>et al.</i> (2007) Activation of phosphatidylinositol 3-kinase signaling by the nonstructural NS1 protein is not conserved among type A and B influenza viruses. J Virol. 81: 12097-100. Matarrese, P. <i>et al.</i> (2011) Pepstatin A alters host cell autophagic machinery and leads to a decrease in influenza A virus production. J Cell Physiol. 226 (12): 3368-77. Nencioni, L. <i>et al.</i> (2009) Bcl-2 expression and p38MAPK activity in cells infected with influenza A virus: impact on virally induced apoptosis and viral replication. J Biol Chem. 284: 16004-15. Pauli, E.K. <i>et al.</i> (2008) Influenza A virus inhibits type I IFN signaling via NF-kappaB-dependent induction of SOCS-3 expression. PLoS Pathog. 4(11): e1000196. Jamali, A. <i>et al.</i> (2010) A DNA vaccine-encoded nucleoprotein of influenza virus fails to induce cellular immune responses in a diabetic mouse model. Clin Vaccine Immunol. 17: 683-7. Ehrhardt, C. <i>et al.</i> (2007) A polyphenol rich plant extract, CYSTUS052, exerts anti influenza virus activity in cell culture without toxic side effects or the tendency to induce viral resistance. Antiviral Res. 76: 38-47. Seitz, C. <i>et al.</i> (2010) High yields of influenza A virus in Madin-Darby canine kidney cells are promoted by an insufficient interferon-induced antiviral state. J Gen Virol. 91: 1754-63. Gabay, C. <i>et al.</i> (2011) Impact of synthetic and biologic disease-modifying antirheumatic drugs on antibody responses to the AS03-adjuvanted pandemic influenza vaccine: a prospective, open-label, parallel-cohort, single-center study. Arthritis Rheum. 63 (6): 1486-96. Luig, C. <i>et al.</i> (2010) MAP kinase-activated protein kinases 2 and 3 are required for influenza A virus propagation and act via inhibition of PKR. FASEB J. 24: 4068-77. Shu, Y. <i>et al.</i> (2010) Avian influenza A(H5N1) viruses can directly infect and replicate in human gut tissues. J Infect Dis. 201: 1173-7. Hassan, I.H. <i>et al.</i> (2012) Influenza A viral replication is blocked by inhibition of the inositol-requiring enzyme 1 (IRE1) stress pathway. J Biol Chem. 287 (7): 4679-89. Brnic, D. <i>et al.</i> (2012) Borna disease virus infects human neural progenitor cells and impairs neurogenesis. J Virol. 86 (5): 2512-22.

15. Hrinčius, E.R. *et al.* (2011) Phosphatidylinositol-3-kinase (PI3K) is activated by influenza virus vRNA via the pathogen pattern receptor Rig-I to promote efficient type I interferon production. [Cell Microbiol. 13: 1907-19.](#)
16. Koerner, I. *et al.* (2012) Altered receptor specificity and fusion activity of the haemagglutinin contribute to high virulence of a mouse-adapted influenza A virus. [J Gen Virol. 93 \(Pt 5\): 970-9.](#)
17. Thompson, C.I. *et al.* (2006) Infection of human airway epithelium by human and avian strains of influenza a virus. [J Virol. 80: 8060-8.](#)
18. Gao, R. *et al.* (2010) A systematic molecular pathology study of a laboratory confirmed H5N1 human case. [PLoS One. 5: e13315.](#)
19. Matthaei M *et al.* (2013) Highly pathogenic H5N1 influenza A virus strains provoke heterogeneous IFN- α/β responses that distinctively affect viral propagation in human cells. [PLoS One. 8 \(2\): e56659.](#)
20. Wörmann, X. *et al.* (2016) Genetic characterization of an adapted pandemic 2009 H1N1 influenza virus that reveals improved replication rates in human lung epithelial cells [Virology. 492: 118-29.](#)
21. Sadewasser, A. *et al.* (2017) Quantitative proteomic approach identifies Vpr binding protein as novel host factor supporting influenza A virus infections in human cells. [Mol Cell Proteomics. pii: mcp.M116.065904. \[Epub ahead of print\]](#)
22. Kim HR *et al.* (2016) Ostrich (*Struthio camelus*) Infected with H5N8 Highly Pathogenic Avian Influenza Virus in South Korea in 2014. [Avian Dis. 60 \(2\): 535-9.](#)
23. Dick, A. *et al.* (2015) Role of nucleotide binding and GTPase domain dimerization in dynamin-like myxovirus resistance protein A for GTPase activation and antiviral activity. [J Biol Chem. 290 \(20\): 12779-92.](#)
24. Shoji, M. *et al.* (2015) Bakuchiol Is a Phenolic Isoprenoid with Novel Enantiomer-selective Anti-influenza A Virus Activity Involving Nrf2 Activation. [J Biol Chem. 290 \(46\): 28001-17.](#)
25. Thulasi Raman, S.N. *et al.* (2016) DDX3 Interacts with Influenza A Virus NS1 and NP Proteins and Exerts Antiviral Function through Regulation of Stress Granule Formation. [J Virol. 90 \(7\): 3661-75.](#)
26. Youchan, B. *et al.* (2018) Pathological lesions and antigen localization in chicken, ducks and Japanese quail naturally infected by novel highly pathogenic avian influenza (H5N6), Korea, 2016 [J Prev Vet Med. 42 \(3\): 91-8.](#)
27. Sid, H. *et al.* (2017) Interaction of Influenza A Viruses with Oviduct Explants of Different Avian Species. [Front Microbiol. 8: 1338.](#)
28. Prokopyeva, E.A. *et al.* (2019) Pathology of A(H5N8) (Clade 2.3.4.4) Virus in Experimentally Infected Chickens and Mice. [Interdiscip Perspect Infect Dis. 2019: 4124865.](#)
29. Calmy, A. *et al.* (2012) Strong serological responses and HIV RNA increase following AS03-adjuvanted pandemic immunization in HIV-infected patients. [HIV Med. 13 \(4\): 207-18.](#)

Storage

Store at +4°C or at -20°C if preferred.

This product should be stored undiluted.

Storage in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Guarantee 12 months from date of despatch

Health And Safety Information Material Safety Datasheet documentation #10040 available at:
10040: <https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf>

Regulatory For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Rabbit Anti Mouse IgG (STAR8...)	DyLight®800
Goat Anti Mouse IgG (STAR76...)	RPE
Human Anti Mouse IgG2a (HCA037...)	HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight®488 , DyLight®680 , DyLight®800 , FITC , HRP
Goat Anti Mouse IgG (STAR70...)	FITC

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Email: antibody_sales_us@bio-rad.com

Worldwide

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: antibody_sales_uk@bio-rad.com

Europe

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)
'M367650:200529'

Printed on 19 Apr 2021

© 2021 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)