

## Datasheet: MCA4609F

<b>Description:</b>	MOUSE ANTI HUMAN CD8:FITC
<b>Specificity:</b>	CD8
<b>Format:</b>	FITC
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	RPA-T8
<b>Isotype:</b>	IgG1
<b>Quantity:</b>	0.1 mg

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			1/5 - 1/10

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

### Target Species

Human

### Species Cross Reactivity

Reacts with: Chimpanzee, Baboon, Cynomolgus monkey, Rhesus Monkey, Macaque  
**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

### Product Form

Purified IgG conjugated to Fluorescein Isothiocyanate Isomer 1 (FITC) - liquid

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	FITC	490	525

### Preparation

Purified IgG prepared by affinity chromatography

### Buffer Solution

Phosphate buffered saline

### Preservative Stabilisers

0.09% Sodium Azide (NaN<sub>3</sub>)

<b>Approx. Protein Concentrations</b>	IgG concentration 0.5 mg/ml
<b>External Database Links</b>	<p><b>UniProt:</b></p> <p><a href="#">P01732</a>     <a href="#">Related reagents</a></p> <p><a href="#">P10966</a>     <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b></p> <p><a href="#">925</a> CD8A     <a href="#">Related reagents</a></p> <p><a href="#">926</a> CD8B     <a href="#">Related reagents</a></p>
<b>Synonyms</b>	CD8B1, MAL
<b>Specificity</b>	<b>Mouse anti Human CD8 monoclonal antibody, clone RPA-T8</b> recognizes the alpha-chain of the human CD8 antigen, a ~32 kDa single pass type 1 membrane glycoprotein containing a single Ig-like <a href="#">V-type</a> domain. CD8 $\alpha$ forms either homodimers or disulphide bond linked heterodimers with the CD8 $\beta$ chain. CD8 is expressed by thymocytes, the cytotoxic-suppressor subset of T cells and weakly by NK cells. CD8 functions as a receptor for MHC Class I molecules.
<b>Flow Cytometry</b>	Use 10ul of the suggested working dilution to label 1 x 10 <sup>6</sup> cells or cells or 100ul human whole blood
<b>References</b>	<ol style="list-style-type: none"> <li>Morbus, U. (1989) Cluster Report: CD8 <i>in</i> Leukocyte Typing IV, White Cell Differentiation Antigens, edited by Knapp W, Dorken B, Gilks WR, Rieber E, Schmidt RE, Stein H, Von Dem Borne AEG, Oxford University Press: pp 475-8.</li> <li>Suranyi, M.G. <i>et al.</i> (1991) Lymphocyte adhesion molecules in T cell-mediated lysis of human kidney cells. <a href="#">Kidney Int. 39 (2): 312-9.</a></li> <li>Aversa, G. <i>et al.</i> (1994) A monoclonal antibody (A6) recognizing a unique epitope restricted to CD45RO and RB isoforms of the leukocyte common antigen family identifies functional T cell subsets. <a href="#">Cell Immunol. 158 (2): 314-28.</a></li> <li>SanSebastian, W. <i>et al.</i> (2013) Adeno-associated virus type 6 is retrogradely transported in the non-human primate brain. <a href="#">Gene Ther. 20 (12): 1178-83.</a></li> <li>Samaranch, L. <i>et al.</i> (2014) AAV9-mediated expression of a non-self protein in nonhuman primate central nervous system triggers widespread neuroinflammation driven by antigen-presenting cell transduction. <a href="#">Mol Ther. 22 (2): 329-37.</a></li> </ol>
<b>Storage</b>	<p>Store at +4°C. DO NOT FREEZE.</p> <p>This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
<b>Guarantee</b>	Guaranteed until date of expiry. Please see product label.
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #10040 available at: 10040: <a href="https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf">https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf</a>

## Related Products

### Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:FITC \(MCA928F\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://bio-rad-antibodies.com/datasheets)

'M360924:200124'

**Printed on 21 Mar 2022**

---