

Datasheet: MCA461SBUV400

BATCH NUMBER 100006073

Description:	MOUSE ANTI HUMAN CD45RO:StarBright UltraViolet 400
Specificity:	CD45RO
Format:	StarBright UltraViolet 400
Product Type:	Monoclonal Antibody
Clone:	UCHL1
Isotype:	IgG2a
Quantity:	100 TESTS/0.5ml

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

Target Species	Human			
Species Cross Reactivity	reactivity is derived fr	nzee, Marmoset rity and working conditi rom testing within our li tions from the originato	aboratories, peer-revi	ewed publications or
Product Form	Purified IgG conjugat	ed to StarBright UltraV	/iolet 400 - liquid	
Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)	
	StarBright UltraViolet 400	347	394	
Preparation	Purified IgG prepared supernatant	d by affinity chromatog	raphy on Protein A fro	om tissue culture

Buffer Solution	Phosphate buffered saline	
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20	
Immunogen	Human IL-2 dependent T cells	
External Database Links	UniProt: P08575 Related reagents Entrez Gene: 5788 PTPRC Related reagents	
Synonyms	CD45	
Fusion Partners	Spleen cells from immunised mice were fused with cells of the mouse P3/NS1/1-Ag4-1 myeloma cell line	
Specificity	Mouse anti Human CD45RO monoclonal antibody, clone UCHL1 recognizes the low molecular weight isoform (180 kDa) of the leucocyte common antigen (LCA). The antigoris expressed by a functional subset of T cells with memory phenotype. In peripheral blood Mouse anti Human CD45RO, clone UCHL1 stains 40-80% of lymphocytes and all monocytes and granulocytes.	
Flow Cytometry	Use 5ul of the suggested working dilution to label 10 ⁶ cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.	
References	 Norton, A.J. <i>et al.</i> (1986) Monoclonal antibody (UCHL1) that recognises normal and neoplastic T cells in routinely fixed tissues. J Clin Pathol. 39 (4): 399-405. Terry. L.A. <i>et al.</i> (1987) Phenotypic heterogeneity of the CD4+ and CD8+ subsets. Leucocyte Typing III. McMichael, A.J., Beverley, P.C.L. <i>et al.</i> eds. University Press. pp 225-7. Akbar, A.N. <i>et al.</i> (1988) Loss of CD45R and gain of UCHL1 reactivity is a feature of primed T cells. J Immunol. 140 (7): 2171-8. Beverley, P.C.L. <i>et al.</i> (1988) Phenotypic diversity of the CD45 antigen and its relation to function. Immunology, Suppl. 1: 3-5. Merkenschlager, M. <i>et al.</i> (1988) Limiting dilution analysis of proliferative responses in human lymphocyte populations defined by the monoclonal antibody UCHL1: implication for differential CD45 expression in T cell memory formation. Eur J Immunol. 18 (11): 1653-61. Terry, L.A. <i>et al.</i> (1988) The monoclonal antibody, UCHL1, recognizes a 180,000 MW component of the human leucocyte-common antigen, CD45. Immunology. 64 (2): 331-67. Cavers, M. <i>et al.</i> (2002) Differential expression of beta1 and beta2 integrins and 	n n s

L-selectin on CD4+ and CD8+ T lymphocytes in human blood: comparative analysis between isolated cells, whole blood samples and cryopreserved preparations. <u>Clin Exp</u> Immunol. 127: 60-5.

- 8. Leigh, J.E. *et al.* (2006) Characterization of the immune status of CD8+ T cells in oral lesions of human immunodeficiency virus-infected persons with oropharyngeal Candidiasis. <u>Clin Vaccine Immunol.</u> 13: 678-83.
- 9. Nistala, K. *et al.* (2008) Interleukin-17-producing T cells are enriched in the joints of children with arthritis, but have a reciprocal relationship to regulatory T cell numbers. Arthritis Rheum. 58: 875-87.
- 10. Hutnick, N.A. *et al.* (2010) Vaccination with Ad5 vectors expands Ad5-specific CD8 T cells without altering memory phenotype or functionality. PLoS One. 5: e14385.
- 11. Liu Y *et al.* (2015) Fractionation of human spermatogenic cells using STA-PUT gravity sedimentation and their miRNA profiling. <u>Sci Rep. 5: 8084.</u>
- 12. Wilson, C.L. *et al.* (2015) Ubiquitin C-terminal hydrolase 1: A novel functional marker for liver myofibroblasts and a therapeutic target in chronic liver disease. <u>J Hepatol. 63 (6):</u> 1421-8.

1. Beverley, P.C. (1987) Human T cell subsets. Immunol Lett. 14 (4): 263-7.
Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
12 months from date of despatch
This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA461SBUV400 20471
For research purposes only

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739

Europe

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_us@bio-rad.com

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M392299:211029'

Printed on 11 Mar 2025