



## Datasheet: MCA461SBUV665

**BATCH NUMBER 100006115**

<b>Description:</b>	MOUSE ANTI HUMAN CD45RO:StarBright UltraViolet 665
<b>Specificity:</b>	CD45RO
<b>Format:</b>	StarBright UltraViolet 665
<b>Product Type:</b>	Monoclonal Antibody
<b>Clone:</b>	UCHL1
<b>Isotype:</b>	IgG2a
<b>Quantity:</b>	100 TESTS/0.5ml

## Product Details

### Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit [www.bio-rad-antibodies.com/protocols](http://www.bio-rad-antibodies.com/protocols).

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	▪			Neat

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

**Target Species** Human

**Species Cross Reactivity** Reacts with: Chimpanzee, Marmoset  
**N.B.** Antibody reactivity and working conditions may vary between species. Cross reactivity is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information.

**Product Form** Purified IgG conjugated to StarBright UltraViolet 665 - liquid

Max Ex/Em	Fluorophore	Excitation Max (nm)	Emission Max (nm)
	StarBright UltraViolet 665	340	684

**Preparation** Purified IgG prepared by affinity chromatography on Protein A from tissue culture supernatant

<b>Buffer Solution</b>	Phosphate buffered saline
<b>Preservative Stabilisers</b>	0.09% Sodium Azide (NaN <sub>3</sub> ) 1% Bovine Serum Albumin 0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20
<b>Immunogen</b>	Human IL-2 dependent T cells
<b>External Database Links</b>	<p><b>UniProt:</b> <a href="#">P08575</a>    <a href="#">Related reagents</a></p> <p><b>Entrez Gene:</b> <a href="#">5788</a>    PTPRC    <a href="#">Related reagents</a></p>
<b>Synonyms</b>	CD45
<b>Fusion Partners</b>	Spleen cells from immunised mice were fused with cells of the mouse P3/NS1/1-Ag4-1 myeloma cell line
<b>Specificity</b>	<p><b>Mouse anti Human CD45RO monoclonal antibody, clone UCHL1</b> recognizes the low molecular weight isoform (180 kDa) of the leucocyte common antigen (LCA). The antigen is expressed by a functional subset of T cells with memory phenotype.</p> <p>In peripheral blood Mouse anti Human CD45RO, clone UCHL1 stains 40-80% of lymphocytes and all monocytes and granulocytes.</p>
<b>Flow Cytometry</b>	Use 5ul of the suggested working dilution to label 10 <sup>6</sup> cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.
<b>References</b>	<ol style="list-style-type: none"> <li>Norton, A.J. <i>et al.</i> (1986) Monoclonal antibody (UCHL1) that recognises normal and neoplastic T cells in routinely fixed tissues. <a href="#">J Clin Pathol. 39 (4): 399-405.</a></li> <li>Terry, L.A. <i>et al.</i> (1987) Phenotypic heterogeneity of the CD4+ and CD8+ subsets. Leucocyte Typing III. McMichael, A.J., Beverley, P.C.L. <i>et al.</i> eds. University Press. pp 225-7.</li> <li>Akbar, A.N. <i>et al.</i> (1988) Loss of CD45R and gain of UCHL1 reactivity is a feature of primed T cells. <a href="#">J Immunol. 140 (7): 2171-8.</a></li> <li>Beverley, P.C.L. <i>et al.</i> (1988) Phenotypic diversity of the CD45 antigen and its relation to function. <a href="#">Immunology, Suppl. 1: 3-5.</a></li> <li>Merkenschlager, M. <i>et al.</i> (1988) Limiting dilution analysis of proliferative responses in human lymphocyte populations defined by the monoclonal antibody UCHL1: implications for differential CD45 expression in T cell memory formation. <a href="#">Eur J Immunol. 18 (11): 1653-61.</a></li> <li>Terry, L.A. <i>et al.</i> (1988) The monoclonal antibody, UCHL1, recognizes a 180,000 MW component of the human leucocyte-common antigen, CD45. <a href="#">Immunology. 64 (2): 331-6.</a></li> <li>Cavers, M. <i>et al.</i> (2002) Differential expression of beta1 and beta2 integrins and</li> </ol>

L-selectin on CD4+ and CD8+ T lymphocytes in human blood: comparative analysis between isolated cells, whole blood samples and cryopreserved preparations. [Clin Exp Immunol. 127: 60-5.](#)

8. Leigh, J.E. *et al.* (2006) Characterization of the immune status of CD8+ T cells in oral lesions of human immunodeficiency virus-infected persons with oropharyngeal Candidiasis. [Clin Vaccine Immunol. 13: 678-83.](#)

9. Nistala, K. *et al.* (2008) Interleukin-17-producing T cells are enriched in the joints of children with arthritis, but have a reciprocal relationship to regulatory T cell numbers. [Arthritis Rheum. 58: 875-87.](#)

10. Hutnick, N.A. *et al.* (2010) Vaccination with Ad5 vectors expands Ad5-specific CD8 T cells without altering memory phenotype or functionality. [PLoS One. 5: e14385.](#)

11. Liu Y *et al.* (2015) Fractionation of human spermatogenic cells using STA-PUT gravity sedimentation and their miRNA profiling. [Sci Rep. 5: 8084.](#)

12. Wilson, C.L. *et al.* (2015) Ubiquitin C-terminal hydrolase 1: A novel functional marker for liver myofibroblasts and a therapeutic target in chronic liver disease. [J Hepatol. 63 \(6\): 1421-8.](#)

---

<b>Further Reading</b>	1. Beverley, P.C. (1987) Human T cell subsets. <a href="#">Immunol Lett. 14 (4): 263-7.</a>
<b>Storage</b>	Store at +4°C. DO NOT FREEZE. This product should be stored undiluted.
<b>Guarantee</b>	12 months from date of despatch
<b>Acknowledgements</b>	This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts
<b>Health And Safety Information</b>	Material Safety Datasheet documentation #20471 available at: <a href="https://www.bio-rad-antibodies.com/SDS/MCA461SBUV665">https://www.bio-rad-antibodies.com/SDS/MCA461SBUV665</a> 20471
<b>Regulatory</b>	For research purposes only

---

## Related Products

### Recommended Useful Reagents

[HUMAN SEROBLOCK \(BUF070A\)](#)

[HUMAN SEROBLOCK \(BUF070B\)](#)

**North & South** Tel: +1 800 265 7376

**America** Fax: +1 919 878 3751

Email: [antibody\\_sales\\_us@bio-rad.com](mailto:antibody_sales_us@bio-rad.com)

**Worldwide**

Tel: +44 (0)1865 852 700

Fax: +44 (0)1865 852 739

Email: [antibody\\_sales\\_uk@bio-rad.com](mailto:antibody_sales_uk@bio-rad.com)

**Europe**

Tel: +49 (0) 89 8090 95 21

Fax: +49 (0) 89 8090 95 50

Email: [antibody\\_sales\\_de@bio-rad.com](mailto:antibody_sales_de@bio-rad.com)

To find a batch/lot specific datasheet for this product, please use our online search tool at: [bio-rad-antibodies.com/datasheets](https://www.bio-rad-antibodies.com/datasheets)  
'M393392:211221'

Printed on 16 May 2024