

Datasheet: MCA461SBV475

| Description: | MOUSE ANTI HUMAN CD45RO:StarBright Violet 475 |
|----------------------|---|
| Specificity: | CD45RO |
| Format: | StarBright Violet 475 |
| Product Type: | Monoclonal Antibody |
| Clone: | UCHL1 |
| Isotype: | IgG2a |
| Quantity: | 100 TESTS/0.5ml |
| | |

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

| | Yes | No | Not Determined | Suggested Dilution |
|----------------|-----|----|----------------|--------------------|
| Flow Cytometry | • | | | Neat |

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

| Target Species | Human | | | |
|----------------|--------------------------|--------------------------|----------------------|--------------------------|
| Species Cross | Reacts with: Chimpa | nzee, Marmoset | | |
| Reactivity | N.B. Antibody reactive | rity and working conditi | ons may vary betw | veen species. Cross |
| | reactivity is derived fr | om testing within our la | aboratories, peer-r | eviewed publications of |
| | personal communica | tions from the originato | ors. Please refer to | references indicated for |
| | further information. | | | |
| Product Form | Purified IgG conjugat | ed to StarBright Violet | 475 - liquid | |
| Max Ex/Em | Fluorophore | Excitation Max (nm) | Emission Max (nn | m) |
| | StarBright Violet 475 | 405 | 479 | |
| Preparation | Purified IgG prepared | d by affinity chromatog | raphy on Protein A | from tissue culture |
| | supernatant | | | |
| | 5 ap 5a.a | | | |

| Preservative | |
|--------------|---|
| Stabilisers | |
| | |
| | |
| | |
| | |
| Approx. Pro | ĺ |

0.09% Sodium Azide (NaN₃)1% Bovine Serum Albumin

0.1% Pluronic F68 0.1% PEG 3350 0.05% Tween 20

Approx. Protein Concentrations

For information on the concentration of our StarBright Dye conjugated reagents please visit our FAQ page.

Immunogen

Human IL-2 dependent T cells

External Database Links

UniProt:

P08575 Related reagents

Entrez Gene:

5788 PTPRC Related reagents

Synonyms

CD45

Fusion Partners

Spleen cells from immunised mice were fused with cells of the mouse P3/NS1/1-Ag4-1 myeloma cell line

Specificity

Mouse anti Human CD45RO monoclonal antibody, clone UCHL1 recognizes the low molecular weight isoform (180 kDa) of the leucocyte common antigen (LCA). The antigen is expressed by a functional subset of T cells with memory phenotype.

In peripheral blood Mouse anti Human CD45RO, clone UCHL1 stains 40-80% of lymphocytes and all monocytes and granulocytes.

Flow Cytometry

Use 5ul of the suggested working dilution to label 10^6 cells in 100ul. Best practices suggest a 5 minutes centrifugation at 6,000g prior to sample application.

References

- 1. Norton, A.J. *et al.* (1986) Monoclonal antibody (UCHL1) that recognises normal and neoplastic T cells in routinely fixed tissues. <u>J Clin Pathol. 39 (4): 399-405.</u>
- 2. Terry. L.A. *et al.* (1987) Phenotypic heterogeneity of the CD4+ and CD8+ subsets. Leucocyte Typing III. McMichael, A.J., Beverley, P.C.L. *et al.* eds. University Press. pp 225-7.
- 3. Akbar, A.N. *et al.* (1988) Loss of CD45R and gain of UCHL1 reactivity is a feature of primed T cells. <u>J Immunol</u>. 140 (7): 2171-8.
- 4. Beverley, P.C.L. *et al.* (1988) Phenotypic diversity of the CD45 antigen and its relation to function. <u>Immunology</u>, <u>Suppl. 1: 3-5.</u>
- 5. Merkenschlager, M. *et al.* (1988) Limiting dilution analysis of proliferative responses in human lymphocyte populations defined by the monoclonal antibody UCHL1: implications for differential CD45 expression in T cell memory formation. <u>Eur J Immunol. 18 (11)</u>: 1653-61.
- 6. Terry, L.A. *et al.* (1988) The monoclonal antibody, UCHL1, recognizes a 180,000 MW component of the human leucocyte-common antigen, CD45. <u>Immunology. 64 (2): 331-6.</u>

- 7. Cavers, M. *et al.* (2002) Differential expression of beta1 and beta2 integrins and L-selectin on CD4+ and CD8+ T lymphocytes in human blood: comparative analysis between isolated cells, whole blood samples and cryopreserved preparations. <u>Clin Exp Immunol</u>. 127: 60-5.
- 8. Leigh, J.E. *et al.* (2006) Characterization of the immune status of CD8+ T cells in oral lesions of human immunodeficiency virus-infected persons with oropharyngeal Candidiasis. <u>Clin Vaccine Immunol. 13: 678-83.</u>
- 9. Nistala, K. *et al.* (2008) Interleukin-17-producing T cells are enriched in the joints of children with arthritis, but have a reciprocal relationship to regulatory T cell numbers. Arthritis Rheum. 58: 875-87.
- 10. Hutnick, N.A. *et al.* (2010) Vaccination with Ad5 vectors expands Ad5-specific CD8 T cells without altering memory phenotype or functionality. <u>PLoS One. 5: e14385.</u>
- 11. Liu Y *et al.* (2015) Fractionation of human spermatogenic cells using STA-PUT gravity sedimentation and their miRNA profiling. Sci Rep. 5: 8084.
- 12. Wilson, C.L. *et al.* (2015) Ubiquitin C-terminal hydrolase 1: A novel functional marker for liver myofibroblasts and a therapeutic target in chronic liver disease. <u>J Hepatol. 63 (6):</u> 1421-8.

| Further Reading | 1. Beverley, P.C. (1987) Human T cell subsets. Immunol Lett. 14 (4): 263-7. |
|----------------------------------|--|
| Storage | Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. |
| Guarantee | 12 months from date of despatch |
| Acknowledgements | This product is covered by U.S. Patent No. 10,150,841 and related U.S. and foreign counterparts |
| Health And Safety Information | Material Safety Datasheet documentation #20471 available at: https://www.bio-rad-antibodies.com/SDS/MCA461SBV475 20471 |
| Regulatory | For research purposes only |

Related Products

Recommended Useful Reagents

HUMAN SEROBLOCK (BUF070A) HUMAN SEROBLOCK (BUF070B)

North & South Tel: +1 800 265 7376

America Fax: +1 919 878 3751

Worldwide

Tel: +44 (0)1865 852 700

Europe

Tel: +49 (0) 89 8090 95 21

Email: antibody_sales_us@bio-rad.com

Fax: +44 (0)1865 852 739

Fax: +49 (0) 89 8090 95 50

Email: antibody_sales_uk@bio-rad.com

Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets

'M437359:250311'

Printed on 11 Mar 2025