

Datasheet: MCA4634

Description:	MOUSE ANTI RAT CD252
Specificity:	CD252
Other names:	OX40 LIGAND
Format:	Purified
Product Type:	Monoclonal Antibody
Clone:	ATM-2
Isotype:	IgG1
Quantity:	0.25 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1) **Bio-Rad recommends a three layer detection system using [STAR11B](#) followed by [STAR4A](#), to enhance the staining of CD252 with MCA4634.**

Target Species	Rat
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)
Carrier Free	Yes
Approx. Protein Concentrations	IgG concentration 1.0mg/ml

Immunogen	ACI-S1 rat T-cell lymphoma cell line.
External Database Links	<p>UniProt: Q9Z2P3 Related reagents</p> <p>Entrez Gene: 89814 Tnfsf4 Related reagents</p>
Synonyms	Ox40l, Txgp1
RRID	AB_10597959
Specificity	<p>Mouse anti Rat CD252 antibody, clone ATM-2 recognizes rat CD252, otherwise known as OX40L or CD134L, a ~22 kDa type II transmembrane glycoprotein and member of the TNF superfamily, expressed by antigen-presenting cells including activated dendritic cells and B cells, and also by vascular endothelium.</p> <p>The interaction of CD252 with its receptor OX40/CD134, acts as a co-stimulator of T cell activation, proliferation and both Th1 and Th2 cytokine production, and is also important in activated B cell proliferation and secretion of immunoglobulins (Igs). CD252/OX40 interaction has been implicated in HTLV-1 associated diseases including myelopathy and adult T cell leukaemia, and also with the autoimmune diseases rheumatoid arthritis and inflammatory bowel disease.</p> <p>Mouse anti Rat CD252 antibody, clone ATM-2 has been shown to block the co-stimulatory activity of CD252 on rat T cell proliferation.</p>
Flow Cytometry	Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.
References	<ol style="list-style-type: none"> 1. Yuan, X. <i>et al.</i> (2003) The role of the CD134-CD134 ligand costimulatory pathway in alloimmune responses <i>in vivo</i>. J Immunol. 170 (6): 2949-55. 2. Macphee, I.A. <i>et al.</i> (2006) Blockade of OX40-ligand after initial triggering of the T helper 2 response inhibits mercuric chloride-induced autoimmunity. Immunology. 117 (3): 402-8.
Storage	<p>Store at +4°C or at -20°C if preferred.</p> <p>Storage in frost-free freezers is not recommended.</p> <p>This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.</p>
Guarantee	12 months from date of despatch
Health And Safety Information	Material Safety Datasheet documentation #10040 available at: 10040: https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...)	Alk. Phos. , HRP
Goat Anti Mouse IgG (STAR77...)	HRP
Rabbit Anti Mouse IgG (STAR12...)	RPE
Rabbit Anti Mouse IgG (STAR8...)	DyLight@800
Rabbit Anti Mouse IgG (STAR13...)	HRP
Goat Anti Mouse IgG (STAR76...)	RPE
Goat Anti Mouse IgG (STAR70...)	FITC
Goat Anti Mouse IgG (Fc) (STAR120...)	FITC , HRP
Rabbit Anti Mouse IgG (STAR9...)	FITC
Goat Anti Mouse IgG (H/L) (STAR117...)	Alk. Phos. , DyLight@488 , DyLight@680 , DyLight@800 , FITC , HRP

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL \(MCA1209\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

'M367739:200529'

Printed on 18 Jan 2021