

Datasheet: MCA4634A488

| Description: | MOUSE ANTI RAT CD252:Alexa Fluor® 488 | | | |
|---------------|---------------------------------------|--|--|--|
| Specificity: | CD252 | | | |
| Other names: | OX40 LIGAND | | | |
| Format: | ALEXA FLUOR® 488 | | | |
| Product Type: | Monoclonal Antibody | | | |
| Clone: | ATM-2 | | | |
| lsotype: | lgG1 | | | |
| Quantity: | 100 TESTS/1ml | | | |
| | | | | |

Product Details

| Applications | This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol | | | | | | |
|-----------------------------------|--|--|--------|--------------------------|----------------------------|--|--|
| | recommendations, ple | | | | Cumported Dilution | | |
| | Flow Cytometry | Yes | No | Not Determined | Suggested Dilution Neat | | |
| | · · · | Where this product has not been tested for use in a particular technique this does not necessarily | | | | | |
| | exclude its use in such procedures. Suggested working dilutions are given as a guide on | | | | | | |
| | | e user titrates the | • | or use in their own syst | • • | | |
| Target Species | Rat | | | | | | |
| Product Form | Purified IgG conjugated to Alexa Fluor 488 - liquid | | | | | | |
| Max Ex/Em | Fluorophore | Excitation Max (n | n) Emi | ssion Max (nm) | | | |
| | Alexa Fluor®488 | 495 | | 519 | | | |
| Preparation | Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant | | | | | | |
| Buffer Solution | Phosphate buffered saline | | | | | | |
| Preservative | 0.09% Sodium Azide (NaN ₃) | | | | | | |
| Stabilisers | 1% Bovine Serum Albumin | | | | | | |
| Approx. Protein Concentrations | IgG concentration 0.05mg/ml | | | | | | |
| Immunogen | ACI-S1 rat T-cell lymphoma cell line. | | | | | | |
| External Database Links | UniProt: <u>Q9Z2P3</u> Relate | ed reagents | | | | | |

| | Entrez Gene: 89814 Tnfsf4 <u>Related reagents</u> |
|----------------------------------|---|
| | |
| Synonyms | Ox40l, Txgp1 |
| RRID | AB_10698334 |
| Specificity | Mouse anti Rat CD252 antibody, clone ATM-2 recognizes rat CD252, otherwise known as OX40L or CD134L, a ~22 kDa type II transmembrane glycoprotein and member of the TNF superfamily, expressed by antigen-presenting cells including activated dendritic cells and B cells, and also by vascular endothelium. |
| | The interaction of CD252 with its receptor OX40/CD134, acts as a co-stimulator of T cell activation, proliferation and both Th1 and Th2 cytokine production, and is also important in activated B cell proliferation and secretion of immunoglobulins (Igs). CD252/OX40 interaction has been implicated in HTLV-1 associated diseases including myelopathy and adult T cell leukaemia, and also with the autoimmune diseases rheumatoid arthritis and inflammatory bowel disease. |
| | Mouse anti Rat CD252 antibody, clone ATM-2 has been shown to block the co-stimulatory activity of CD252 on rat T cell proliferation. |
| Flow Cytometry | Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul. |
| References | Yuan, X. <i>et al.</i> (2003) The role of the CD134-CD134 ligand costimulatory pathway in alloimmune responses <i>in vivo</i>. <u>J Immunol. 170 (6): 2949-55.</u> Macphee, I.A. <i>et al.</i> (2006) Blockade of OX40-ligand after initial triggering of the T helper 2 response inhibits mercuric chloride-induced autoimmunity. <u>Immunology. 117 (3): 402-8.</u> |
| Storage | Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use. |
| Guarantee | 12 months from date of despatch |
| Acknowledgements | This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com |
| Health And Safety Information | Material Safety Datasheet documentation #10041 available at: 10041: <u>https://www.bio-rad-antibodies.com/uploads/MSDS/10041.pdf</u> |
| Regulatory | For research purposes only |
| | |

Related Products

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL:Alexa Fluor® 488 (MCA1209A488)

| North & South | Tel: +1 800 265 7376 | Worldwide |
|---------------|----------------------------------|-----------|
| America | Fax: +1 919 878 3751 | |
| | Email: antibody_sales_us@bio-rad | .com |

 Tel: +44 (0)1865 852 700
 Europe

 Fax: +44 (0)1865 852 739
 Email: antibody_sales_uk@bio-rad.com

Europe Tel: +49 Fax: +49

Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M367740:200529'

Printed on 11 Aug 2020

© 2020 Bio-Rad Laboratories Inc | Legal | Imprint