

Datasheet: MCA4634EL

Description:	MOUSE ANTI RAT CD252:Low Endotoxin
Specificity:	CD252
Other names:	OX40 LIGAND
Format:	Low Endotoxin
Product Type:	Monoclonal Antibody
Clone:	ATM-2
Isotype:	IgG1
Quantity:	0.5 mg

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry (1)	▪			
Functional Assays	▪			

Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given as a guide only. It is recommended that the user titrates the product for use in their own system using appropriate negative/positive controls.

(1) **Bio-Rad recommends a three layer detection system using [STAR11B](#) followed by [STAR4A](#), to enhance the staining of CD252 with MCA4634.**

Target Species	Rat
Product Form	Purified IgG - liquid
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant
Buffer Solution	Phosphate buffered saline
Preservative Stabilisers	None present
Carrier Free	Yes
Endotoxin Level	<0.01EU/ug
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	ACI-S1 rat T-cell lymphoma cell line.

**External Database
Links**

UniProt:

[Q9Z2P3](#) [Related reagents](#)

Entrez Gene:

[89814](#) Tnfsf4 [Related reagents](#)

Synonyms

Ox40l, Txgp1

Specificity

Mouse anti Rat CD252 antibody, clone ATM-2 recognizes rat CD252, otherwise known as OX40L or CD134L, a ~22 kDa type II transmembrane glycoprotein and member of the TNF superfamily, expressed by antigen-presenting cells including activated dendritic cells and B cells, and also by vascular endothelium.

The interaction of CD252 with its receptor OX40/CD134, acts as a co-stimulator of T cell activation, proliferation and both Th1 and Th2 cytokine production, and is also important in activated B cell proliferation and secretion of immunoglobulins (Igs). CD252/OX40 interaction has been implicated in HTLV-1 associated diseases including myelopathy and adult T cell leukaemia, and also with the autoimmune diseases rheumatoid arthritis and inflammatory bowel disease.

Mouse anti Rat CD252 antibody, clone ATM-2 has been shown to block the co-stimulatory activity of CD252 on rat T cell proliferation.

Flow Cytometry

Use 10ul of the suggested working dilution to label 1×10^6 cells in 100ul.

References

1. Yuan, X. *et al.* (2003) The role of the CD134-CD134 ligand costimulatory pathway in alloimmune responses *in vivo*. [J Immunol. 170 \(6\): 2949-55.](#)
2. Macphee, I.A. *et al.* (2006) Blockade of OX40-ligand after initial triggering of the T helper 2 response inhibits mercuric chloride-induced autoimmunity. [Immunology. 117 \(3\): 402-8.](#)

Storage

Store at -20°C only.

Storage in frost-free freezers is not recommended.

This product should be stored undiluted. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

Shelf Life

18 months from date of despatch.

**Health And Safety
Information**

Material Safety Datasheet documentation #10162 available at:
10162: <https://www.bio-rad-antibodies.com/uploads/MSDS/10162.pdf>

Regulatory

For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG IgA IgM (STAR87...) [Alk. Phos.](#), [HRP](#)

Goat Anti Mouse IgG (STAR77...) [HRP](#)

Rabbit Anti Mouse IgG (STAR12...) [RPE](#)

Rabbit Anti Mouse IgG (STAR8...) [DyLight®800](#)

Rabbit Anti Mouse IgG (STAR13...) [HRP](#)

Goat Anti Mouse IgG (STAR76...) [RPE](#)
Goat Anti Mouse IgG (STAR70...) [FITC](#)
Goat Anti Mouse IgG (H/L) (STAR117...) [Alk. Phos.](#), [DyLight@488](#), [DyLight@549](#),
[DyLight@649](#), [DyLight@680](#), [DyLight@800](#),
[FITC](#), [HRP](#)
Goat Anti Mouse IgG (Fc) (STAR120...) [FITC](#), [HRP](#)
Rabbit Anti Mouse IgG (STAR9...) [FITC](#)
Human Anti Mouse IgG1 (HCA036...) [HRP](#)

Recommended Negative Controls

[MOUSE IgG1 NEGATIVE CONTROL:Low Endotoxin \(MCA1209EL\)](#)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	Worldwide	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	Europe	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com
----------------------------------	---	------------------	---	---------------	---

'M331370:180911'

Printed on 23 Oct 2018

© 2018 Bio-Rad Laboratories Inc | [Legal](#) | [Imprint](#)