

# Datasheet: MCA4635A647 BATCH NUMBER 151245

Description:	RAT ANTI MOUSE CD4:Alexa Fluor® 647
Specificity:	CD4
Other names:	L3T4 ANTIGEN, LY-4
Format:	ALEXA FLUOR® 647
Product Type:	Monoclonal Antibody
Clone:	GK1.5
lsotype:	lgG2b
Quantity:	100 TESTS/1ml

# **Product Details**

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .						
		Yes No	Not Determined	Suggested Dilution			
	Flow Cytometry	-		Neat - 1/10			
	Where this antibody has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Suggested working dilutions are given a guide only. It is recommended that the user titrates the antibody for use in their own system using appropriate negative/positive controls.						
Target Species	Mouse						
Product Form	Purified IgG conjugated to Alexa Fluor® 647 - liquid						
Max Ex/Em	Fluorophore	Excitation Max (nn	n) Emission Max (nm)				
	Alexa Fluor®647	650	665				
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant						
Buffer Solution	Phosphate buffered saline						
Preservative	0.09% Sodium Azide (NaN <sub>3</sub> )						
Stabilisers	1% Bovine Serum Albumin						
Approx. Protein	IgG concentration 0.05n	ng/ml					

#### Concentrations

Immunogen	Murine CD4.
External Database Links	UniProt:         P06332       Related reagents         Entrez Gene:         12504       Cd4       Related reagents
RRID	AB_1963534
Fusion Partners	Spleen cells from immunised Lewis rats were fused with cells of the SP2/0 myeloma cell line.
Specificity	<b>Rat anti Mouse CD4 antibody, clone GK1.5</b> recognizes mouse CD4, a ~55 kDa protein also known as Ly-4 and L3T4. CD4 is a single chain transmembraneous glycoprotein which belongs to the immunoglobulin superfamily, and is primarily expressed on T helper cells, peripheral blood monocytes and tissue macrophages. CD4 is also expressed on a subpopulation of regulatory T cells (CD4 <sup>+</sup> CD25 <sup>+</sup> ), which play a key role in the maintenance of self tolerance.
	Rat anti Mouse CD4 antibody, clone GK1.5 has been reported to block CD4 <sup>+</sup> T-cell activation. It blocks class II MHC antigen-specific binding, thereby inhibiting functions such as class II MHC antigen-specific proliferation and the release of lymphokines. It may also be used for <i>in vivo</i> and <i>in vitro</i> cell depletion of CD4 <sup>+</sup> T-cells.
Flow Cytometry	Use 10ul of the suggested working dilution to label $1 \times 10^6$ cells in 100ul.
	The Fc region of monoclonal antibodies may bind non-specifically to cells expressing low affinity Fc receptors. This may be reduced by using SeroBlock FcR ( <u>BUF041A/B</u> ).
References	<ol> <li>Dialynas, D.P. <i>et al.</i> (1983) Characterization of the murine T cell surface molecule, designated L3T4, identified by monoclonal antibody GK1.5: similarity of L3T4 to the human Leu-3/T4 molecule. J Immunol. 131 (5): 2445-51.</li> <li>Wilde, D.B. <i>et al.</i> (1983) Evidence implicating L3T4 in class II MHC antigen reactivity; monoclonal antibody GK1.5 (anti-L3T4a) blocks class II MHC antigen-specific proliferation, release of lymphokines, and binding by cloned murine helper T lymphocyte lines. J Immunol. 131 (5): 2178-83.</li> <li>Dialynas, D.P. <i>et al.</i> (1983) Characterization of the murine antigenic determinant, designated L3T4a, recognized by monoclonal antibody GK1.5: expression of L3T4a by functional T cell clones appears to correlate primarily with class II MHC antigen-reactivity. Immunol Rev. 74: 29-56.</li> <li>Zhou, Z. <i>et al.</i> (1985) Dynamics of T cells of L3T4 and Ly 2 phenotype within granulomas in murine listeriosis. Clin Exp Immunol. 60 (3): 559-64.</li> </ol>

	<ul> <li>6. Ye, X. <i>et al.</i> (2000) Transient depletion of CD4 lymphocyte improves efficacy of repeated administration of recombinant adenovirus in the ornithine transcarbamylase deficient sparse fur mouse. <u>Gene Ther. 7 (20): 1761-7.</u></li> <li>7. Chu, N.R. <i>et al.</i> (2000) Immunotherapy of a human papillomavirus (HPV) type 16 E7-expressing tumour by administration of fusion protein comprising <i>Mycobacterium bovis</i> bacille Calmette-Guérin (BCG) hsp65 and HPV16 E7. <u>Clin Exp Immunol. 121:216-25</u></li> <li>8. Pletinckx, K. <i>et al.</i> (2015) Immature dendritic cells convert anergic nonregulatory T cells into Foxp3- IL-10+ regulatory T cells by engaging CD28 and CTLA-4. <u>Eur J Immunol. 45</u> (2): 480-91.</li> <li>9. Foy, S.P. <i>et al.</i> (2016) Poxvirus-Based Active Immunotherapy with PD-1 and LAG-3 Dual Immune Checkpoint Inhibition Overcomes Compensatory Immune Regulation, Yielding Complete Tumor Regression in Mice. <u>PLoS One. 11 (2): e0150084.</u></li> <li>10. Steinl, D.C. <i>et al.</i> (2016) Noninvasive Contrast-Enhanced Ultrasound Molecular Imaging Detects Myocardial Inflammatory Response in Autoimmune Myocarditis. <u>Circ Cardiovasc Imaging. 9 (8):</u></li> <li>11. Olesen, M. N. <i>et al.</i> (2018) CD4 T cells react to local increase of α-synuclein in a pathology-associated variant-dependent manner and modify brain microglia in absence of brain pathology <u>Heliyon. 4 (1): e00513.</u></li> </ul>
Storage	Store at +4°C or at -20°C if preferred. Storage in frost-free freezers is not recommended. This product should be stored undiluted. This product is photosensitive and should be protected from light. Avoid repeated freezing and thawing as this may denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.
Guarantee	12 months from date of despatch
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad CA 92008 USA or outlicensing@thermofisher.com
Health And Safety Information	Material Safety Datasheet documentation #10041 available at: https://www.bio-rad-antibodies.com/SDS/MCA4635A647 10041
Regulatory	For research purposes only

### **Related Products**

### **Recommended Useful Reagents**

#### MOUSE SEROBLOCK FcR (BUF041A) MOUSE SEROBLOCK FcR (BUF041B)

North & South	Tel: +1 800 265 7376	Worldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-ra	ad.com	Email: antibody_sales_uk@bio-ra	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M367748:200529'

#### Printed on 18 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint