

Datasheet: MCA4643A647

Description:	MOUSE ANTI HUMAN CD96:Alexa Fluor® 647				
Specificity:	CD96				
Other names:	TACTILE				
Format:	ALEXA FLUOR® 647				
Product Type:	Monoclonal Antibody				
Clone:	NK92.39				
Isotype:	lgG1				
Quantity:	100 TESTS/1ml				

Product Details

Applications	This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit <u>www.bio-rad-antibodies.com/protocols</u> .							
		Yes N	lo	Not Determined	Suggested Dilution			
	Flow Cytometry	-			Neat - 1/10			
	Where this product has not been tested for use in a particular technique this does not							
	necessarily exclude its a guide only. It is reco system using appropri	mmended that t	he user	titrates the product f	g dilutions are given as or use in their own			
Target Species	Human							
Product Form	Purified IgG conjugated to Alexa Fluor® 647 - liquid							
Max Ex/Em	Fluorophore	Excitation Max	(nm) E	Emission Max (nm)				
	Alexa Fluor®647	650		665				
Preparation	Purified IgG prepared by affinity chromatography on Protein G from tissue culture supernatant							
Buffer Solution	Phosphate buffered saline							
Preservative Stabilisers	0.09% Sodium Azide (NaN ₃)							
Approx. Protein Concentrations	IgG concentration 0.0							

Immunogen	Natural killer 92 (NK92) cell line.				
External Database Links	UniProt: <u>P40200</u> <u>Related reagents</u> Entrez Gene:				
	<u>10225</u> CD96 <u>Related reagents</u>				
RRID	AB_1628791				
Specificity	Mouse anti Human CD96 antibody, clone NK92.39 recognizes human CD96, otherwise known as Tactile (T cell-activated increased late expression), a type I transmembrane glycoprotein expressed at low levels on peripheral resting T and NK cells, which increases following activation.				
	CD96 stimulates the cytotoxicity of activated NK cells, and promotes the adhesion of NK cells to target cells expressing CD155/poliovirus receptor (<u>PVR</u>) and the transfer of target cell PVR to the NK cells. CD96 can be used in the immunophenotyping of T-cell acute lymphoblastic leukaemias (<u>ALL</u>) and acute myeloid leukaemias (<u>AML</u>), and may play a role in the recognition of CD155-expressing tumours by NK cells.				
	Mouse anti Human CD96 antibody, clone NK92.39 blocks the binding of soluble CD155 to NK92 cells (<u>Fuchs <i>et al.</i> 2004</u>).				
Flow Cytometry	Use 10ul of the suggested working dilution to label 1x10 ⁶ cells in 100ul.				
References	1. Fuchs, A. <i>et al.</i> (2004) Cutting edge: CD96 (tactile) promotes NK cell-target cell adhesion by interacting with the poliovirus receptor (CD155). <u>J Immunol. 172 (7): 3994-8.</u>				
Storage	This product is shipped at ambient temperature. It is recommended to aliquot and store at -20°C on receipt. When thawed, aliquot the sample as needed. Keep aliquots at 2-8°C for short term use (up to 4 weeks) and store the remaining aliquots at -20°C.				
	Avoid repeated freezing and thawing as this may denature the antibody. Storage in frost-free freezers is not recommended. This product is photosensitive and should be protected from light.				
Guarantee	12 months from date of despatch				
Acknowledgements	This product is provided under an intellectual property licence from Life Technologies Corporation. The transfer of this product is contingent on the buyer using the purchase product solely in research, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a per-test basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than				

	as descrit CA 92008	5791 Van Allen Way, Carlsbad						
Health An Informatic	• • • • • • • • • •	afety Datash w.bio-rad-an	at:					
Regulator	y For resea	For research purposes only						
	I Products ended Negative Co	ntrols						
MOUSE IgG1 NEGATIVE CONTROL:Alexa Fluor® 647 (MCA928A647)								
Recomm	ended Useful Reag	ents						
	EROBLOCK (BUF070A) EROBLOCK (BUF070B)							
America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-r	Worldwide ad.com	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-r	Europe ad.com	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com			

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M385595:210513'

Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint