

## Datasheet: MCA4644EL BATCH NUMBER 155550

Description:	MOUSE ANTI HUMAN CD155:Low Endotoxin
Specificity:	CD155
Other names:	POLIOVIRUS RECEPTOR
Format:	Low Endotoxin
Product Type:	Monoclonal Antibody
Clone:	SKII.4
Isotype:	lgG1
Quantity:	0.5 mg

# **Product Details**

**Target Species** 

Applications	This product has been reported to work in the following applications. This information is		
	derived from testing within our laboratories, peer-reviewed publications or personal		
communications from the originators. Please refer to references indicated for			
	information. For general protocol recommendations, please visit www.bio-		
	rad-antibodies.com/protocols.		

	Yes	No	Not Determined	Suggested Dilution
Flow Cytometry	-			1/25 - 1/200
Immunohistology - Frozen	-			
Immunohistology - Paraffin				
ELISA				
Western Blotting			•	
Immunofluorescence	•			
Functional Assays	-			
Where this product has n necessarily exclude its us a guide only. It is recomn system using appropriate	se in sucl nended th	h procedu nat the us	res. Suggested workin er titrates the product f	g dilutions are given a
Human				
Purified IgG - liquid				

Product Form	Purified IgG - liquid	
Preparation	Purified IgG prepared by affinity chromatography on Protein A fro supernatant	m tissue culture
Buffer Solution	Phosphate buffered saline	
Preservative	None present	

### Stabilisers

Carrier Free	Yes
Endotoxin Level	< 0.01 EU/ug
Approx. Protein Concentrations	IgG concentration 1.0mg/ml
Immunogen	Human SK-N-S1 neuroblastoma cells.
External Database Links	UniProt: <u>P15151</u> <u>Related reagents</u> Entrez Gene: <u>5817</u> PVR <u>Related reagents</u>
Synonyms	PVS
RRID	AB_1628766
Specificity	<ul> <li>Mouse anti Human CD155 antibody, clone SKII.4 recognizes human CD155, otherwise known as poliovirus receptor (PVR). CD155 is a 397 amino acid type I transmembrane glycoprotein with a predicted molecular mass of ~45 kDa, a member of the nectin family, which acts as a mediator of cell-cell adhesion and cell migration, and is a receptor for poliovirus and cytomegalovirus.</li> <li>CD155 is a primate-restricted marker expressed by monocytes, macrophages, CD34+ thymocytes, endothelial and epithelial cells, and exists as both cell surface (alpha and delta) and secreted (beta and gamma) isoforms. CD155 promotes natural killer (NK) cell adhesion and NK effector functions, interacting with the NK receptors CD96 (Tactile) and CD226 (DNAM-1). CD155 forms a heterodimer with CD113 (nectin-3) which then binds to integrin alphaVbeta3.</li> <li>Mouse anti Human CD155 antibody, clone SKII.4 has been shown to inhibit NK cell-mediated lysis (Fuchs <i>et al.</i> 2004).</li> </ul>
Flow Cytometry	Use 10ul of the suggested working dilution to label $1 \times 10^6$ cells in 100ul.
References	<ol> <li>Fuchs, A. <i>et al.</i> (2005) Paradoxic inhibition of human natural interferon-producing cells by the activating receptor NKp44. <u>Blood. 106 (6): 2076-82.</u></li> <li>Boles, K.S. <i>et al.</i> (2009) A novel molecular interaction for the adhesion of follicular CD4 T cells to follicular DC. <u>Eur J Immunol. 39 (3): 695-703.</u></li> <li>Cella, M. <i>et al.</i> (2010) Loss of DNAM-1 contributes to CD8+ T-cell exhaustion in chronic HIV-1 infection. <u>Eur J Immunol. 40 (4): 949-54.</u></li> </ol>
Storage	Store at -20 <sup>o</sup> C only. Storage in frost-free freezers is not recommended.

	This product should be stored undiluted. Avoid repeated freezir denature the antibody. Should this product contain a precipitate microcentrifugation before use.	• • •
Guarantee	12 months from date of despatch	
Health And Safety Information	Material Safety Datasheet documentation #10162 available at: https://www.bio-rad-antibodies.com/SDS/MCA4644EL 10162	
Regulatory	For research purposes only	

### **Related Products**

### **Recommended Secondary Antibodies**

Rabbit Anti Mouse IgG (STAR12)	RPE		
Goat Anti Mouse IgG IgA IgM (STAR87) <u>Alk. Phos.</u> , <u>HRP</u>			
Goat Anti Mouse IgG (STAR76)	RPE		
Rabbit Anti Mouse IgG (STAR13)	HRP		
Goat Anti Mouse IgG (STAR70)	<u>FITC</u>		
Goat Anti Mouse IgG (H/L) (STAR117)	Alk. Phos., DyLight®488, DyLight®550,		
	DyLight®650, DyLight®680, DyLight®800,		
	<u>FITC</u> , <u>HRP</u>		
Rabbit Anti Mouse IgG (STAR9)	<u>FITC</u>		
Goat Anti Mouse IgG (Fc) (STAR120)	FITC, HRP		
Goat Anti Mouse IgG (STAR77)	HRP		
<b>Recommended Negative Controls</b>			

### MOUSE IgG1 NEGATIVE CONTROL:Low Endotoxin (MCA928EL)

North & South	Tel: +1 800 265 7376	orldwide	Tel: +44 (0)1865 852 700	Europe	Tel: +49 (0) 89 8090 95 21
America	Fax: +1 919 878 3751		Fax: +44 (0)1865 852 739		Fax: +49 (0) 89 8090 95 50
	Email: antibody_sales_us@bio-rad.com		Email: antibody_sales_uk@bio-rad	d.com	Email: antibody_sales_de@bio-rad.com

To find a batch/lot specific datasheet for this product, please use our online search tool at: bio-rad-antibodies.com/datasheets 'M373731:200930'

### Printed on 19 Jan 2024

© 2024 Bio-Rad Laboratories Inc | Legal | Imprint